

From: [Craffey, Ryan](#)
To: [Matthew Richardson](#)
Subject: Acknowledgment - Written Report for EN 55356
Date: Tuesday, August 24, 2021 12:09:00 PM

Good afternoon Mr. Richardson,

This acknowledges our receipt of your letter on August 12, 2021 reporting the loss of a portable moisture density gauge on July 15, 2021. This also acknowledges receipt of your letter on August 18, 2021 providing supplemental information to the original report. The U.S. Nuclear Regulatory Commission (NRC) has reviewed these letters and confirms that your report was filed in a timely fashion and appears to contain all required information. We will review the incident during our forthcoming inspection of your radiation safety program.

In accordance with the NRC's "Rules of Practice" in Title 10 of the *Code of Federal Regulations* Section 2.390, a copy of this correspondence will be available electronically for public inspection in the NRC's Public Document Room or in the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC's website at <https://www.nrc.gov/reading-rm/adams.html>.

Please feel free to contact me if you have any questions. Thank you!

Ryan Craffey
Health Physicist
US Nuclear Regulatory Commission
Materials Inspection Branch, Region III
(630) 829-9655

Docket No. 030-29146
License No. 21-24685-01
NMED 210302 (open)