

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. Indian Creek Therapeutics, LLC</p> <p>2. 5902 Homestead Rd. Fort Wayne, IN 46814</p>		<p>In accordance with letter dated March 02, 2021,</p> <p>3. License No.: 13-32783-01 is amended in its entirety to read as follows:</p>	<p>4. Expiration Date: September 30, 2035</p>
<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Technetium-99m</p> <p>B. Iodine-123</p> <p>C. Iodine-131</p>		<p>7. Chemical and/or physical form</p> <p>A. Any</p> <p>B. Any non-volatile</p> <p>C. Any non-volatile</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. 1 curie total</p> <p>B. 1 curie total</p> <p>C. 1 curie total</p>
			<p>9. Authorized use</p> <p>A. For hyperthyroid diagnosis and imaging and localization studies in felines and canines. For use in the calibration and quality control of equipment.</p> <p>B. For hyperthyroid diagnosis and imaging and localization studies in felines and canines. For use in the calibration and quality control of equipment.</p> <p>C. For hyperthyroid and thyroid carcinoma treatment in felines and canines. For use in the calibration and quality control of equipment.</p>


**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.: 13-32783-01

Docket or Reference No.:
030-38326

Amendment No. 5

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license	9. Authorized use
D. Cesium-137	D. Sealed Sources (Eckert & Ziegler Isotope Products, Model RV-XXX Series)	D. 400 microcuries per source and 1 millicurie total	D. For use in the calibration and quality control of equipment.
E. Barium-133	E. Sealed Sources (Eckert & Ziegler Isotopes Products, Model RV-XXX Series)	E. 500 microcuries per source and 1 millicurie total	E. For use in the calibration and quality control of equipment.
F. Cobalt-57	F. Sealed Sources (Eckert & Ziegler Isotopes Products, Model RV-XXX Series)	F. 15 millicuries total	F. For use in the calibration and quality control of equipment.
G. Tin-117m	G. Colloid	G. Not to exceed 3 millicuries per treated joint and 6 millicuries total per procedure	G. For veterinary use as a liquid colloid Exubriol Synovetin OA to treat arthritic joints in canines, not to exceed 3 millicuries per treated joint and 6 millicuries per procedure.



**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.: 13-32783-01

Docket or Reference No.:

030-38326

Amendment No. 5

CONDITIONS

10. Licensed material may be used at the licensee's facilities located at 5902 Homestead Rd., Fort Wayne, Indiana, 46814.
11. The Radiation Safety Officer (RSO) for this license is Ryan Harrell, C.N.M.T.
12.
 - A. Licensed material in Subitem Nos. 6.A. through F. shall only be used by, or under the supervision of: Ryan Harrell, C.N.M.T., Kevin Cawood, D.V.M., or William Scheiber, D.V.M.
 - B. Licensed material in Subitem No. 6.G. shall only be used by, or under the supervision of, Kevin Cawood, D.V.M or William Scheiber, D.V.M.
13. The licensee is authorized to hold radioactive material with a physical half-life of less than or equal to 120 days for decay-in-storage before disposal in ordinary trash provided:
 - A. Before disposal as ordinary trash, the waste shall be surveyed at the container surface with the appropriate survey instrument set on its most sensitive scale and with no interposed shielding to determine that its radioactivity cannot be distinguished from background. All radiation labels shall be removed or obliterated, except for radiation labels on materials that are within containers and that will be managed as biomedical waste after they have been released from the licensee.
 - B. A record of each such disposal permitted under this license condition shall be retained for 3 years. The record must include the date of disposal, the date on which the byproduct material was placed in storage, the radionuclides disposed, the survey instrument used, the background dose rate, the dose rate measured at the surface of each waste container, and the name of the individual who performed the disposal.
14. The licensee shall not use the licensed material in or on humans.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.: 13-32783-01

Docket or Reference No.:
030-38326

Amendment No. 5

15. Experimental animals, or the products from experimental animals, that have been administered licensed material shall not be used for human or animal consumption.
16. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State. In the absence of a registration certificate, sealed sources shall be tested for leakage and/or contamination at intervals not to exceed 6 months, or at such other intervals as specified.
- B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- C. Sealed sources need not be tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha-emitting material.
- D. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- E. The leak test shall be capable of detecting the presence of 185 becquerels (0.005 microcuries) of radioactive material on the test sample. If the test reveals the presence of 185 becquerels (0.005 microcuries) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- F. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.: 13-32783-01

Docket or Reference No.:
030-38326

Amendment No. 5

G. Records of leak test results shall be kept in units of becquerels (microcuries) and shall be maintained for 3 years.

17. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 3 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
18. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated May 12, 2020 (ML20134H927)
 - B. Letter dated September 8, 2020 (ML20253A114)
 - C. Letter dated October 13, 2020 (ML20288A302)
 - D. Letter dated March 2, 2021 ((ML21083A221)
 - E. Letter dated July 13, 2021 (ML21207A244)

Date: August 18, 2021

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

By: Colleen Carol Casey
Colleen Carol Casey
Region 3