


MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. Curium US LLC</p> <p>2. 111 Westport Plaza Dr. Ste. 800 St. Louis, MO 63146</p>		<p>In accordance with letter dated June 24, 2021,</p>	<p>4. Expiration Date: April 30, 2026</p>
		<p>3. License No.: 13-35179-03 is amended in its entirety to read as follows:</p>	<p>5. Docket No.: 030-38903 Reference No.:</p>
<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Any byproduct material with Atomic Nos. 1 through 83</p>	<p>7. Chemical and/or physical form</p> <p>A. Any</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. 2 curies total</p>	<p>9. Authorized use</p> <p>A. (1) For production, possession, or handling of radiochemicals and sealed sources for transfer to persons authorized to receive the licensed material pursuant to the terms and conditions of a specific license issued by the NRC or an Agreement State. (2) For research and development as defined in 10 CFR 30.4. (3) For packaging and distribution of produced radiochemicals and sealed sources to persons authorized to receive licensed materials pursuant to the terms and conditions of a specific license issued by the NRC or an Agreement State. This should not be distributed as a radiopharmaceutical or radioactive drug.</p>



**MATERIALS LICENSE
SUPPLEMENTARY SHEET**


License No.: 13-35179-03

Docket or Reference No.:

030-38903

Amendment No. 9

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license	9. Authorized use
B. Indium-111	B. Any	B. 10 curies total	B. Same as Item No. 9.A.
C. Thallium-201	C. Any	C. 7.5 curies total	C. Same as Item No. 9.A.
D. Lead-202	D. Any	D. 90 curies total	D. Same as Item No. 9.A.
E. Gallium-67	E. Any	E. 9.9 curies total	E. Same as Item No. 9.A.
F. Gallium-68	F. Any	F. 50 curies total	F. Same as Item No. 9.A.
G. Cobalt-57	G. Any	G. 10 curies total	G. Same as Item No. 9.A.
H. Cobalt-58	H. Any	H. 120 curies total	H. Same as Item No. 9.A.
I. Germanium-68	I. Any	I. 50 curies total	I. Same as Item No. 9.A.
J. Zinc-62	J. Any	J. 100 curies total	J. Same as Item No. 9.A.
K. Zinc-65	K. Any	K. 2000 curies total	K. Same as Item No. 9.A.
L. Copper-62	L. Any	L. 100 curies total	L. Same as Item No. 9.A.
M. Copper-64	M. Any	M. 100 curies total	M. Same as Item No. 9.A.
N. Copper-67	N. Any	N. 5 curies total	N. Same as Item No. 9.A.
O. Rubidium-81	O. Any	O. 75 curies total	O. Same as Item No. 9.A.
P. Rubidium-82	P. Any	P. 75 curies total	P. Same as Item No. 9.A.
Q. Strontium-82	Q. Any	Q. 75 curies total	Q. Same as Item No. 9.A.
R. Strontium-83	R. Any	R. 960 curies total	R. Same as Item No. 9.A.



**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.: 13-35179-03

Docket or Reference No.:
030-38903

Amendment No. 9

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license	9. Authorized use
S. Strontium-85	S. Any	S. 75 curies total	S. Same as Item No. 9.A.
T. Fluorine-18	T. Any	T. 300 curies total	T. Same as Item No. 9.A.
U. Nitrogen-13	U. Any	U. 30 curies total	U. Same as Item No. 9.A.
V. Carbon-11	V. Any	V. 16 curies total	V. Same as Item No. 9.A.
W. Oxygen-15	W. Any	W. 1 curie total	W. Same as Item No. 9.A.
X. Zirconium-89	X. Any	X. 20 curies total	X. Same as Item No. 9.A.
Y. Europium-154	Y. Incidentally activated products	Y. 100 millicuries total	Y. For possession and storage of byproduct materials incidental to radionuclide production.
Z. Scandium-46	Z. Incidentally activated products	Z. 100 millicuries total	Z. Same as Item No. 9.Y.
AA. Iron-59	AA. Incidentally activated products	AA. 100 millicuries total	AA. Same as Item No. 9.Y.
AB. Cobalt-60	AB. Incidentally activated products	AB. 100 millicuries total	AB. Same as Item No. 9.Y.
AC. Zinc-65	AC. Incidentally activated products	AC. 100 millicuries total	AC. Same as Item No. 9.Y.
AD. Cesium-134	AD. Incidentally activated products	AD. 100 millicuries total	AD. Same as Item No. 9.Y.
AE. Europium-152	AE. Incidentally activated products	AE. 100 millicuries total	AE. Same as Item No. 9.Y.
AF. Manganese-54	AF. Incidentally activated products	AF. 2 curies total	AF. Same as Item No. 9.Y.
AG. Cobalt-56	AG. Incidentally activated products	AG. 20 curies total	AG. Same as Item No. 9.Y.
AH. Rubidium-83	AH. Incidentally activated products	AH. 700 curies total	AH. Same as Item No. 9.Y.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.: 13-35179-03

Docket or Reference No.:
030-38903

Amendment No. 9

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license	9. Authorized use
AI. Rubidium-84	AI. Incidentally activated products	AI. 330 curies total	AI. Same as Item No. 9.Y.
AJ. Rubidium-86	AJ. Incidentally activated products	AJ. 100 curies total	AJ. Same as Item No. 9.Y.
AK. Uranium - depleted in Uranium-235	AK. Metal	AK. 5000 kilograms total	AK. For use as shielding for generators.
AL. Any byproduct material with Atomic Nos. 3 through 83	AL. Sealed sources	AL. 10 millicuries per source and 100 millicuries total	AL. For use in calibration and checking of the licensee's instruments.



**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.: 13-35179-03

Docket or Reference No.:
030-38903

Amendment No. 9

CONDITIONS

10. Licensed material may be used or stored only at the licensee's facilities located at 14395 Bergen Blvd., Noblesville, Indiana, 46060.
11. The Radiation Safety Officer (RSO) for this license is Matthew Trusner.
12. Licensed material shall only be used by, or under the supervision of:

Authorized Users

Maxim Kiselev, Ph.D.

Anson Messersmith

Robert Rose

Brandon Steele

Ryan A. Wallace, Ph.D.

Material and Use

All

All

All

All

All

13. This license does not authorize distribution of licensed material pursuant to 10 CFR 32.72 or 10 CFR 32.74 to persons generally licensed pursuant to 10 CFR Part 31 or equivalent regulations of any Agreement State; or to persons exempt from licensing pursuant to 10 CFR 30.14 through 10 CFR 30.21 inclusive, or equivalent regulations of any Agreement State.
14. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State. In the absence of a registration certificate, sealed sources shall be tested for leakage and/or contamination at intervals not to exceed six months, or at such other intervals as specified.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.: 13-35179-03

Docket or Reference No.:
030-38903

Amendment No. 9

- B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- C. Sealed sources need not be tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha-emitting material.
- D. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- E. The leak test shall be capable of detecting the presence of 185 becquerels (0.005 microcuries) of radioactive material on the test sample. If the test reveals the presence of 185 becquerels (0.005 microcuries) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- F. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- G. Records of leak test results shall be kept in units of becquerels (microcuries) and shall be maintained for three years.
15. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee, except as specifically authorized.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.: 13-35179-03

Docket or Reference No.:
030-38903

Amendment No. 9

16. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for three years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
17. Except for maintaining labeling as required by 10 CFR Part 20, or Part 71, the licensee shall obtain authorization from the U.S. Nuclear Regulatory Commission before making any changes in the sealed source, device, or source-device combination that would alter the description or specifications as indicated in the respective certificate of registration issued either by the U.S. Nuclear Regulatory Commission pursuant to 10 CFR 32.210 or by an Agreement State.
18. Before disposal as ordinary trash, the waste shall be surveyed at the container surface with the appropriate survey instrument set on its most sensitive scale and with no interposed shielding to determine that its radioactivity cannot be distinguished from background. All radiation labels shall be removed or obliterated, except for radiation labels on materials that are within containers and that will be managed as biomedical waste after they have been released from the licensee.
- A. Before disposal as ordinary trash, the waste shall be surveyed at the container surface with the appropriate survey instrument set on its most sensitive scale and with no interposed shielding to determine that its radioactivity cannot be distinguished from background. All radiation labels shall be removed or obliterated, except for radiation labels on materials that are within containers and that will be managed as biomedical waste after they have been released from the licensee.
- B. A record of each such disposal permitted under this license condition shall be retained for three years. The record must include the date of disposal, the date on which the byproduct material was placed in storage, the radionuclides disposed, the survey instrument used, the background dose rate, the dose rate measured at the surface of each waste container, and the name of the individual who performed the disposal.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**


License No.: 13-35179-03

Docket or Reference No.:
030-38903

Amendment No. 9

19. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Application dated January 25, 2016 (ML16028A386)
- B. Letter dated April 7, 2016 (ML16110A152)
- C. Letter dated April 19, 2016 (ML16111A320)
- D. Letter dated May 22, 2018 (ML18144A552)
- E. Letter dated July 31, 2018 (ML18220B174)
- F. Letter dated August 22, 2018 (ML18234A483)
- G. Letter dated August 8, 2019 (ML19221B634)
- H. Letter dated October 9, 2019 (ML19282C934)
- I. Letter dated December 20, 2019 (ML19357A266)
- J. Letter dated February 24, 2020 (ML20056C981)



**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.: 13-35179-03

Docket or Reference No.:
030-38903

Amendment No. 9

- K. Letter dated March 4, 2020 (ML20065H347)
- L. Letter dated April 3, 2020 (ML20097D013)
- M. Letter dated September 28, 2020 (ML202072A233)
- N. Letter dated September 21, 2021 (ML21265A219)

Date: September 22, 2021By: _____
Bryan A. Parker
Region III