NRC FORM 374

PAGE 1 OF 5 PAGES Amendment No. 6

U.S. NUCLEAR REGULATORY COMMISSION

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

1.				In accordance with letter dated August 27, 2021,		 4. Expiration Date: June 30, 2023 5. Docket No.: 030-38640 		
2.	310 Lawless Road Suite 110 Morgantown, WV 26501		ES NO	3. Licen amen follow	ided in	: 47-35062-01 is its entirety to read as		rence No.:
6.	Byproduct, source, and/or special nuclear material	7.	Chemical and/or physical fo	YM ROOM	8.	Maximum amount that licens may possess at any one time under this license		Authorized use
A.	Cesium-137	A.	Sealed Sources (AEA Technology/QSA , Inc., M CDC.805; Isotope Produ Laboratories, Model HEC	cts	А.	11 millicuries per source and 22 millicuries total		For use in Humboldt Scientific, Inc. Model 5001 portable gauging devices for measuring physical properties of materials.
В.	Americium-241/ Beryllium	В.	Sealed Neutron Source (Technology/QSA, Inc., M AMN.V997; Isotope Prod Laboratories, Model Am1	lodel luct	Ч <u>в</u> .)	44 millicuries per source and 88 millicuries total	B.	For use in Humboldt Scientific, Inc. Model 5001 portable gauging devices for measuring physical properties of materials.
C.	Cesium-137	C.	Sealed Sources (AEA Technology/QSA, Inc., M CDCW556; Isotope Prod Laboratories, Model HEC	luct	C.	9 millicuries per source and 72 millicuries total	C.	For use in Troxler Electronic Laboratories Model 3400 Series portable gauging devices for measuring physical properties of materials.

NRC	FORM 374A			U.S. NUCLEAR	REGULATORY C	OMMISSION		PAGE 2 OF 5 PAGES
MATERIALS LICENSE SUPPLEMENTARY SHEET			License No.: 47-35062-01 Amendment No. 6		Docket or Ref 030-38640	Docket or Reference No.: 030-38640		
6.	Byproduct, source, and/or special nuclear material	7.	Chemical and	/or physical form	may pos	n amount that licensee sess at any one time s license	9.	Authorized use
D.	Americium-241/ Beryllium	D.	Technology/0 AMN.V997; I	ron Source (AEA QSA, Inc., Model sotope Product , Model Am1.NO2, 7)	D. 44 millio	uries per source millicuries total	D.	For use in Troxler Electronic Laboratories Model 3400 Series portable gauging devices for measuring physical properties of materials.
			STATE			COMMSS		

NRC FORM 374A	U.S. NUCLEAR REGULATORY	COMMISSION	PAGE 3 OF 5 PAGES
MATERIALS LICENSE	License No.: 47-35062-01	Docket or Reference No.: 030-38640	
SUPPLEMENTARY SHEET	Amendment No. 6		
	CONDITIONS	3	
may be used at temporary job site for regulating the use of licensed If the jurisdiction status of a Fede controlling the job site in question use of radioactive materials at job	r stored at the licensee's facilities located as es anywhere in the United States where the material, including areas of exclusive Fede ral facility within an Agreement State is un to determine whether the proposed job si o sites in Agreement States not under exclu-	e U.S. Nuclear Regulatory Commiss eral jurisdiction within Agreement Sta known, the licensee should contact t te is an area of exclusive Federal jur	ion maintains jurisdiction ites. he Federal agency isdiction. Authorization for
state regulatory agency.	A S	Ö	
•	sed by, or under the supervision and in the received April 30, 2013. The licensee shall material by the individual.		
12. The Radiation Safety Officer (RS	O) for this license is Mr. Scott Bruder.	No. Solo	
13. Sealed sources or source rods co source rods by the licensee, exce	ontaining licensed material shall not be ope opt as specifically authorized.	ened or sources removed from source	e holders or detached from
registration issued by the U.S	ed for leakage and/or contamination at inte 6. Nuclear Regulatory Commission under 1 I sources shall be tested for leakage and/o	0 CFR 32.210 or by an Agreement S	State. In the absence of a
	e from a transferor indicating that a leak tes		-

of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMM	ISSION	PAGE 4 OF 5 PAGES
	License No.: 47-35062-01	Docket or Reference No .:	
MATERIALS LICENSE		030-38640	
SUPPLEMENTARY SHEET	Amendment No. 6		
C. Sealed sources need not be tested	f they are in storage and are not being us	sed. However, when they are rem	oved from storage for
use or transferred to another persor	, and have not been tested within the rec	uired leak test interval, they shall	be tested before use or

- use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- D. The leak test shall be capable of detecting the presence of 185 becquerels (0.005 microcuries) of radioactive material on the test sample. If the test reveals the presence of 185 becquerels (0.005 microcuries) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.

E. Analysis of leak test samples and/or contamination shall be performed by persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services. The licensee is authorized to collect leak test samples but not perform the analysis.

- F. Records of leak test results shall be kept in units of becquerels (microcuries) and shall be maintained for 3 years.
- 15. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 3 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
- 16. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport or storage, or when not under the direct surveillance of an authorized user.
- 17. Any cleaning, maintenance, or repair of the gauge(s) that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.

NRC FORM 374A U.S. NUCLEAR REGULATORY COMM	U.S. NUCLEAR REGULATORY COMMISSION		
MATERIALS LICENSE License No.: 47-35062-01 SUPPLEMENTARY SHEET Amendment No. 6	Docket or Reference No.: 030-38640		

- 18. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
 - A. Application dated April 8, 2013 (ML13114A491)
 - B. Appendix B received on April 30, 2013 (ML13120A177)
 - C. Letter dated March 24, 2014 (ML14094A458)
 - D. Letter dated August 1, 2019 (ML19228A013)

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date: September 8, 2021

By:

Michael Reichard Region 1