

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA NI-59.RAD

Table of Contents

Part VI: Uncertainty Analysis

RESRAD Uncertainty Analysis Results

Probabilistic Input	2
Total Dose	3
Total Risk	4
Dose vs Pathway: Ground External	5
Dose vs Pathway: Inhalation (w/o Radon)	6
Dose vs Pathway: Radon (Water Ind.)	7
Dose vs Pathway: Plant (Water Ind.)	8
Dose vs Pathway: Meat (Water Ind.)	9
Dose vs Pathway: Milk (Water Ind.)	10
Dose vs Pathway: Soil Ingestion	11
Dose vs Pathway: Water Ingestion	12
Dose vs Pathway: Fish Ingestion	13
Dose vs Pathway: Radon (Water Dep.)	14
Dose vs Pathway: Plant (Water Dep.)	15
Dose vs Pathway: Meat (Water Dep.)	16
Dose vs Pathway: Milk (Water Dep.)	17
Cumulative Probability Summary.....	18
Summary of dose at graphical times, reptition 1.....	19
Summary of dose at graphical times, reptition 2.....	20
Summary of dose at graphical times, reptition 3.....	21
Peak of the mean dose at graphical times.....	22
Correlation and Regression coefficients (if any).....	23

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA NI-59.RAD

Probabilistic Total Dose Summary

Nuclide (j)	Peak Time	Peak Dose	DOSE(j,t), mrem/yr								
			t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03	
Ni-59											
Min	0.00E+00	2.69E-05	1.03E-05	1.03E-05	1.03E-05	1.03E-05	1.03E-05	0.00E+00	0.00E+00	0.00E+00	
Max	1.00E+03	6.91E-01	6.91E-01	5.97E-01	4.44E-01	2.57E-01	9.77E-02	3.94E-02	1.54E-02	1.12E-02	
Avg	2.53E+02	2.56E-02	2.30E-02	2.23E-02	2.09E-02	1.77E-02	1.34E-02	9.38E-03	7.62E-03	5.41E-03	
Std	3.27E+02	5.54E-02	5.62E-02	5.14E-02	4.37E-02	2.82E-02	1.39E-02	5.60E-03	3.65E-03	4.01E-03	
ALL											
Min	0.00E+00	2.69E-05	1.03E-05	1.03E-05	1.03E-05	1.03E-05	1.03E-05	0.00E+00	0.00E+00	0.00E+00	
Max	1.00E+03	6.91E-01	6.91E-01	5.97E-01	4.44E-01	2.57E-01	9.77E-02	3.94E-02	1.54E-02	1.12E-02	
Avg	2.53E+02	2.56E-02	2.30E-02	2.23E-02	2.09E-02	1.77E-02	1.34E-02	9.38E-03	7.62E-03	5.41E-03	
Std	3.27E+02	5.54E-02	5.62E-02	5.14E-02	4.37E-02	2.82E-02	1.39E-02	5.60E-03	3.65E-03	4.01E-03	

ALL is total dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA NI-59.RAD

Probabilistic Risk Summary

Nuclide	RISK(j,t)							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Ni-59								
Min	5.20E-10	5.20E-10	5.20E-10	5.20E-10	5.20E-10	0.00E+00	0.00E+00	0.00E+00
Max	3.65E-05	3.17E-05	2.36E-05	1.33E-05	5.06E-06	2.04E-06	8.06E-07	6.23E-07
Avg	1.19E-06	1.15E-06	1.09E-06	9.17E-07	6.98E-07	4.96E-07	4.11E-07	2.97E-07
Std	2.91E-06	2.67E-06	2.26E-06	1.45E-06	7.02E-07	2.85E-07	2.00E-07	2.22E-07
ALL								
Min	5.20E-10	5.20E-10	5.20E-10	5.20E-10	5.20E-10	0.00E+00	0.00E+00	0.00E+00
Max	3.65E-05	3.17E-05	2.36E-05	1.33E-05	5.06E-06	2.04E-06	8.06E-07	6.23E-07
Avg	1.19E-06	1.15E-06	1.09E-06	9.17E-07	6.98E-07	4.96E-07	4.11E-07	2.97E-07
Std	2.91E-06	2.67E-06	2.26E-06	1.45E-06	7.02E-07	2.85E-07	2.00E-07	2.22E-07

ALL is total risk summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA NI-59.RAD

Probabilistic Dose vs Pathway(i): Ground External

Nuclide	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Ni-59								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA NI-59.RAD

Probabilistic Dose vs Pathway(i): Inhalation (w/o Radon)

Nuclide	DOSE(i,j,t), mrem/yr							
	(j) t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Ni-59								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	1.64E-08	7.63E-08	7.88E-08	7.22E-08	1.32E-07	1.38E-07
Avg	0.00E+00	0.00E+00	1.52E-11	3.85E-10	7.85E-10	1.10E-09	6.64E-09	1.17E-08
Std	0.00E+00	0.00E+00	4.40E-10	3.66E-09	5.24E-09	5.98E-09	1.39E-08	1.61E-08
ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	1.64E-08	7.63E-08	7.88E-08	7.22E-08	1.32E-07	1.38E-07
Avg	0.00E+00	0.00E+00	1.52E-11	3.85E-10	7.85E-10	1.10E-09	6.64E-09	1.17E-08
Std	0.00E+00	0.00E+00	4.40E-10	3.66E-09	5.24E-09	5.98E-09	1.39E-08	1.61E-08

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA NI-59.RAD

Probabilistic Dose vs Pathway(i): Radon (Water Ind.)

Nuclide	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Ni-59								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA NI-59.RAD

Probabilistic Dose vs Pathway(i): Plant (Water Ind.)

Nuclide	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Ni-59								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	2.00E-03	2.09E-03	2.29E-03	2.56E-03	2.56E-03	2.56E-03	2.55E-03	2.53E-03
Avg	1.19E-03	1.19E-03	1.20E-03	1.20E-03	1.19E-03	1.21E-03	1.32E-03	1.09E-03
Std	6.99E-04	6.96E-04	6.94E-04	7.02E-04	7.12E-04	7.32E-04	8.40E-04	9.04E-04
ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	2.00E-03	2.09E-03	2.29E-03	2.56E-03	2.56E-03	2.56E-03	2.55E-03	2.53E-03
Avg	1.19E-03	1.19E-03	1.20E-03	1.20E-03	1.19E-03	1.21E-03	1.32E-03	1.09E-03
Std	6.99E-04	6.96E-04	6.94E-04	7.02E-04	7.12E-04	7.32E-04	8.40E-04	9.04E-04

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA NI-59.RAD

Probabilistic Dose vs Pathway(i): Meat (Water Ind.)

Nuclide	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Ni-59								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	2.03E-04	2.13E-04	2.42E-04	3.36E-04	3.35E-04	3.35E-04	3.35E-04	3.32E-04
Avg	1.22E-04	1.22E-04	1.22E-04	1.24E-04	1.24E-04	1.26E-04	1.50E-04	1.39E-04
Std	7.15E-05	7.13E-05	7.10E-05	7.38E-05	7.68E-05	7.98E-05	1.04E-04	1.17E-04
ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	2.03E-04	2.13E-04	2.42E-04	3.36E-04	3.35E-04	3.35E-04	3.35E-04	3.32E-04
Avg	1.22E-04	1.22E-04	1.22E-04	1.24E-04	1.24E-04	1.26E-04	1.50E-04	1.39E-04
Std	7.15E-05	7.13E-05	7.10E-05	7.38E-05	7.68E-05	7.98E-05	1.04E-04	1.17E-04

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA NI-59.RAD

Probabilistic Dose vs Pathway(i): Milk (Water Ind.)

Nuclide	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Ni-59								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	5.86E-03	6.13E-03	6.78E-03	8.43E-03	8.43E-03	8.43E-03	8.41E-03	8.35E-03
Avg	3.51E-03	3.51E-03	3.52E-03	3.54E-03	3.53E-03	3.58E-03	4.06E-03	3.56E-03
Std	2.06E-03	2.05E-03	2.04E-03	2.09E-03	2.14E-03	2.21E-03	2.68E-03	2.95E-03
ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	5.86E-03	6.13E-03	6.78E-03	8.43E-03	8.43E-03	8.43E-03	8.41E-03	8.35E-03
Avg	3.51E-03	3.51E-03	3.52E-03	3.54E-03	3.53E-03	3.58E-03	4.06E-03	3.56E-03
Std	2.06E-03	2.05E-03	2.04E-03	2.09E-03	2.14E-03	2.21E-03	2.68E-03	2.95E-03

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA NI-59.RAD

Probabilistic Dose vs Pathway(i): Soil Ingestion

Nuclide	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Ni-59								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	7.17E-07	3.00E-06	3.00E-06	2.99E-06	2.99E-06	2.97E-06
Avg	0.00E+00	0.00E+00	1.07E-09	3.75E-08	7.62E-08	1.07E-07	6.25E-07	1.12E-06
Std	0.00E+00	0.00E+00	2.54E-08	3.19E-07	4.54E-07	5.22E-07	1.06E-06	1.16E-06
ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	7.17E-07	3.00E-06	3.00E-06	2.99E-06	2.99E-06	2.97E-06
Avg	0.00E+00	0.00E+00	1.07E-09	3.75E-08	7.62E-08	1.07E-07	6.25E-07	1.12E-06
Std	0.00E+00	0.00E+00	2.54E-08	3.19E-07	4.54E-07	5.22E-07	1.06E-06	1.16E-06

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA NI-59.RAD

Probabilistic Dose vs Pathway(i): Water Ingestion

Nuclide	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Ni-59								
Min	1.82E-07	1.82E-07	1.82E-07	1.82E-07	1.82E-07	0.00E+00	0.00E+00	0.00E+00
Max	2.59E-01	2.23E-01	1.66E-01	7.77E-02	3.24E-02	9.84E-03	3.22E-03	9.92E-04
Avg	6.44E-03	6.16E-03	5.67E-03	4.51E-03	3.02E-03	1.59E-03	7.35E-04	2.17E-04
Std	2.00E-02	1.82E-02	1.53E-02	9.75E-03	5.00E-03	2.00E-03	7.54E-04	2.23E-04
ALL								
Min	1.82E-07	1.82E-07	1.82E-07	1.82E-07	1.82E-07	0.00E+00	0.00E+00	0.00E+00
Max	2.59E-01	2.23E-01	1.66E-01	7.77E-02	3.24E-02	9.84E-03	3.22E-03	9.92E-04
Avg	6.44E-03	6.16E-03	5.67E-03	4.51E-03	3.02E-03	1.59E-03	7.35E-04	2.17E-04
Std	2.00E-02	1.82E-02	1.53E-02	9.75E-03	5.00E-03	2.00E-03	7.54E-04	2.23E-04

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA NI-59.RAD

Probabilistic Dose vs Pathway(i): Fish Ingestion

Nuclide	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Ni-59								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA NI-59.RAD

Probabilistic Dose vs Pathway(i): Radon (Water Dep.)

Nuclide	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>								
Ni-59								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
<hr/>								
ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
<hr/>								

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA NI-59.RAD

Probabilistic Dose vs Pathway(i): Plant (Water Dep.)

Nuclide	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Ni-59								
Min	2.64E-08	2.64E-08	2.64E-08	2.64E-08	2.64E-08	0.00E+00	0.00E+00	0.00E+00
Max	2.80E-02	2.65E-02	2.37E-02	1.61E-02	5.27E-03	2.75E-03	8.76E-04	2.40E-04
Avg	5.93E-04	5.69E-04	5.27E-04	4.23E-04	2.82E-04	1.48E-04	7.01E-05	2.10E-05
Std	1.98E-03	1.84E-03	1.60E-03	1.09E-03	5.53E-04	2.33E-04	9.39E-05	2.81E-05
ALL								
Min	2.64E-08	2.64E-08	2.64E-08	2.64E-08	2.64E-08	0.00E+00	0.00E+00	0.00E+00
Max	2.80E-02	2.65E-02	2.37E-02	1.61E-02	5.27E-03	2.75E-03	8.76E-04	2.40E-04
Avg	5.93E-04	5.69E-04	5.27E-04	4.23E-04	2.82E-04	1.48E-04	7.01E-05	2.10E-05
Std	1.98E-03	1.84E-03	1.60E-03	1.09E-03	5.53E-04	2.33E-04	9.39E-05	2.81E-05

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA NI-59.RAD

Probabilistic Dose vs Pathway(i): Meat (Water Dep.)

Nuclide	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Ni-59								
Min	1.65E-08	1.65E-08	1.65E-08	1.65E-08	1.65E-08	0.00E+00	0.00E+00	0.00E+00
Max	2.02E-02	1.74E-02	1.30E-02	7.72E-03	2.94E-03	1.07E-03	3.15E-04	9.61E-05
Avg	5.40E-04	5.17E-04	4.77E-04	3.80E-04	2.53E-04	1.32E-04	6.16E-05	1.83E-05
Std	1.67E-03	1.53E-03	1.30E-03	8.45E-04	4.24E-04	1.68E-04	6.46E-05	1.93E-05
ALL								
Min	1.65E-08	1.65E-08	1.65E-08	1.65E-08	1.65E-08	0.00E+00	0.00E+00	0.00E+00
Max	2.02E-02	1.74E-02	1.30E-02	7.72E-03	2.94E-03	1.07E-03	3.15E-04	9.61E-05
Avg	5.40E-04	5.17E-04	4.77E-04	3.80E-04	2.53E-04	1.32E-04	6.16E-05	1.83E-05
Std	1.67E-03	1.53E-03	1.30E-03	8.45E-04	4.24E-04	1.68E-04	6.46E-05	1.93E-05

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA NI-59.RAD

Probabilistic Dose vs Pathway(i): Milk (Water Dep.)

Nuclide	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Ni-59								
Min	3.38E-07	3.38E-07	3.38E-07	3.38E-07	3.38E-07	0.00E+00	0.00E+00	0.00E+00
Max	3.81E-01	3.29E-01	2.45E-01	1.63E-01	6.20E-02	2.35E-02	6.71E-03	2.06E-03
Avg	1.06E-02	1.02E-02	9.42E-03	7.51E-03	4.99E-03	2.61E-03	1.22E-03	3.62E-04
Std	3.29E-02	3.02E-02	2.59E-02	1.70E-02	8.47E-03	3.36E-03	1.30E-03	3.91E-04
ALL								
Min	3.38E-07	3.38E-07	3.38E-07	3.38E-07	3.38E-07	0.00E+00	0.00E+00	0.00E+00
Max	3.81E-01	3.29E-01	2.45E-01	1.63E-01	6.20E-02	2.35E-02	6.71E-03	2.06E-03
Avg	1.06E-02	1.02E-02	9.42E-03	7.51E-03	4.99E-03	2.61E-03	1.22E-03	3.62E-04
Std	3.29E-02	3.02E-02	2.59E-02	1.70E-02	8.47E-03	3.36E-03	1.30E-03	3.91E-04

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA NI-59.RAD

Cumulative Probability Summary for: Total Dose Over Pathways

Cumulative Probability	Dose(t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
0.025	1.82E-04	1.82E-04	1.82E-04	1.88E-04	2.00E-04	1.49E-04	8.09E-07	0.00E+00
0.050	4.86E-04	4.91E-04	4.91E-04	5.48E-04	6.00E-04	6.88E-04	8.82E-05	8.43E-19
0.075	1.06E-03	1.12E-03	1.13E-03	1.19E-03	1.39E-03	1.36E-03	3.44E-04	2.62E-10
0.100	1.79E-03	1.80E-03	1.88E-03	2.00E-03	2.23E-03	2.10E-03	9.23E-04	2.29E-07
0.125	2.63E-03	2.67E-03	2.77E-03	2.92E-03	3.21E-03	3.27E-03	2.00E-03	1.15E-05
0.150	3.38E-03	3.38E-03	3.51E-03	3.67E-03	3.87E-03	3.96E-03	2.87E-03	5.61E-05
0.175	4.12E-03	4.15E-03	4.34E-03	4.43E-03	4.62E-03	4.65E-03	3.67E-03	1.37E-04
0.200	4.68E-03	4.68E-03	4.76E-03	4.87E-03	5.10E-03	5.35E-03	4.40E-03	2.87E-04
0.225	5.19E-03	5.24E-03	5.33E-03	5.50E-03	5.76E-03	5.84E-03	5.04E-03	5.38E-04
0.250	5.84E-03	5.86E-03	5.96E-03	6.03E-03	6.18E-03	6.35E-03	5.73E-03	9.93E-04
0.275	6.23E-03	6.25E-03	6.30E-03	6.42E-03	6.52E-03	6.66E-03	6.15E-03	1.45E-03
0.300	6.56E-03	6.57E-03	6.59E-03	6.72E-03	6.83E-03	6.97E-03	6.52E-03	1.84E-03
0.325	6.84E-03	6.84E-03	6.87E-03	6.97E-03	7.10E-03	7.24E-03	6.91E-03	2.55E-03
0.350	7.07E-03	7.08E-03	7.10E-03	7.19E-03	7.29E-03	7.43E-03	7.21E-03	3.23E-03
0.375	7.31E-03	7.32E-03	7.37E-03	7.47E-03	7.55E-03	7.59E-03	7.46E-03	3.75E-03
0.400	7.56E-03	7.56E-03	7.60E-03	7.67E-03	7.73E-03	7.85E-03	7.62E-03	4.18E-03
0.425	7.72E-03	7.72E-03	7.74E-03	7.81E-03	7.90E-03	8.05E-03	7.82E-03	4.61E-03
0.450	7.84E-03	7.85E-03	7.86E-03	7.91E-03	8.03E-03	8.21E-03	8.02E-03	5.08E-03
0.475	7.93E-03	7.95E-03	7.97E-03	8.06E-03	8.19E-03	8.40E-03	8.16E-03	5.42E-03
0.500	8.13E-03	8.14E-03	8.19E-03	8.28E-03	8.40E-03	8.60E-03	8.33E-03	5.83E-03
0.525	8.32E-03	8.33E-03	8.36E-03	8.47E-03	8.62E-03	8.73E-03	8.54E-03	6.17E-03
0.550	8.65E-03	8.66E-03	8.70E-03	8.85E-03	8.94E-03	8.91E-03	8.71E-03	6.45E-03
0.575	9.03E-03	9.03E-03	9.04E-03	9.17E-03	9.24E-03	9.14E-03	8.87E-03	6.79E-03
0.600	9.50E-03	9.50E-03	9.50E-03	9.73E-03	9.82E-03	9.36E-03	9.10E-03	7.09E-03
0.625	1.03E-02	1.03E-02	1.03E-02	1.04E-02	1.05E-02	9.76E-03	9.29E-03	7.42E-03
0.650	1.09E-02	1.09E-02	1.09E-02	1.11E-02	1.11E-02	1.02E-02	9.50E-03	7.83E-03
0.675	1.20E-02	1.19E-02	1.19E-02	1.19E-02	1.19E-02	1.07E-02	9.78E-03	8.20E-03
0.700	1.30E-02	1.30E-02	1.30E-02	1.30E-02	1.26E-02	1.12E-02	1.00E-02	8.64E-03
0.725	1.44E-02	1.45E-02	1.44E-02	1.44E-02	1.38E-02	1.16E-02	1.03E-02	8.97E-03
0.750	1.55E-02	1.55E-02	1.55E-02	1.54E-02	1.47E-02	1.20E-02	1.06E-02	9.25E-03
0.775	1.77E-02	1.76E-02	1.76E-02	1.74E-02	1.66E-02	1.26E-02	1.09E-02	9.52E-03
0.800	2.03E-02	2.02E-02	2.01E-02	1.98E-02	1.83E-02	1.32E-02	1.11E-02	9.84E-03
0.825	2.29E-02	2.29E-02	2.28E-02	2.23E-02	2.01E-02	1.39E-02	1.13E-02	1.01E-02
0.850	2.82E-02	2.81E-02	2.79E-02	2.73E-02	2.38E-02	1.46E-02	1.13E-02	1.03E-02
0.875	3.47E-02	3.44E-02	3.39E-02	3.22E-02	2.79E-02	1.56E-02	1.14E-02	1.05E-02
0.900	4.38E-02	4.34E-02	4.26E-02	4.03E-02	3.25E-02	1.69E-02	1.15E-02	1.07E-02
0.925	6.11E-02	6.03E-02	5.84E-02	5.30E-02	3.68E-02	1.82E-02	1.16E-02	1.09E-02
0.950	8.75E-02	8.64E-02	8.35E-02	7.45E-02	4.54E-02	2.00E-02	1.20E-02	1.10E-02
0.975	1.65E-01	1.56E-01	1.43E-01	1.11E-01	5.45E-02	2.29E-02	1.27E-02	1.11E-02
1.000	6.91E-01	5.97E-01	4.44E-01	2.57E-01	9.77E-02	3.94E-02	1.54E-02	1.12E-02

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA NI-59.RAD

Summary of dose at graphical times, reptition 1

Time Years	Dose statistics at graphical times, mrem/yr							
	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	2.09E-05	5.69E-01	2.27E-02	8.05E-03	4.23E-02	8.75E-02	1.74E-01	3.04E-01
1.00E+00	2.09E-05	5.03E-01	2.19E-02	8.07E-03	4.21E-02	8.63E-02	1.67E-01	2.73E-01
1.06E+00	2.09E-05	5.00E-01	2.19E-02	8.08E-03	4.21E-02	8.63E-02	1.67E-01	2.71E-01
1.12E+00	2.09E-05	4.96E-01	2.18E-02	8.08E-03	4.21E-02	8.62E-02	1.67E-01	2.70E-01
1.19E+00	2.09E-05	4.92E-01	2.18E-02	8.08E-03	4.21E-02	8.61E-02	1.66E-01	2.68E-01
1.25E+00	2.09E-05	4.88E-01	2.18E-02	8.08E-03	4.20E-02	8.60E-02	1.66E-01	2.66E-01
1.33E+00	2.09E-05	4.83E-01	2.17E-02	8.08E-03	4.20E-02	8.60E-02	1.65E-01	2.64E-01
1.40E+00	2.09E-05	4.79E-01	2.16E-02	8.08E-03	4.20E-02	8.59E-02	1.65E-01	2.62E-01
1.49E+00	2.09E-05	4.74E-01	2.16E-02	8.08E-03	4.20E-02	8.58E-02	1.64E-01	2.59E-01
1.57E+00	2.09E-05	4.69E-01	2.15E-02	8.08E-03	4.20E-02	8.57E-02	1.64E-01	2.57E-01
1.66E+00	2.09E-05	4.64E-01	2.15E-02	8.08E-03	4.20E-02	8.56E-02	1.63E-01	2.54E-01
1.76E+00	2.09E-05	4.58E-01	2.14E-02	8.08E-03	4.19E-02	8.55E-02	1.62E-01	2.52E-01
1.86E+00	2.09E-05	4.53E-01	2.13E-02	8.08E-03	4.19E-02	8.54E-02	1.62E-01	2.49E-01
1.97E+00	2.09E-05	4.47E-01	2.13E-02	8.08E-03	4.19E-02	8.52E-02	1.61E-01	2.46E-01
2.09E+00	2.09E-05	4.40E-01	2.12E-02	8.08E-03	4.19E-02	8.51E-02	1.60E-01	2.43E-01
2.21E+00	2.09E-05	4.34E-01	2.11E-02	8.08E-03	4.18E-02	8.50E-02	1.59E-01	2.40E-01
2.24E+00	2.09E-05	4.27E-01	2.10E-02	8.08E-03	4.18E-02	8.48E-02	1.59E-01	2.37E-01
2.27E+00	2.09E-05	4.20E-01	2.09E-02	8.08E-03	4.18E-02	8.47E-02	1.58E-01	2.33E-01
2.26E+00	2.09E-05	4.12E-01	2.09E-02	8.08E-03	4.17E-02	8.45E-02	1.57E-01	2.31E-01
2.27E+00	2.09E-05	4.05E-01	2.08E-02	8.08E-03	4.17E-02	8.44E-02	1.56E-01	2.29E-01
2.29E+00	2.09E-05	3.97E-01	2.07E-02	8.08E-03	4.17E-02	8.42E-02	1.55E-01	2.27E-01
3.00E+00	2.09E-05	3.93E-01	2.06E-02	8.08E-03	4.16E-02	8.41E-02	1.54E-01	2.26E-01
3.10E+00	2.09E-05	3.88E-01	2.06E-02	8.08E-03	4.16E-02	8.40E-02	1.54E-01	2.25E-01
3.28E+00	2.09E-05	3.80E-01	2.05E-02	8.09E-03	4.16E-02	8.38E-02	1.53E-01	2.22E-01
3.48E+00	2.09E-05	3.71E-01	2.04E-02	8.09E-03	4.15E-02	8.36E-02	1.51E-01	2.20E-01
3.68E+00	2.09E-05	3.62E-01	2.02E-02	8.09E-03	4.15E-02	8.34E-02	1.50E-01	2.17E-01
3.89E+00	2.09E-05	3.53E-01	2.01E-02	8.09E-03	4.14E-02	8.31E-02	1.49E-01	2.14E-01
4.12E+00	2.09E-05	3.43E-01	2.00E-02	8.09E-03	4.14E-02	8.29E-02	1.48E-01	2.12E-01
4.36E+00	2.09E-05	3.33E-01	1.99E-02	8.09E-03	4.13E-02	8.26E-02	1.46E-01	2.06E-01
4.61E+00	2.09E-05	3.23E-01	1.97E-02	8.12E-03	4.13E-02	8.24E-02	1.45E-01	1.98E-01
4.88E+00	2.09E-05	3.12E-01	1.96E-02	8.12E-03	4.12E-02	8.20E-02	1.43E-01	1.90E-01
5.17E+00	2.09E-05	3.01E-01	1.95E-02	8.12E-03	4.11E-02	8.16E-02	1.42E-01	1.87E-01
5.47E+00	2.09E-05	2.90E-01	1.93E-02	8.12E-03	4.11E-02	8.12E-02	1.40E-01	1.83E-01
5.78E+00	2.09E-05	2.79E-01	1.92E-02	8.12E-03	4.10E-02	8.08E-02	1.38E-01	1.79E-01
6.12E+00	2.09E-05	2.68E-01	1.90E-02	8.12E-03	4.09E-02	8.03E-02	1.36E-01	1.76E-01
6.48E+00	2.09E-05	2.60E-01	1.88E-02	8.13E-03	4.08E-02	7.98E-02	1.34E-01	1.72E-01
6.86E+00	2.09E-05	2.54E-01	1.87E-02	8.13E-03	4.08E-02	7.93E-02	1.30E-01	1.67E-01
7.26E+00	2.09E-05	2.49E-01	1.85E-02	8.13E-03	4.07E-02	7.87E-02	1.25E-01	1.63E-01
7.68E+00	2.09E-05	2.43E-01	1.83E-02	8.14E-03	4.06E-02	7.82E-02	1.20E-01	1.59E-01
8.13E+00	2.09E-05	2.37E-01	1.81E-02	8.14E-03	4.05E-02	7.76E-02	1.17E-01	1.54E-01
8.60E+00	2.09E-05	2.31E-01	1.79E-02	8.14E-03	4.04E-02	7.69E-02	1.15E-01	1.49E-01
9.10E+00	2.09E-05	2.24E-01	1.78E-02	8.15E-03	4.03E-02	7.63E-02	1.13E-01	1.45E-01
9.63E+00	2.09E-05	2.18E-01	1.76E-02	8.18E-03	4.01E-02	7.55E-02	1.09E-01	1.40E-01
1.00E+01	2.09E-05	2.13E-01	1.74E-02	8.21E-03	4.01E-02	7.44E-02	1.07E-01	1.39E-01
1.02E+01	2.09E-05	2.11E-01	1.74E-02	8.21E-03	4.00E-02	7.39E-02	1.06E-01	1.38E-01
1.08E+01	2.09E-05	2.04E-01	1.72E-02	8.21E-03	3.99E-02	7.22E-02	1.04E-01	1.36E-01
1.14E+01	2.09E-05	1.97E-01	1.70E-02	8.21E-03	3.97E-02	7.03E-02	1.01E-01	1.34E-01
1.21E+01	2.09E-05	1.90E-01	1.67E-02	8.22E-03	3.96E-02	6.86E-02	9.77E-02	1.29E-01
1.28E+01	2.09E-05	1.83E-01	1.65E-02	8.24E-03	3.94E-02	6.67E-02	9.39E-02	1.22E-01
1.35E+01	2.09E-05	1.75E-01	1.63E-02	8.24E-03	3.93E-02	6.56E-02	9.10E-02	1.19E-01
1.43E+01	2.09E-05	1.68E-01	1.61E-02	8.24E-03	3.91E-02	6.52E-02	8.81E-02	1.16E-01
1.51E+01	2.09E-05	1.60E-01	1.59E-02	8.25E-03	3.61E-02	6.37E-02	8.50E-02	1.11E-01
1.60E+01	2.09E-05	1.53E-01	1.57E-02	8.28E-03	3.59E-02	6.30E-02	7.88E-02	1.07E-01
1.70E+01	2.09E-05	1.45E-01	1.54E-02	8.29E-03	3.57E-02	6.23E-02	7.52E-02	1.04E-01
1.80E+01	2.09E-05	1.37E-01	1.52E-02	8.32E-03	3.54E-02	6.01E-02	7.20E-02	9.60E-02
1.90E+01	2.09E-05	1.29E-01	1.50E-02	8.32E-03	3.52E-02	5.84E-02	6.97E-02	8.87E-02

2.01E+01 2.09E-05 1.22E-01 1.48E-02 8.32E-03 3.49E-02 5.74E-02 6.78E-02 8.39E-02

2.13E+01 2.09E-05 1.14E-01 1.45E-02 8.31E-03 3.45E-02 5.61E-02 6.57E-02 8.10E-02

2.25E+01 2.09E-05 1.06E-01 1.43E-02 8.31E-03 3.43E-02 5.50E-02 6.33E-02 7.82E-02

2.38E+01 2.09E-05 9.89E-02 1.41E-02 8.31E-03 3.37E-02 5.36E-02 6.08E-02 7.52E-02

2.52E+01 2.09E-05 9.16E-02 1.39E-02 8.29E-03 3.34E-02 5.20E-02 5.97E-02 7.22E-02

2.67E+01 2.09E-05 8.68E-02 1.36E-02 8.31E-03 3.30E-02 4.98E-02 5.77E-02 6.92E-02

2.82E+01 2.09E-05 8.30E-02 1.34E-02 8.33E-03 3.21E-02 4.88E-02 5.54E-02 6.62E-02

2.99E+01 2.09E-05 7.92E-02 1.32E-02 8.34E-03 3.15E-02 4.59E-02 5.35E-02 6.31E-02

3.00E+01 2.09E-05 7.90E-02 1.32E-02 8.35E-03 3.15E-02 4.57E-02 5.34E-02 6.29E-02

3.16E+01 2.09E-05 7.54E-02 1.30E-02 8.37E-03 3.04E-02 4.30E-02 5.13E-02 6.00E-02

3.35E+01 2.09E-05 7.16E-02 1.28E-02 8.39E-03 2.93E-02 4.20E-02 5.03E-02 5.70E-02

3.54E+01 2.09E-05 6.78E-02 1.26E-02 8.37E-03 2.81E-02 4.07E-02 4.85E-02 5.50E-02

3.75E+01 2.09E-05 6.39E-02 1.24E-02 8.39E-03 2.78E-02 3.93E-02 4.62E-02 5.41E-02

3.97E+01 2.09E-05 6.01E-02 1.22E-02 8.37E-03 2.69E-02 3.69E-02 4.47E-02 5.04E-02

4.20E+01 2.09E-05 5.63E-02 1.20E-02 8.39E-03 2.67E-02 3.60E-02 4.31E-02 4.77E-02

4.44E+01 2.09E-05 5.25E-02 1.18E-02 8.40E-03 2.63E-02 3.47E-02 4.12E-02 4.65E-02

4.70E+01 2.09E-05 5.02E-02 1.16E-02 8.40E-03 2.54E-02 3.37E-02 3.88E-02 4.57E-02

4.97E+01 2.09E-05 4.91E-02 1.14E-02 8.41E-03 2.49E-02 3.26E-02 3.69E-02 4.48E-02

5.26E+01 2.09E-05 4.79E-02 1.12E-02 8.42E-03 2.38E-02 3.17E-02 3.50E-02 4.16E-02

5.57E+01 2.09E-05 4.68E-02 1.10E-02 8.44E-03 2.32E-02 2.98E-02 3.33E-02 4.01E-02

5.90E+01 2.09E-05 4.56E-02 1.09E-02 8.45E-03 2.27E-02 2.86E-02 3.21E-02 3.92E-02

6.24E+01 1.53E-05 4.43E-02 1.07E-02 8.45E-03 2.20E-02 2.70E-02 3.10E-02 3.82E-02

6.0E+01 8.45E-06 4.31E-02 1.05E-02 8.48E-03 2.13E-02 2.61E-02 2.95E-02 3.71E-02

99E+01 4.50E-06 4.17E-02 1.04E-02 8.50E-03 2.07E-02 2.50E-02 2.88E-02 3.58E-02

7.39E+01 2.31E-06 4.04E-02 1.02E-02 8.50E-03 2.00E-02 2.43E-02 2.76E-02 3.39E-02

7.82E+01 1.14E-06 3.91E-02 1.00E-02 8.51E-03 1.93E-02 2.34E-02 2.70E-02 3.21E-02

2.28E+01 5.41E-07 3.81E-02 9.90E-03 8.51E-03 1.87E-02 2.27E-02 2.63E-02 3.03E-02

8.76E+01 2.45E-07 3.70E-02 9.75E-03 8.55E-03 1.81E-02 2.19E-02 2.56E-02 2.92E-02

9.27E+01 1.06E-07 3.59E-02 9.60E-03 8.55E-03 1.76E-02 2.11E-02 2.46E-02 2.82E-02

9.81E+01 4.39E-08 3.48E-02 9.46E-03 8.55E-03 1.72E-02 2.04E-02 2.38E-02 2.72E-02

1.00E+02 3.23E-08 3.45E-02 9.42E-03 8.52E-03 1.69E-02 2.01E-02 2.36E-02 2.69E-02

1.04E+02 1.72E-08 3.37E-02 9.33E-03 8.55E-03 1.67E-02 1.97E-02 2.28E-02 2.62E-02

1.10E+02 6.39E-09 3.25E-02 9.20E-03 8.54E-03 1.64E-02 1.91E-02 2.17E-02 2.52E-02

1.16E+02 2.24E-09 3.13E-02 9.08E-03 8.53E-03 1.60E-02 1.84E-02 2.11E-02 2.42E-02

1.23E+02 7.38E-10 3.01E-02 8.96E-03 8.55E-03 1.56E-02 1.79E-02 2.05E-02 2.32E-02

1.30E+02 2.28E-10 2.89E-02 8.85E-03 8.59E-03 1.50E-02 1.73E-02 1.98E-02 2.28E-02

1.38E+02 6.58E-11 2.77E-02 8.74E-03 8.56E-03 1.47E-02 1.67E-02 1.92E-02 2.16E-02

1.46E+02 1.77E-11 2.64E-02 8.63E-03 8.54E-03 1.42E-02 1.62E-02 1.85E-02 2.03E-02

1.54E+02 4.39E-12 2.51E-02 8.54E-03 8.55E-03 1.36E-02 1.56E-02 1.79E-02 1.95E-02

1.63E+02 1.01E-12 2.39E-02 8.45E-03 8.58E-03 1.31E-02 1.52E-02 1.76E-02 1.88E-02

1.73E+02 2.12E-13 2.26E-02 8.37E-03 8.54E-03 1.30E-02 1.49E-02 1.67E-02 1.81E-02

1.83E+02 4.06E-14 2.13E-02 8.30E-03 8.58E-03 1.28E-02 1.45E-02 1.60E-02 1.72E-02

1.94E+02 7.09E-15 2.00E-02 8.24E-03 8.63E-03 1.26E-02 1.42E-02 1.55E-02 1.66E-02

2.05E+02 1.12E-15 1.88E-02 8.18E-03 8.66E-03 1.23E-02 1.37E-02 1.50E-02 1.58E-02

2.17E+02 1.58E-16 1.76E-02 8.12E-03 8.64E-03 1.21E-02 1.34E-02 1.45E-02 1.52E-02

2.29E+02 2.00E-17 1.69E-02 8.06E-03 8.63E-03 1.19E-02 1.32E-02 1.38E-02 1.49E-02

2.43E+02 2.24E-18 1.64E-02 7.99E-03 8.65E-03 1.17E-02 1.30E-02 1.34E-02 1.46E-02

2.57E+02 2.21E-19 1.59E-02 7.90E-03 8.64E-03 1.17E-02 1.24E-02 1.32E-02 1.42E-02

2.72E+02 0.00E+00 1.53E-02 7.81E-03 8.59E-03 1.16E-02 1.22E-02 1.29E-02 1.39E-02

2.88E+02 0.00E+00 1.48E-02 7.72E-03 8.45E-03 1.15E-02 1.21E-02 1.28E-02 1.36E-02

3.00E+02 0.00E+00 1.45E-02 7.66E-03 8.31E-03 1.14E-02 1.20E-02 1.27E-02 1.34E-02

3.05E+02 0.00E+00 1.45E-02 7.64E-03 8.29E-03 1.14E-02 1.20E-02 1.27E-02 1.33E-02

3.22E+02 0.00E+00 1.43E-02 7.56E-03 8.17E-03 1.14E-02 1.18E-02 1.25E-02 1.32E-02

3.41E+02 0.00E+00 1.41E-02 7.48E-03 8.11E-03 1.14E-02 1.17E-02 1.24E-02 1.30E-02

3.61E+02 0.00E+00 1.38E-02 7.39E-03 8.00E-03 1.13E-02 1.17E-02 1.22E-02 1.29E-02

3.82E+02 0.00E+00 1.36E-02 7.31E-03 7.96E-03 1.13E-02 1.15E-02 1.19E-02 1.26E-02

4.04E+02 0.00E+00 1.34E-02 7.22E-03 7.84E-03 1.13E-02 1.15E-02 1.17E-02 1.23E-02

4.28E+02 0.00E+00 1.31E-02 7.13E-03 7.79E-03 1.13E-02 1.14E-02 1.16E-02 1.21E-02

4.53E+02 0.00E+00 1.29E-02 7.04E-03 7.75E-03 1.13E-02 1.14E-02 1.15E-02 1.18E-02

4.79E+02 0.00E+00 1.26E-02 6.95E-03 7.67E-03 1.13E-02 1.13E-02 1.15E-02 1.16E-02

5.07E+02 0.00E+00 1.23E-02 6.84E-03 7.66E-03 1.12E-02 1.13E-02 1.14E-02 1.14E-02

5.36E+02 0.00E+00 1.21E-02 6.73E-03 7.58E-03 1.12E-02 1.13E-02 1.13E-02 1.14E-02

5.68E+02 0.00E+00 1.18E-02 6.63E-03 7.53E-03 1.12E-02 1.13E-02 1.13E-02 1.13E-02

0.01E+02 0.00E+00 1.15E-02 6.54E-03 7.47E-03 1.11E-02 1.12E-02 1.13E-02 1.13E-02

6.36E+02 0.00E+00 1.13E-02 6.44E-03 7.37E-03 1.11E-02 1.12E-02 1.13E-02 1.13E-02

6.73E+02 0.00E+00 1.13E-02 6.33E-03 7.25E-03 1.11E-02 1.12E-02 1.12E-02 1.13E-02

7.12E+02 0.00E+00 1.13E-02 6.20E-03 7.10E-03 1.10E-02 1.12E-02 1.12E-02 1.13E-02

7.53E+02 0.00E+00 1.13E-02 6.08E-03 6.90E-03 1.10E-02 1.11E-02 1.12E-02 1.12E-02

7.97E+02 0.00E+00 1.12E-02 5.96E-03 6.74E-03 1.09E-02 1.11E-02 1.12E-02 1.12E-02

8.44E+02 0.00E+00 1.12E-02 5.83E-03 6.62E-03 1.09E-02 1.11E-02 1.12E-02 1.12E-02

93E+02 0.00E+00 1.12E-02 5.70E-03 6.26E-03 1.09E-02 1.11E-02 1.12E-02 1.12E-02

9.45E+02 0.00E+00 1.12E-02 5.55E-03 6.00E-03 1.09E-02 1.11E-02 1.11E-02 1.12E-02

1.00E+03 0.00E+00 1.12E-02 5.40E-03 5.75E-03 1.08E-02 1.10E-02 1.11E-02 1.12E-02

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA NI-59.RAD

Summary of dose at graphical times, reptition 2

Time Years	Dose statistics at graphical times, mrem/yr							
	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	2.27E-05	6.91E-01	2.32E-02	8.09E-03	4.56E-02	9.76E-02	1.67E-01	2.86E-01
1.00E+00	2.27E-05	5.97E-01	2.24E-02	8.09E-03	4.52E-02	9.61E-02	1.61E-01	2.74E-01
1.06E+00	2.27E-05	5.91E-01	2.24E-02	8.10E-03	4.52E-02	9.60E-02	1.61E-01	2.73E-01
1.12E+00	2.27E-05	5.86E-01	2.23E-02	8.10E-03	4.51E-02	9.59E-02	1.61E-01	2.73E-01
1.19E+00	2.27E-05	5.80E-01	2.23E-02	8.11E-03	4.51E-02	9.58E-02	1.60E-01	2.72E-01
1.25E+00	2.27E-05	5.75E-01	2.22E-02	8.12E-03	4.51E-02	9.57E-02	1.60E-01	2.71E-01
1.33E+00	2.27E-05	5.68E-01	2.22E-02	8.13E-03	4.51E-02	9.56E-02	1.59E-01	2.70E-01
1.40E+00	2.27E-05	5.62E-01	2.21E-02	8.13E-03	4.50E-02	9.55E-02	1.59E-01	2.69E-01
1.49E+00	2.27E-05	5.55E-01	2.21E-02	8.13E-03	4.50E-02	9.54E-02	1.59E-01	2.69E-01
1.57E+00	2.27E-05	5.48E-01	2.20E-02	8.14E-03	4.50E-02	9.53E-02	1.58E-01	2.68E-01
1.66E+00	2.27E-05	5.41E-01	2.19E-02	8.14E-03	4.49E-02	9.52E-02	1.58E-01	2.67E-01
1.76E+00	2.27E-05	5.33E-01	2.19E-02	8.15E-03	4.49E-02	9.50E-02	1.57E-01	2.66E-01
1.86E+00	2.27E-05	5.25E-01	2.18E-02	8.15E-03	4.49E-02	9.49E-02	1.56E-01	2.64E-01
1.97E+00	2.27E-05	5.17E-01	2.17E-02	8.15E-03	4.48E-02	9.47E-02	1.56E-01	2.63E-01
2.09E+00	2.27E-05	5.08E-01	2.16E-02	8.15E-03	4.48E-02	9.46E-02	1.55E-01	2.62E-01
2.21E+00	2.27E-05	4.99E-01	2.16E-02	8.16E-03	4.47E-02	9.44E-02	1.54E-01	2.61E-01
2.24E+00	2.27E-05	4.90E-01	2.15E-02	8.16E-03	4.47E-02	9.42E-02	1.54E-01	2.59E-01
2.27E+00	2.27E-05	4.80E-01	2.14E-02	8.16E-03	4.46E-02	9.40E-02	1.53E-01	2.58E-01
2.26E+00	2.27E-05	4.70E-01	2.13E-02	8.17E-03	4.46E-02	9.38E-02	1.52E-01	2.56E-01
2.27E+00	2.27E-05	4.59E-01	2.12E-02	8.17E-03	4.45E-02	9.36E-02	1.51E-01	2.55E-01
2.29E+00	2.27E-05	4.49E-01	2.11E-02	8.18E-03	4.44E-02	9.34E-02	1.50E-01	2.53E-01
3.00E+00	2.27E-05	4.44E-01	2.11E-02	8.18E-03	4.44E-02	9.33E-02	1.50E-01	2.52E-01
3.10E+00	2.27E-05	4.37E-01	2.10E-02	8.18E-03	4.44E-02	9.31E-02	1.50E-01	2.51E-01
3.28E+00	2.27E-05	4.26E-01	2.09E-02	8.18E-03	4.43E-02	9.29E-02	1.49E-01	2.50E-01
3.48E+00	2.27E-05	4.14E-01	2.08E-02	8.18E-03	4.42E-02	9.26E-02	1.48E-01	2.48E-01
3.68E+00	2.27E-05	4.02E-01	2.07E-02	8.18E-03	4.42E-02	9.23E-02	1.46E-01	2.46E-01
3.89E+00	2.27E-05	3.89E-01	2.05E-02	8.18E-03	4.41E-02	9.20E-02	1.45E-01	2.43E-01
4.12E+00	2.27E-05	3.77E-01	2.04E-02	8.19E-03	4.40E-02	9.17E-02	1.44E-01	2.39E-01
4.36E+00	2.27E-05	3.64E-01	2.03E-02	8.19E-03	4.39E-02	9.13E-02	1.43E-01	2.29E-01
4.61E+00	2.27E-05	3.50E-01	2.02E-02	8.19E-03	4.38E-02	9.08E-02	1.42E-01	2.23E-01
4.88E+00	2.27E-05	3.37E-01	2.00E-02	8.19E-03	4.37E-02	9.02E-02	1.41E-01	2.20E-01
5.17E+00	2.27E-05	3.24E-01	1.99E-02	8.20E-03	4.36E-02	8.96E-02	1.40E-01	2.17E-01
5.47E+00	2.27E-05	3.19E-01	1.97E-02	8.20E-03	4.35E-02	8.90E-02	1.39E-01	2.13E-01
5.78E+00	2.27E-05	3.14E-01	1.96E-02	8.20E-03	4.34E-02	8.84E-02	1.37E-01	2.09E-01
6.12E+00	2.27E-05	3.09E-01	1.94E-02	8.21E-03	4.32E-02	8.77E-02	1.36E-01	2.06E-01
6.48E+00	2.27E-05	3.04E-01	1.92E-02	8.21E-03	4.31E-02	8.70E-02	1.35E-01	2.02E-01
6.86E+00	2.27E-05	2.99E-01	1.91E-02	8.21E-03	4.30E-02	8.62E-02	1.34E-01	1.98E-01
7.26E+00	2.27E-05	2.93E-01	1.89E-02	8.21E-03	4.28E-02	8.55E-02	1.32E-01	1.94E-01
7.68E+00	2.27E-05	2.87E-01	1.87E-02	8.21E-03	4.27E-02	8.46E-02	1.28E-01	1.89E-01
8.13E+00	2.27E-05	2.81E-01	1.85E-02	8.22E-03	4.25E-02	8.38E-02	1.23E-01	1.85E-01
8.60E+00	2.27E-05	2.75E-01	1.84E-02	8.22E-03	4.23E-02	8.29E-02	1.22E-01	1.76E-01
9.10E+00	2.27E-05	2.68E-01	1.82E-02	8.22E-03	4.22E-02	8.20E-02	1.20E-01	1.67E-01
9.63E+00	2.27E-05	2.61E-01	1.80E-02	8.22E-03	4.20E-02	8.10E-02	1.19E-01	1.58E-01
1.00E+01	2.27E-05	2.57E-01	1.78E-02	8.23E-03	4.18E-02	8.03E-02	1.18E-01	1.56E-01
1.02E+01	2.27E-05	2.54E-01	1.78E-02	8.23E-03	4.18E-02	7.99E-02	1.17E-01	1.54E-01
1.08E+01	2.27E-05	2.47E-01	1.76E-02	8.23E-03	4.16E-02	7.61E-02	1.14E-01	1.41E-01
1.14E+01	2.27E-05	2.40E-01	1.74E-02	8.23E-03	4.14E-02	7.51E-02	1.11E-01	1.31E-01
1.21E+01	2.27E-05	2.32E-01	1.72E-02	8.24E-03	4.12E-02	7.47E-02	1.08E-01	1.24E-01
1.28E+01	2.27E-05	2.24E-01	1.70E-02	8.25E-03	4.11E-02	7.43E-02	1.05E-01	1.21E-01
1.35E+01	2.27E-05	2.16E-01	1.68E-02	8.26E-03	4.09E-02	7.37E-02	1.02E-01	1.17E-01
1.43E+01	2.27E-05	2.08E-01	1.65E-02	8.27E-03	4.06E-02	7.24E-02	9.59E-02	1.14E-01
1.51E+01	2.27E-05	2.00E-01	1.63E-02	8.27E-03	3.99E-02	7.10E-02	9.13E-02	1.11E-01
1.60E+01	2.27E-05	1.92E-01	1.61E-02	8.27E-03	3.96E-02	6.50E-02	8.89E-02	1.09E-01
1.70E+01	2.27E-05	1.83E-01	1.59E-02	8.31E-03	3.93E-02	6.32E-02	8.72E-02	1.07E-01
1.80E+01	2.27E-05	1.75E-01	1.57E-02	8.32E-03	3.90E-02	6.25E-02	8.56E-02	1.05E-01
1.90E+01	2.27E-05	1.66E-01	1.54E-02	8.33E-03	3.86E-02	5.96E-02	8.28E-02	1.03E-01

2.01E+01 2.27E-05 1.58E-01 1.52E-02 8.34E-03 3.76E-02 5.94E-02 7.95E-02 9.73E-02

2.13E+01 2.27E-05 1.49E-01 1.50E-02 8.36E-03 3.72E-02 5.71E-02 7.63E-02 9.16E-02

2.25E+01 2.27E-05 1.40E-01 1.48E-02 8.37E-03 3.68E-02 5.41E-02 7.43E-02 8.96E-02

2.38E+01 2.27E-05 1.32E-01 1.45E-02 8.32E-03 3.62E-02 5.24E-02 7.23E-02 8.76E-02

2.52E+01 2.27E-05 1.23E-01 1.43E-02 8.33E-03 3.59E-02 5.14E-02 7.08E-02 8.55E-02

2.67E+01 2.27E-05 1.15E-01 1.41E-02 8.35E-03 3.55E-02 4.98E-02 6.79E-02 8.34E-02

2.82E+01 2.27E-05 1.06E-01 1.39E-02 8.38E-03 3.50E-02 4.78E-02 6.50E-02 7.90E-02

2.99E+01 2.27E-05 9.83E-02 1.36E-02 8.40E-03 3.38E-02 4.62E-02 6.23E-02 7.55E-02

3.00E+01 2.27E-05 9.77E-02 1.36E-02 8.36E-03 3.38E-02 4.61E-02 6.21E-02 7.53E-02

3.16E+01 2.27E-05 9.03E-02 1.34E-02 8.38E-03 3.24E-02 4.49E-02 5.99E-02 7.31E-02

3.35E+01 2.27E-05 8.26E-02 1.32E-02 8.39E-03 3.19E-02 4.35E-02 5.71E-02 7.05E-02

3.54E+01 2.27E-05 7.82E-02 1.30E-02 8.39E-03 3.13E-02 4.20E-02 5.54E-02 6.79E-02

3.75E+01 2.27E-05 7.55E-02 1.27E-02 8.38E-03 3.02E-02 4.03E-02 5.40E-02 6.23E-02

3.97E+01 2.27E-05 7.27E-02 1.25E-02 8.39E-03 2.92E-02 3.91E-02 5.13E-02 6.12E-02

4.20E+01 2.27E-05 6.99E-02 1.23E-02 8.41E-03 2.85E-02 3.76E-02 4.81E-02 5.51E-02

4.44E+01 2.27E-05 6.70E-02 1.21E-02 8.43E-03 2.75E-02 3.58E-02 4.64E-02 5.29E-02

4.70E+01 2.27E-05 6.41E-02 1.19E-02 8.44E-03 2.67E-02 3.44E-02 4.24E-02 5.21E-02

4.97E+01 2.27E-05 6.12E-02 1.17E-02 8.45E-03 2.60E-02 3.29E-02 3.92E-02 5.13E-02

5.26E+01 2.27E-05 5.82E-02 1.15E-02 8.46E-03 2.53E-02 3.18E-02 3.81E-02 4.91E-02

5.57E+01 2.27E-05 5.52E-02 1.13E-02 8.47E-03 2.49E-02 2.97E-02 3.67E-02 4.64E-02

5.90E+01 1.97E-05 5.32E-02 1.11E-02 8.45E-03 2.41E-02 2.89E-02 3.55E-02 4.36E-02

6.24E+01 1.09E-05 5.19E-02 1.09E-02 8.47E-03 2.28E-02 2.79E-02 3.39E-02 4.09E-02

60E+01 5.85E-06 5.06E-02 1.07E-02 8.47E-03 2.19E-02 2.72E-02 3.28E-02 3.82E-02

99E+01 0.00E+00 4.91E-02 1.05E-02 8.49E-03 2.13E-02 2.54E-02 3.17E-02 3.55E-02

7.39E+01 0.00E+00 4.77E-02 1.03E-02 8.51E-03 2.02E-02 2.50E-02 3.07E-02 3.32E-02

7.82E+01 0.00E+00 4.62E-02 1.01E-02 8.53E-03 1.96E-02 2.38E-02 2.91E-02 3.24E-02

8.28E+01 0.00E+00 4.47E-02 9.96E-03 8.52E-03 1.87E-02 2.29E-02 2.75E-02 3.15E-02

8.76E+01 0.00E+00 4.31E-02 9.80E-03 8.51E-03 1.81E-02 2.22E-02 2.62E-02 2.91E-02

9.27E+01 0.00E+00 4.16E-02 9.64E-03 8.55E-03 1.77E-02 2.15E-02 2.50E-02 2.83E-02

9.81E+01 0.00E+00 3.99E-02 9.48E-03 8.57E-03 1.70E-02 2.09E-02 2.38E-02 2.72E-02

1.00E+02 0.00E+00 3.94E-02 9.43E-03 8.59E-03 1.68E-02 2.05E-02 2.33E-02 2.69E-02

1.04E+02 0.00E+00 3.83E-02 9.33E-03 8.62E-03 1.66E-02 2.02E-02 2.26E-02 2.63E-02

1.10E+02 0.00E+00 3.66E-02 9.19E-03 8.63E-03 1.63E-02 1.97E-02 2.17E-02 2.51E-02

1.16E+02 0.00E+00 3.51E-02 9.05E-03 8.60E-03 1.54E-02 1.89E-02 2.05E-02 2.43E-02

1.23E+02 0.00E+00 3.37E-02 8.92E-03 8.56E-03 1.50E-02 1.81E-02 2.00E-02 2.39E-02

1.30E+02 0.00E+00 3.24E-02 8.80E-03 8.54E-03 1.47E-02 1.71E-02 1.95E-02 2.34E-02

1.38E+02 0.00E+00 3.10E-02 8.68E-03 8.56E-03 1.44E-02 1.65E-02 1.90E-02 2.29E-02

1.46E+02 0.00E+00 2.96E-02 8.57E-03 8.58E-03 1.42E-02 1.61E-02 1.84E-02 2.24E-02

1.54E+02 0.00E+00 2.82E-02 8.48E-03 8.59E-03 1.38E-02 1.57E-02 1.77E-02 2.15E-02

1.63E+02 0.00E+00 2.68E-02 8.38E-03 8.54E-03 1.33E-02 1.53E-02 1.72E-02 2.05E-02

1.73E+02 0.00E+00 2.54E-02 8.30E-03 8.57E-03 1.30E-02 1.49E-02 1.66E-02 1.94E-02

1.83E+02 0.00E+00 2.39E-02 8.22E-03 8.55E-03 1.28E-02 1.44E-02 1.60E-02 1.84E-02

1.94E+02 0.00E+00 2.25E-02 8.15E-03 8.55E-03 1.26E-02 1.41E-02 1.54E-02 1.75E-02

2.05E+02 0.00E+00 2.11E-02 8.08E-03 8.53E-03 1.24E-02 1.38E-02 1.50E-02 1.73E-02

2.17E+02 0.00E+00 1.97E-02 8.02E-03 8.55E-03 1.23E-02 1.35E-02 1.46E-02 1.67E-02

2.29E+02 0.00E+00 1.83E-02 7.96E-03 8.54E-03 1.22E-02 1.32E-02 1.43E-02 1.59E-02

2.43E+02 0.00E+00 1.70E-02 7.89E-03 8.53E-03 1.20E-02 1.29E-02 1.37E-02 1.51E-02

2.57E+02 0.00E+00 1.60E-02 7.83E-03 8.58E-03 1.18E-02 1.25E-02 1.34E-02 1.43E-02

2.72E+02 0.00E+00 1.58E-02 7.75E-03 8.51E-03 1.17E-02 1.22E-02 1.32E-02 1.42E-02

2.88E+02 0.00E+00 1.55E-02 7.68E-03 8.39E-03 1.15E-02 1.21E-02 1.28E-02 1.38E-02

3.00E+02 0.00E+00 1.51E-02 7.63E-03 8.37E-03 1.15E-02 1.20E-02 1.27E-02 1.35E-02

3.05E+02 0.00E+00 1.50E-02 7.61E-03 8.36E-03 1.14E-02 1.19E-02 1.27E-02 1.34E-02

3.22E+02 0.00E+00 1.44E-02 7.55E-03 8.34E-03 1.14E-02 1.18E-02 1.25E-02 1.32E-02

3.41E+02 0.00E+00 1.38E-02 7.47E-03 8.33E-03 1.14E-02 1.17E-02 1.22E-02 1.27E-02

3.61E+02 0.00E+00 1.34E-02 7.39E-03 8.32E-03 1.13E-02 1.16E-02 1.21E-02 1.24E-02

3.82E+02 0.00E+00 1.32E-02 7.30E-03 8.21E-03 1.13E-02 1.15E-02 1.19E-02 1.23E-02

4.04E+02 0.00E+00 1.31E-02 7.21E-03 8.16E-03 1.13E-02 1.14E-02 1.18E-02 1.22E-02

4.28E+02 0.00E+00 1.29E-02 7.13E-03 8.09E-03 1.13E-02 1.14E-02 1.16E-02 1.19E-02

4.53E+02 0.00E+00 1.27E-02 7.02E-03 8.01E-03 1.13E-02 1.13E-02 1.15E-02 1.17E-02

4.79E+02 0.00E+00 1.25E-02 6.93E-03 7.92E-03 1.12E-02 1.13E-02 1.14E-02 1.17E-02

5.07E+02 0.00E+00 1.23E-02 6.85E-03 7.79E-03 1.12E-02 1.13E-02 1.13E-02 1.16E-02

5.36E+02 0.00E+00 1.20E-02 6.75E-03 7.64E-03 1.12E-02 1.13E-02 1.13E-02 1.17E-02

5.68E+02 0.00E+00 1.18E-02 6.64E-03 7.57E-03 1.11E-02 1.12E-02 1.13E-02 1.16E-02

0.01E+02 0.00E+00 1.16E-02 6.53E-03 7.44E-03 1.11E-02 1.12E-02 1.13E-02 1.14E-02

6.36E+02 0.00E+00 1.14E-02 6.42E-03 7.30E-03 1.10E-02 1.12E-02 1.13E-02 1.13E-02

6.73E+02 0.00E+00 1.13E-02 6.30E-03 7.13E-03 1.10E-02 1.12E-02 1.12E-02 1.13E-02

7.12E+02 0.00E+00 1.13E-02 6.19E-03 7.06E-03 1.10E-02 1.12E-02 1.12E-02 1.12E-02

7.53E+02 0.00E+00 1.13E-02 6.08E-03 6.89E-03 1.09E-02 1.11E-02 1.12E-02 1.12E-02

7.97E+02 0.00E+00 1.13E-02 5.95E-03 6.71E-03 1.09E-02 1.11E-02 1.12E-02 1.12E-02

8.44E+02 0.00E+00 1.12E-02 5.81E-03 6.52E-03 1.08E-02 1.11E-02 1.12E-02 1.12E-02

93E+02 0.00E+00 1.12E-02 5.67E-03 6.23E-03 1.07E-02 1.11E-02 1.12E-02 1.12E-02

9.45E+02 0.00E+00 1.12E-02 5.53E-03 5.98E-03 1.07E-02 1.11E-02 1.11E-02 1.12E-02

1.00E+03 0.00E+00 1.12E-02 5.37E-03 5.80E-03 1.07E-02 1.10E-02 1.11E-02 1.12E-02

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA NI-59.RAD

Summary of dose at graphical times, reptition 3

Time Years	Dose statistics at graphical times, mrem/yr							
	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	1.03E-05	5.86E-01	2.33E-02	8.21E-03	4.33E-02	8.77E-02	1.67E-01	3.76E-01
1.00E+00	1.03E-05	5.02E-01	2.25E-02	8.22E-03	4.29E-02	8.67E-02	1.61E-01	3.50E-01
1.06E+00	1.03E-05	4.97E-01	2.24E-02	8.22E-03	4.29E-02	8.66E-02	1.60E-01	3.49E-01
1.12E+00	1.03E-05	4.93E-01	2.24E-02	8.22E-03	4.29E-02	8.65E-02	1.60E-01	3.47E-01
1.19E+00	1.03E-05	4.88E-01	2.23E-02	8.22E-03	4.28E-02	8.64E-02	1.59E-01	3.46E-01
1.25E+00	1.03E-05	4.82E-01	2.23E-02	8.22E-03	4.28E-02	8.63E-02	1.59E-01	3.44E-01
1.33E+00	1.03E-05	4.77E-01	2.22E-02	8.22E-03	4.28E-02	8.62E-02	1.59E-01	3.42E-01
1.40E+00	1.03E-05	4.71E-01	2.22E-02	8.22E-03	4.28E-02	8.60E-02	1.58E-01	3.40E-01
1.49E+00	1.03E-05	4.65E-01	2.21E-02	8.22E-03	4.27E-02	8.59E-02	1.58E-01	3.38E-01
1.57E+00	1.03E-05	4.59E-01	2.21E-02	8.22E-03	4.27E-02	8.58E-02	1.57E-01	3.33E-01
1.66E+00	1.03E-05	4.52E-01	2.20E-02	8.22E-03	4.27E-02	8.56E-02	1.57E-01	3.28E-01
1.76E+00	1.03E-05	4.46E-01	2.19E-02	8.22E-03	4.26E-02	8.54E-02	1.57E-01	3.23E-01
1.86E+00	1.03E-05	4.38E-01	2.18E-02	8.22E-03	4.26E-02	8.52E-02	1.56E-01	3.18E-01
1.97E+00	1.03E-05	4.31E-01	2.18E-02	8.22E-03	4.26E-02	8.49E-02	1.56E-01	3.16E-01
2.09E+00	1.03E-05	4.23E-01	2.17E-02	8.22E-03	4.25E-02	8.46E-02	1.55E-01	3.13E-01
2.21E+00	1.03E-05	4.15E-01	2.16E-02	8.22E-03	4.25E-02	8.43E-02	1.55E-01	3.10E-01
2.24E+00	1.03E-05	4.10E-01	2.15E-02	8.22E-03	4.24E-02	8.41E-02	1.54E-01	3.07E-01
2.27E+00	1.03E-05	4.06E-01	2.14E-02	8.23E-03	4.24E-02	8.40E-02	1.53E-01	3.04E-01
2.26E+00	1.03E-05	4.02E-01	2.13E-02	8.24E-03	4.23E-02	8.38E-02	1.53E-01	3.01E-01
2.27E+00	1.03E-05	3.97E-01	2.12E-02	8.24E-03	4.23E-02	8.37E-02	1.52E-01	2.98E-01
2.29E+00	1.03E-05	3.93E-01	2.11E-02	8.24E-03	4.22E-02	8.35E-02	1.51E-01	2.94E-01
3.00E+00	1.03E-05	3.91E-01	2.11E-02	8.24E-03	4.22E-02	8.34E-02	1.51E-01	2.93E-01
3.31E+00	1.03E-05	3.88E-01	2.10E-02	8.24E-03	4.22E-02	8.32E-02	1.51E-01	2.91E-01
3.32E+00	1.03E-05	3.83E-01	2.09E-02	8.25E-03	4.21E-02	8.30E-02	1.50E-01	2.87E-01
3.48E+00	1.03E-05	3.77E-01	2.08E-02	8.26E-03	4.20E-02	8.27E-02	1.49E-01	2.83E-01
3.68E+00	1.03E-05	3.72E-01	2.07E-02	8.27E-03	4.20E-02	8.23E-02	1.48E-01	2.79E-01
3.89E+00	1.03E-05	3.66E-01	2.06E-02	8.28E-03	4.19E-02	8.20E-02	1.47E-01	2.75E-01
4.12E+00	1.03E-05	3.60E-01	2.04E-02	8.28E-03	4.18E-02	8.16E-02	1.46E-01	2.70E-01
4.36E+00	1.03E-05	3.54E-01	2.03E-02	8.28E-03	4.17E-02	8.13E-02	1.45E-01	2.65E-01
4.61E+00	1.03E-05	3.48E-01	2.02E-02	8.28E-03	4.16E-02	8.09E-02	1.44E-01	2.61E-01
4.88E+00	1.03E-05	3.41E-01	2.00E-02	8.28E-03	4.16E-02	8.05E-02	1.43E-01	2.56E-01
5.17E+00	1.03E-05	3.34E-01	1.99E-02	8.29E-03	4.15E-02	8.00E-02	1.42E-01	2.50E-01
5.47E+00	1.03E-05	3.27E-01	1.97E-02	8.29E-03	4.14E-02	7.96E-02	1.41E-01	2.45E-01
5.57E+00	1.03E-05	3.19E-01	1.96E-02	8.31E-03	4.13E-02	7.91E-02	1.39E-01	2.39E-01
6.12E+00	1.03E-05	3.11E-01	1.94E-02	8.31E-03	4.11E-02	7.86E-02	1.38E-01	2.34E-01
6.48E+00	1.03E-05	3.04E-01	1.92E-02	8.31E-03	4.10E-02	7.80E-02	1.36E-01	2.28E-01
6.86E+00	1.03E-05	2.95E-01	1.91E-02	8.32E-03	4.09E-02	7.75E-02	1.31E-01	2.21E-01
7.26E+00	1.03E-05	2.87E-01	1.89E-02	8.32E-03	4.07E-02	7.70E-02	1.27E-01	2.15E-01
7.68E+00	1.03E-05	2.78E-01	1.87E-02	8.32E-03	4.06E-02	7.65E-02	1.25E-01	2.09E-01
8.13E+00	1.03E-05	2.69E-01	1.85E-02	8.32E-03	4.04E-02	7.60E-02	1.24E-01	2.02E-01
8.60E+00	1.03E-05	2.60E-01	1.83E-02	8.32E-03	4.02E-02	7.54E-02	1.22E-01	1.95E-01
9.10E+00	1.03E-05	2.51E-01	1.81E-02	8.33E-03	4.00E-02	7.49E-02	1.21E-01	1.88E-01
9.63E+00	1.03E-05	2.41E-01	1.79E-02	8.33E-03	3.98E-02	7.43E-02	1.19E-01	1.81E-01
1.00E+01	1.03E-05	2.35E-01	1.78E-02	8.34E-03	3.97E-02	7.38E-02	1.18E-01	1.76E-01
1.02E+01	1.03E-05	2.32E-01	1.77E-02	8.34E-03	3.96E-02	7.27E-02	1.16E-01	1.74E-01
1.08E+01	1.03E-05	2.22E-01	1.75E-02	8.35E-03	3.94E-02	7.15E-02	1.10E-01	1.67E-01
1.14E+01	1.03E-05	2.12E-01	1.73E-02	8.35E-03	3.92E-02	7.06E-02	1.07E-01	1.59E-01
1.21E+01	1.03E-05	2.02E-01	1.70E-02	8.36E-03	3.90E-02	6.97E-02	1.05E-01	1.52E-01
1.28E+01	1.03E-05	1.92E-01	1.68E-02	8.36E-03	3.88E-02	6.88E-02	1.02E-01	1.48E-01
1.35E+01	1.03E-05	1.82E-01	1.66E-02	8.37E-03	3.84E-02	6.78E-02	9.99E-02	1.41E-01
1.43E+01	1.03E-05	1.72E-01	1.64E-02	8.37E-03	3.79E-02	6.28E-02	9.74E-02	1.34E-01
1.51E+01	1.03E-05	1.62E-01	1.61E-02	8.38E-03	3.74E-02	6.16E-02	9.44E-02	1.26E-01
1.60E+01	1.03E-05	1.52E-01	1.59E-02	8.38E-03	3.70E-02	6.11E-02	9.07E-02	1.18E-01
1.70E+01	1.03E-05	1.45E-01	1.57E-02	8.40E-03	3.67E-02	6.05E-02	8.80E-02	1.10E-01
1.80E+01	1.03E-05	1.39E-01	1.55E-02	8.41E-03	3.62E-02	6.00E-02	8.57E-02	1.04E-01
1.90E+01	1.03E-05	1.33E-01	1.52E-02	8.41E-03	3.58E-02	5.90E-02	8.22E-02	1.02E-01

2.01E+01 1.03E-05 1.26E-01 1.50E-02 8.41E-03 3.55E-02 5.73E-02 7.85E-02 9.40E-02

2.13E+01 1.03E-05 1.20E-01 1.47E-02 8.41E-03 3.51E-02 5.55E-02 7.48E-02 8.65E-02

2.25E+01 1.03E-05 1.13E-01 1.45E-02 8.39E-03 3.46E-02 5.37E-02 7.07E-02 8.07E-02

2.38E+01 1.03E-05 1.07E-01 1.43E-02 8.39E-03 3.43E-02 5.23E-02 6.70E-02 7.80E-02

2.52E+01 1.03E-05 1.01E-01 1.40E-02 8.40E-03 3.39E-02 5.04E-02 6.32E-02 7.60E-02

2.67E+01 1.03E-05 9.43E-02 1.38E-02 8.41E-03 3.35E-02 4.92E-02 5.81E-02 7.01E-02

2.82E+01 1.03E-05 8.96E-02 1.36E-02 8.41E-03 3.32E-02 4.78E-02 5.57E-02 6.57E-02

2.99E+01 1.03E-05 8.50E-02 1.34E-02 8.41E-03 3.28E-02 4.53E-02 5.39E-02 6.28E-02

3.00E+01 1.03E-05 8.46E-02 1.33E-02 8.42E-03 3.28E-02 4.52E-02 5.37E-02 6.27E-02

3.16E+01 1.03E-05 8.03E-02 1.31E-02 8.44E-03 3.24E-02 4.39E-02 5.00E-02 6.16E-02

3.35E+01 1.03E-05 7.57E-02 1.29E-02 8.45E-03 3.16E-02 4.25E-02 4.75E-02 6.04E-02

3.54E+01 1.03E-05 7.16E-02 1.27E-02 8.46E-03 3.05E-02 4.04E-02 4.55E-02 5.91E-02

3.75E+01 1.03E-05 6.85E-02 1.25E-02 8.47E-03 2.96E-02 3.94E-02 4.35E-02 5.79E-02

3.97E+01 1.03E-05 6.54E-02 1.22E-02 8.48E-03 2.84E-02 3.78E-02 4.17E-02 5.37E-02

4.20E+01 1.03E-05 6.22E-02 1.20E-02 8.49E-03 2.74E-02 3.67E-02 4.01E-02 5.19E-02

4.44E+01 1.03E-05 5.91E-02 1.18E-02 8.50E-03 2.59E-02 3.48E-02 3.83E-02 5.02E-02

4.70E+01 1.03E-05 5.59E-02 1.16E-02 8.52E-03 2.55E-02 3.27E-02 3.74E-02 4.84E-02

4.97E+01 1.03E-05 5.27E-02 1.14E-02 8.53E-03 2.52E-02 3.06E-02 3.49E-02 4.47E-02

5.26E+01 1.03E-05 4.95E-02 1.12E-02 8.52E-03 2.45E-02 2.97E-02 3.37E-02 4.33E-02

5.57E+01 1.03E-05 4.77E-02 1.10E-02 8.50E-03 2.39E-02 2.89E-02 3.26E-02 4.21E-02

90E+01 1.31E-05 4.61E-02 1.08E-02 8.53E-03 2.33E-02 2.74E-02 3.15E-02 3.99E-02

6.24E+01 7.13E-06 4.44E-02 1.07E-02 8.56E-03 2.26E-02 2.63E-02 3.00E-02 3.74E-02

60E+01 3.75E-06 4.27E-02 1.05E-02 8.58E-03 2.19E-02 2.55E-02 2.89E-02 3.49E-02

99E+01 1.90E-06 4.10E-02 1.03E-02 8.60E-03 2.09E-02 2.45E-02 2.80E-02 3.41E-02

7.39E+01 9.25E-07 3.93E-02 1.01E-02 8.63E-03 2.01E-02 2.36E-02 2.74E-02 3.17E-02

7.82E+01 4.32E-07 3.75E-02 9.97E-03 8.63E-03 1.94E-02 2.28E-02 2.66E-02 3.08E-02

8.28E+01 1.93E-07 3.57E-02 9.80E-03 8.63E-03 1.83E-02 2.20E-02 2.54E-02 2.91E-02

8.76E+01 8.22E-08 3.39E-02 9.65E-03 8.62E-03 1.77E-02 2.11E-02 2.41E-02 2.72E-02

9.27E+01 3.33E-08 3.21E-02 9.50E-03 8.61E-03 1.73E-02 2.05E-02 2.34E-02 2.55E-02

9.81E+01 1.28E-08 3.04E-02 9.35E-03 8.61E-03 1.69E-02 1.96E-02 2.26E-02 2.48E-02

1.00E+02 9.22E-09 2.98E-02 9.30E-03 8.63E-03 1.68E-02 1.93E-02 2.25E-02 2.46E-02

1.04E+02 4.67E-09 2.86E-02 9.21E-03 8.59E-03 1.63E-02 1.87E-02 2.19E-02 2.42E-02

1.10E+02 1.60E-09 2.68E-02 9.07E-03 8.57E-03 1.55E-02 1.81E-02 2.13E-02 2.36E-02

1.16E+02 5.16E-10 2.58E-02 8.94E-03 8.60E-03 1.51E-02 1.75E-02 2.07E-02 2.30E-02

1.23E+02 1.56E-10 2.48E-02 8.82E-03 8.61E-03 1.46E-02 1.69E-02 2.01E-02 2.23E-02

1.30E+02 4.39E-11 2.38E-02 8.70E-03 8.56E-03 1.44E-02 1.61E-02 1.96E-02 2.16E-02

1.38E+02 1.15E-11 2.27E-02 8.59E-03 8.61E-03 1.37E-02 1.57E-02 1.92E-02 2.10E-02

1.46E+02 2.77E-12 2.16E-02 8.48E-03 8.60E-03 1.34E-02 1.56E-02 1.81E-02 2.04E-02

1.54E+02 6.17E-13 2.06E-02 8.38E-03 8.60E-03 1.31E-02 1.50E-02 1.68E-02 1.97E-02

1.63E+02 1.26E-13 2.00E-02 8.30E-03 8.56E-03 1.28E-02 1.47E-02 1.62E-02 1.90E-02

1.73E+02 2.34E-14 1.97E-02 8.22E-03 8.58E-03 1.27E-02 1.42E-02 1.59E-02 1.83E-02

1.83E+02 3.94E-15 1.94E-02 8.15E-03 8.62E-03 1.25E-02 1.37E-02 1.56E-02 1.75E-02

1.94E+02 5.99E-16 1.91E-02 8.09E-03 8.52E-03 1.21E-02 1.36E-02 1.50E-02 1.68E-02

2.05E+02 8.15E-17 1.87E-02 8.03E-03 8.55E-03 1.20E-02 1.32E-02 1.47E-02 1.60E-02

2.17E+02 9.88E-18 1.83E-02 7.97E-03 8.48E-03 1.19E-02 1.31E-02 1.42E-02 1.54E-02

2.29E+02 1.06E-18 1.79E-02 7.90E-03 8.47E-03 1.17E-02 1.27E-02 1.36E-02 1.51E-02

2.43E+02 9.97E-20 1.75E-02 7.82E-03 8.46E-03 1.17E-02 1.26E-02 1.34E-02 1.48E-02

2.57E+02 0.00E+00 1.71E-02 7.74E-03 8.43E-03 1.16E-02 1.24E-02 1.31E-02 1.45E-02

2.72E+02 0.00E+00 1.66E-02 7.67E-03 8.35E-03 1.16E-02 1.21E-02 1.30E-02 1.39E-02

2.88E+02 0.00E+00 1.60E-02 7.60E-03 8.32E-03 1.15E-02 1.20E-02 1.27E-02 1.33E-02

3.00E+02 0.00E+00 1.54E-02 7.55E-03 8.31E-03 1.15E-02 1.20E-02 1.25E-02 1.32E-02

3.05E+02 0.00E+00 1.52E-02 7.54E-03 8.35E-03 1.15E-02 1.20E-02 1.26E-02 1.32E-02

3.22E+02 0.00E+00 1.57E-02 7.47E-03 8.29E-03 1.14E-02 1.19E-02 1.23E-02 1.30E-02

3.41E+02 0.00E+00 1.53E-02 7.40E-03 8.25E-03 1.14E-02 1.17E-02 1.22E-02 1.27E-02

3.61E+02 0.00E+00 1.48E-02 7.32E-03 8.26E-03 1.13E-02 1.15E-02 1.19E-02 1.25E-02

3.82E+02 0.00E+00 1.43E-02 7.25E-03 8.26E-03 1.13E-02 1.15E-02 1.18E-02 1.23E-02

4.04E+02 0.00E+00 1.37E-02 7.19E-03 8.17E-03 1.13E-02 1.14E-02 1.16E-02 1.21E-02

4.28E+02 0.00E+00 1.32E-02 7.11E-03 8.13E-03 1.13E-02 1.14E-02 1.15E-02 1.17E-02

4.53E+02 0.00E+00 1.27E-02 7.04E-03 8.09E-03 1.13E-02 1.13E-02 1.14E-02 1.17E-02

4.79E+02 0.00E+00 1.21E-02 6.94E-03 8.02E-03 1.12E-02 1.13E-02 1.13E-02 1.16E-02

5.07E+02 0.00E+00 1.19E-02 6.86E-03 8.00E-03 1.12E-02 1.13E-02 1.13E-02 1.14E-02

5.36E+02 0.00E+00 1.18E-02 6.77E-03 7.97E-03 1.12E-02 1.12E-02 1.13E-02 1.13E-02

5.68E+02 0.00E+00 1.17E-02 6.68E-03 7.81E-03 1.11E-02 1.12E-02 1.13E-02 1.13E-02

0.01E+02 0.00E+00 1.15E-02 6.59E-03 7.64E-03 1.11E-02 1.12E-02 1.13E-02 1.13E-02

6.36E+02 0.00E+00 1.14E-02 6.49E-03 7.50E-03 1.11E-02 1.12E-02 1.12E-02 1.13E-02

6.73E+02 0.00E+00 1.13E-02 6.39E-03 7.40E-03 1.10E-02 1.12E-02 1.12E-02 1.13E-02

7.12E+02 0.00E+00 1.13E-02 6.28E-03 7.28E-03 1.10E-02 1.12E-02 1.12E-02 1.12E-02

7.53E+02 0.00E+00 1.12E-02 6.16E-03 7.14E-03 1.09E-02 1.11E-02 1.12E-02 1.12E-02

7.97E+02 0.00E+00 1.12E-02 6.05E-03 6.88E-03 1.09E-02 1.11E-02 1.12E-02 1.12E-02

8.44E+02 0.00E+00 1.12E-02 5.92E-03 6.62E-03 1.08E-02 1.11E-02 1.12E-02 1.12E-02

93E+02 0.00E+00 1.12E-02 5.76E-03 6.41E-03 1.08E-02 1.11E-02 1.12E-02 1.12E-02

9.45E+02 0.00E+00 1.12E-02 5.61E-03 6.16E-03 1.08E-02 1.11E-02 1.12E-02 1.12E-02

1.00E+03 0.00E+00 1.12E-02 5.46E-03 5.96E-03 1.07E-02 1.10E-02 1.12E-02 1.12E-02

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA NI-59.RAD

Peak of the mean dose (averaged over observations) at graphical times

Repetition	Time of peak mean dose		Peak mean dose mrem/yr
	Years		
1	0.000E+00		2.267E-02
2	0.000E+00		2.318E-02
3	0.000E+00		2.326E-02

Title : RESRAD Default Parameters
 Input File : FCS BFM INSITU UA NI-59.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	1	1	1	1

Description of Probabilistic Variable

	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Contaminated zone erosion rate	13	-0.02	13	-0.02	14	0.02	14	0.01
Contaminated zone b parameter	2	-0.08	2	-0.08	16	-0.02	16	-0.01
Evapotranspiration coefficient	7	-0.04	7	-0.04	5	0.11	5	0.06
Wind Speed	8	0.03	8	0.03	7	-0.05	7	-0.03
Runoff coefficient	5	-0.06	5	-0.06	8	0.05	8	0.03
b Parameter of Unsaturated zone 1	17	0.00	17	0.00	17	0.00	17	0.00
Mass loading for inhalation	16	-0.01	16	-0.01	13	-0.02	13	-0.01
Indoor dust filtration factor	9	0.03	9	0.03	11	0.02	11	0.01
Depth of soil mixing layer	12	-0.02	12	-0.02	12	-0.02	12	-0.01
Depth of roots	14	-0.01	14	-0.01	3	0.24	3	0.14
Wet weight crop yield of fruit, grain and non-leafy vegetables	4	0.07	4	0.07	15	-0.02	15	-0.01
Weathering removal constant of all vegetation	10	-0.02	10	-0.02	4	-0.13	4	-0.08
Wet foliar interception fraction of leafy vegetables	6	-0.04	6	-0.04	9	-0.04	9	-0.02
Humidity in air	1	0.09	1	0.09	6	0.06	6	0.04
Cover erosion rate	11	-0.02	11	-0.02	2	0.57	2	0.40
Kd of Ni-59 in Contaminated Zone	3	-0.07	3	-0.07	1	-0.77	1	-0.69
Kd of Ni-59 in Saturated Zone	15	-0.01	15	-0.01	10	-0.03	10	-0.02
R-SQUARE		0.03		0.03		0.67		0.67

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Title : RESRAD Default Parameters
 Input File : FCS BFM INSITU UA NI-59.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	2	2	2	2

Description of Probabilistic Variable

	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Contaminated zone erosion rate	7	-0.03	7	-0.03	7	0.08	7	0.04
Contaminated zone b parameter	8	0.02	8	0.02	11	0.04	11	0.02
Evapotranspiration coefficient	17	0.00	17	0.00	6	0.11	6	0.06
Wind Speed	2	0.06	2	0.06	17	0.00	17	0.00
Runoff coefficient	10	0.02	10	0.02	5	0.12	5	0.07
b Parameter of Unsaturated zone 1	9	-0.02	9	-0.02	16	0.02	16	0.01
Mass loading for inhalation	15	-0.01	15	-0.01	12	0.04	12	0.02
Indoor dust filtration factor	3	-0.06	3	-0.06	9	-0.04	9	-0.03
Depth of soil mixing layer	1	0.06	1	0.06	10	-0.04	10	-0.02
Depth of roots	11	0.02	11	0.02	3	0.20	3	0.12
Wet weight crop yield of fruit, grain and non-leafy vegetables	12	0.01	12	0.01	13	0.03	13	0.02
Weathering removal constant of all vegetation	4	-0.04	4	-0.04	4	-0.18	4	-0.10
Wet foliar interception fraction of leafy vegetables	5	0.04	5	0.04	8	0.06	8	0.03
Humidity in air	16	0.00	16	0.00	14	-0.03	14	-0.02
Cover erosion rate	14	-0.01	14	-0.01	2	0.52	2	0.36
Kd of Ni-59 in Contaminated Zone	6	-0.04	6	-0.04	1	-0.77	1	-0.71
Kd of Ni-59 in Saturated Zone	13	0.01	13	0.01	15	0.02	15	0.01
R-SQUARE		0.02		0.02		0.67		0.67

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Title : RESRAD Default Parameters
 Input File : FCS BFM INSITU UA NI-59.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	3	3	3	3

Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Contaminated zone erosion rate	15	0.01	15	0.00	4	0.13	4	0.08
Contaminated zone b parameter	11	0.02	11	0.02	10	0.06	10	0.04
Evapotranspiration coefficient	17	0.00	17	0.00	12	0.05	12	0.03
Wind Speed	5	-0.06	5	-0.06	11	0.05	11	0.03
Runoff coefficient	7	-0.05	7	-0.05	8	0.08	8	0.05
b Parameter of Unsaturated zone 1	14	0.01	14	0.01	7	0.09	7	0.05
Mass loading for inhalation	1	0.13	1	0.13	14	-0.02	14	-0.01
Indoor dust filtration factor	10	-0.02	10	-0.02	17	0.00	17	0.00
Depth of soil mixing layer	16	0.00	16	0.00	16	-0.01	16	-0.01
Depth of roots	3	0.08	3	0.07	3	0.27	3	0.16
Wet weight crop yield of fruit, grain and non-leafy vegetables	8	-0.04	8	-0.04	9	0.08	9	0.05
Weathering removal constant of all vegetation	6	-0.05	6	-0.05	5	-0.13	5	-0.07
Wet foliar interception fraction of leafy vegetables	12	0.01	12	0.01	15	0.01	15	0.01
Humidity in air	9	-0.03	9	-0.03	6	-0.10	6	-0.06
Cover erosion rate	2	0.09	2	0.09	2	0.55	2	0.38
Kd of Ni-59 in Contaminated Zone	4	-0.06	4	-0.06	1	-0.77	1	-0.70
Kd of Ni-59 in Saturated Zone	13	-0.01	13	-0.01	13	0.02	13	0.01
R-SQUARE		0.04		0.04		0.67		0.67

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.