

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA CM-243.RAD

Table of Contents

Part VI: Uncertainty Analysis

RESRAD Uncertainty Analysis Results

Probabilistic Input	2
Total Dose	3
Total Risk	4
Dose vs Pathway: Ground External	5
Dose vs Pathway: Inhalation (w/o Radon)	6
Dose vs Pathway: Radon (Water Ind.)	7
Dose vs Pathway: Plant (Water Ind.)	8
Dose vs Pathway: Meat (Water Ind.)	9
Dose vs Pathway: Milk (Water Ind.)	10
Dose vs Pathway: Soil Ingestion	11
Dose vs Pathway: Water Ingestion	12
Dose vs Pathway: Fish Ingestion	13
Dose vs Pathway: Radon (Water Dep.)	14
Dose vs Pathway: Plant (Water Dep.)	15
Dose vs Pathway: Meat (Water Dep.)	16
Dose vs Pathway: Milk (Water Dep.)	17
Cumulative Probability Summary.....	18
Summary of dose at graphical times, reptition 1.....	19
Summary of dose at graphical times, reptition 2.....	20
Summary of dose at graphical times, reptition 3.....	21
Peak of the mean dose at graphical times.....	22
Correlation and Regression coefficients (if any).....	23

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA CM-243.RAD

Probabilistic Input

Number of Sample Runs: 900

Number	Name	Distribution	Parameters																	
1	VCZ	CONTINUOUS LOGARITHMIC4	5.E-8	0	.0007	.22	.005	.95	.2	1										
2	BCZ	BOUNDED LOGNORMAL-N	1.28	.334	1.28	10.1														
3	EVAPTR	UNIFORM	.5	.99																
4	WIND	UNIFORM	2.8	4.7																
5	RUNOFF	UNIFORM	.1	.8																
6	BUZ(1)	BOUNDED LOGNORMAL-N	1.28	.334	1.28	10.1														
7	MLINH	CONTINUOUS LINEAR	8	0	0	.000008	.0151	.000016	.1365	.00003	.8119	.00004	.9495	.00006	.9937	.000076	.9983	.0001	1	
8	SHF3	UNIFORM	.15	.95																
9	DM	TRIANGULAR	0	.15	.6															
10	DROOT	UNIFORM	.3	4																
11	YV(1)	TRUNCATED LOGNORMAL-N	.56	.48	.001	.999														
12	WLAM	TRIANGULAR	5.1	18	84															
13	RWET(2)	TRIANGULAR	.06	.67	.95															
14	HUMID	TRUNCATED LOGNORMAL-N	1.98	.334	.001	.999														
15	VCV	CONTINUOUS LOGARITHMIC4	5.E-8	0	.0007	.22	.005	.95	.2	1										
16	DCACTC(3)	LOGNORMAL-N	8.13	2.64																
17	DCACTS(3)	LOGNORMAL-N	8.13	2.64																
18	DWIBWT	CONTINUOUS LINEAR	6	5	0	24	.29	43	.66	53	.68	76	.95	89	1					

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA CM-243.RAD

Probabilistic Total Dose Summary

Nuclide (j)	Peak Time	Peak Dose	DOSE(j,t), mrem/yr								
			t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03	
Cm-243											
Min	0.00E+00	6.22E-06	4.63E-08	9.58E-08	1.92E-07	4.95E-07	6.22E-08	3.88E-08	3.34E-08	3.27E-08	
Max	1.00E+03	7.76E-01	6.01E-01	4.07E-01	7.59E-01	2.99E-01	1.15E-01	1.97E-02	1.25E-04	3.02E-05	
Avg	1.62E+01	1.56E-02	1.27E-02	1.07E-02	9.16E-03	6.89E-03	3.80E-03	7.02E-04	1.80E-05	9.70E-06	
Std	6.69E+01	4.65E-02	3.81E-02	2.43E-02	2.77E-02	1.35E-02	6.75E-03	1.43E-03	1.65E-05	5.82E-06	
ALL											
Min	0.00E+00	6.22E-06	4.63E-08	9.58E-08	1.92E-07	4.95E-07	6.22E-08	3.88E-08	3.34E-08	3.27E-08	
Max	1.00E+03	7.76E-01	6.01E-01	4.07E-01	7.59E-01	2.99E-01	1.15E-01	1.97E-02	1.25E-04	3.02E-05	
Avg	1.62E+01	1.56E-02	1.27E-02	1.07E-02	9.16E-03	6.89E-03	3.80E-03	7.02E-04	1.80E-05	9.70E-06	
Std	6.69E+01	4.65E-02	3.81E-02	2.43E-02	2.77E-02	1.35E-02	6.75E-03	1.43E-03	1.65E-05	5.82E-06	

ALL is total dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA CM-243.RAD

Probabilistic Risk Summary

Nuclide	RISK(j,t)							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Cm-243								
Min	2.51E-14	8.33E-14	1.96E-13	5.54E-13	7.42E-14	4.62E-14	3.98E-14	3.90E-14
Max	1.28E-06	4.14E-07	7.97E-07	1.89E-06	1.20E-06	2.17E-07	1.73E-09	4.94E-11
Avg	1.92E-08	1.48E-08	1.24E-08	1.69E-08	1.18E-08	2.33E-09	7.46E-11	1.18E-11
Std	6.83E-08	3.23E-08	3.03E-08	1.03E-07	7.97E-08	1.60E-08	2.49E-10	7.38E-12
ALL								
Min	2.51E-14	8.33E-14	1.96E-13	5.54E-13	7.42E-14	4.62E-14	3.98E-14	3.90E-14
Max	1.28E-06	4.14E-07	7.97E-07	1.89E-06	1.20E-06	2.17E-07	1.73E-09	4.94E-11
Avg	1.92E-08	1.48E-08	1.24E-08	1.69E-08	1.18E-08	2.33E-09	7.46E-11	1.18E-11
Std	6.83E-08	3.23E-08	3.03E-08	1.03E-07	7.97E-08	1.60E-08	2.49E-10	7.38E-12

ALL is total risk summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA CM-243.RAD

Probabilistic Dose vs Pathway(i): Ground External

Nuclide	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Cm-243								
Min	3.54E-12	6.96E-15	6.67E-19	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	2.22E-10	8.28E-09	1.15E-05	8.50E-02	5.42E-02	9.89E-03	7.77E-05	1.12E-06
Avg	2.34E-11	5.07E-11	2.26E-08	3.97E-04	3.07E-04	6.76E-05	2.53E-06	1.68E-08
Std	1.17E-11	3.72E-10	4.26E-07	4.64E-03	3.54E-03	7.27E-04	1.13E-05	9.06E-08
ALL								
Min	3.54E-12	6.96E-15	6.67E-19	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	2.22E-10	8.28E-09	1.15E-05	8.50E-02	5.42E-02	9.89E-03	7.77E-05	1.12E-06
Avg	2.34E-11	5.07E-11	2.26E-08	3.97E-04	3.07E-04	6.76E-05	2.53E-06	1.68E-08
Std	1.17E-11	3.72E-10	4.26E-07	4.64E-03	3.54E-03	7.27E-04	1.13E-05	9.06E-08

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA CM-243.RAD

Probabilistic Dose vs Pathway(i): Inhalation (w/o Radon)

Nuclide	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
-----	-----	-----	-----	-----	-----	-----	-----	-----
CM-243								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	5.60E-04	1.66E-04	7.67E-05	1.03E-06	5.15E-07
Avg	0.00E+00	0.00E+00	0.00E+00	2.22E-06	9.21E-07	2.30E-07	2.38E-08	2.28E-09
Std	0.00E+00	0.00E+00	0.00E+00	2.79E-05	1.06E-05	3.03E-06	9.71E-08	2.15E-08
ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	5.60E-04	1.66E-04	7.67E-05	1.03E-06	5.15E-07
Avg	0.00E+00	0.00E+00	0.00E+00	2.22E-06	9.21E-07	2.30E-07	2.38E-08	2.28E-09
Std	0.00E+00	0.00E+00	0.00E+00	2.79E-05	1.06E-05	3.03E-06	9.71E-08	2.15E-08
-----	-----	-----	-----	-----	-----	-----	-----	-----

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA CM-243.RAD

Probabilistic Dose vs Pathway(i): Radon (Water Ind.)

Nuclide	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>								
CM-243								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
<hr/>								
ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
<hr/>								

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA CM-243.RAD

Probabilistic Dose vs Pathway(i): Plant (Water Ind.)

Nuclide	DOSE(i,j,t), mrem/yr							
	(j) t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>								
Cm-243								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	1.35E-02	1.32E-02	1.26E-02	3.78E-02	9.61E-03	3.03E-03	5.13E-05	2.03E-05
Avg	5.26E-03	5.06E-03	4.71E-03	3.85E-03	2.17E-03	3.81E-04	4.51E-06	2.04E-07
Std	3.59E-03	3.49E-03	3.31E-03	3.00E-03	1.73E-03	3.66E-04	6.43E-06	1.14E-06
ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	1.35E-02	1.32E-02	1.26E-02	3.78E-02	9.61E-03	3.03E-03	5.13E-05	2.03E-05
Avg	5.26E-03	5.06E-03	4.71E-03	3.85E-03	2.17E-03	3.81E-04	4.51E-06	2.04E-07
Std	3.59E-03	3.49E-03	3.31E-03	3.00E-03	1.73E-03	3.66E-04	6.43E-06	1.14E-06

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA CM-243.RAD

Probabilistic Dose vs Pathway(i): Meat (Water Ind.)

Nuclide	DOSE(i,j,t), mrem/yr							
	(j) t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>								
Cm-243								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	7.97E-07	7.78E-07	7.41E-07	7.52E-05	2.36E-05	7.99E-06	3.45E-07	2.17E-07
Avg	3.10E-07	2.98E-07	2.78E-07	5.69E-07	2.82E-07	6.45E-08	7.55E-09	1.30E-09
Std	2.11E-07	2.05E-07	1.95E-07	3.84E-06	1.63E-06	4.37E-07	2.96E-08	1.02E-08
<hr/>								
ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	7.97E-07	7.78E-07	7.41E-07	7.52E-05	2.36E-05	7.99E-06	3.45E-07	2.17E-07
Avg	3.10E-07	2.98E-07	2.78E-07	5.69E-07	2.82E-07	6.45E-08	7.55E-09	1.30E-09
Std	2.11E-07	2.05E-07	1.95E-07	3.84E-06	1.63E-06	4.37E-07	2.96E-08	1.02E-08
<hr/>								

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA CM-243.RAD

Probabilistic Dose vs Pathway(i): Milk (Water Ind.)

Nuclide	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Cm-243								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	6.20E-07	6.05E-07	5.76E-07	2.71E-05	7.92E-06	2.67E-06	3.31E-08	9.74E-09
Avg	2.41E-07	2.32E-07	2.16E-07	2.91E-07	1.50E-07	3.08E-08	1.22E-09	6.17E-11
Std	1.64E-07	1.60E-07	1.51E-07	1.33E-06	5.50E-07	1.44E-07	3.89E-09	4.63E-10
ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	6.20E-07	6.05E-07	5.76E-07	2.71E-05	7.92E-06	2.67E-06	3.31E-08	9.74E-09
Avg	2.41E-07	2.32E-07	2.16E-07	2.91E-07	1.50E-07	3.08E-08	1.22E-09	6.17E-11
Std	1.64E-07	1.60E-07	1.51E-07	1.33E-06	5.50E-07	1.44E-07	3.89E-09	4.63E-10

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA CM-243.RAD

Probabilistic Dose vs Pathway(i): Soil Ingestion

Nuclide	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
CM-243								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	5.68E-03	1.65E-03	5.39E-04	1.10E-05	5.47E-06
Avg	0.00E+00	0.00E+00	0.00E+00	2.43E-05	1.07E-05	2.87E-06	2.97E-07	3.23E-08
Std	0.00E+00	0.00E+00	0.00E+00	2.74E-04	1.14E-04	2.98E-05	1.11E-06	2.57E-07
ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	5.68E-03	1.65E-03	5.39E-04	1.10E-05	5.47E-06
Avg	0.00E+00	0.00E+00	0.00E+00	2.43E-05	1.07E-05	2.87E-06	2.97E-07	3.23E-08
Std	0.00E+00	0.00E+00	0.00E+00	2.74E-04	1.14E-04	2.98E-05	1.11E-06	2.57E-07

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA CM-243.RAD

Probabilistic Dose vs Pathway(i): Water Ingestion

Nuclide	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
CM-243								
Min	4.31E-08	8.92E-08	1.78E-07	4.61E-07	5.32E-08	3.32E-08	2.86E-08	2.80E-08
Max	5.80E-01	3.75E-01	6.99E-01	2.75E-01	8.69E-02	1.71E-02	4.80E-05	1.91E-05
Avg	6.84E-03	5.10E-03	4.05E-03	2.38E-03	1.18E-03	2.26E-04	9.71E-06	8.66E-06
Std	3.50E-02	2.21E-02	2.54E-02	1.11E-02	4.78E-03	1.03E-03	6.59E-06	5.20E-06
ALL								
Min	4.31E-08	8.92E-08	1.78E-07	4.61E-07	5.32E-08	3.32E-08	2.86E-08	2.80E-08
Max	5.80E-01	3.75E-01	6.99E-01	2.75E-01	8.69E-02	1.71E-02	4.80E-05	1.91E-05
Avg	6.84E-03	5.10E-03	4.05E-03	2.38E-03	1.18E-03	2.26E-04	9.71E-06	8.66E-06
Std	3.50E-02	2.21E-02	2.54E-02	1.11E-02	4.78E-03	1.03E-03	6.59E-06	5.20E-06

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA CM-243.RAD

Probabilistic Dose vs Pathway(i): Fish Ingestion

Nuclide	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>								
Cm-243								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
<hr/>								
ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
<hr/>								

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA CM-243.RAD

Probabilistic Dose vs Pathway(i): Radon (Water Dep.)

Nuclide	DOSE(i,j,t), mrem/yr							
	(j) t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>								
CM-243								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
<hr/>								
ALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
<hr/>								

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA CM-243.RAD

Probabilistic Dose vs Pathway(i): Plant (Water Dep.)

Nuclide	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Cm-243								
Min	3.15E-09	5.18E-09	7.90E-09	1.67E-08	9.00E-09	5.61E-09	4.83E-09	4.73E-09
Max	7.45E-02	4.02E-02	5.95E-02	3.28E-02	2.73E-02	4.50E-03	9.67E-06	9.26E-06
Avg	6.44E-04	4.92E-04	3.92E-04	2.41E-04	1.27E-04	2.44E-05	8.89E-07	7.90E-07
Std	3.71E-03	2.54E-03	2.48E-03	1.46E-03	9.91E-04	1.83E-04	9.19E-07	7.58E-07
ALL								
Min	3.15E-09	5.18E-09	7.90E-09	1.67E-08	9.00E-09	5.61E-09	4.83E-09	4.73E-09
Max	7.45E-02	4.02E-02	5.95E-02	3.28E-02	2.73E-02	4.50E-03	9.67E-06	9.26E-06
Avg	6.44E-04	4.92E-04	3.92E-04	2.41E-04	1.27E-04	2.44E-05	8.89E-07	7.90E-07
Std	3.71E-03	2.54E-03	2.48E-03	1.46E-03	9.91E-04	1.83E-04	9.19E-07	7.58E-07

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA CM-243.RAD

Probabilistic Dose vs Pathway(i): Meat (Water Dep.)

Nuclide	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
CM-243								
Min	3.28E-12	8.83E-12	1.97E-11	3.48E-11	5.69E-12	4.68E-12	4.44E-12	4.35E-12
Max	2.66E-05	1.60E-05	3.09E-05	1.25E-05	5.18E-06	9.88E-07	4.21E-09	3.56E-09
Avg	3.39E-07	2.48E-07	1.94E-07	1.15E-07	5.79E-08	1.17E-08	1.21E-09	1.16E-09
Std	1.76E-06	1.07E-06	1.15E-06	5.32E-07	2.53E-07	5.49E-08	7.76E-10	7.16E-10
ALL								
Min	3.28E-12	8.83E-12	1.97E-11	3.48E-11	5.69E-12	4.68E-12	4.44E-12	4.35E-12
Max	2.66E-05	1.60E-05	3.09E-05	1.25E-05	5.18E-06	9.88E-07	4.21E-09	3.56E-09
Avg	3.39E-07	2.48E-07	1.94E-07	1.15E-07	5.79E-08	1.17E-08	1.21E-09	1.16E-09
Std	1.76E-06	1.07E-06	1.15E-06	5.32E-07	2.53E-07	5.49E-08	7.76E-10	7.16E-10

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA CM-243.RAD

Probabilistic Dose vs Pathway(i): Milk (Water Dep.)

Nuclide	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
CM-243								
Min	6.70E-13	1.11E-12	1.97E-12	4.64E-12	1.13E-12	4.77E-13	3.31E-13	3.23E-13
Max	1.28E-05	8.42E-06	1.61E-05	6.45E-06	3.01E-06	5.66E-07	1.01E-09	2.83E-10
Avg	1.78E-07	1.31E-07	1.03E-07	6.10E-08	3.09E-08	5.90E-09	1.09E-10	8.14E-11
Std	9.16E-07	5.69E-07	6.02E-07	2.83E-07	1.41E-07	3.06E-08	1.04E-10	5.20E-11
ALL								
Min	6.70E-13	1.11E-12	1.97E-12	4.64E-12	1.13E-12	4.77E-13	3.31E-13	3.23E-13
Max	1.28E-05	8.42E-06	1.61E-05	6.45E-06	3.01E-06	5.66E-07	1.01E-09	2.83E-10
Avg	1.78E-07	1.31E-07	1.03E-07	6.10E-08	3.09E-08	5.90E-09	1.09E-10	8.14E-11
Std	9.16E-07	5.69E-07	6.02E-07	2.83E-07	1.41E-07	3.06E-08	1.04E-10	5.20E-11

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA CM-243.RAD

Cumulative Probability Summary for: Total Dose Over Pathways

Cumulative Probability	Dose(t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
0.025	1.34E-05	1.45E-05	1.42E-05	1.25E-05	8.91E-06	4.93E-06	2.56E-06	1.73E-06
0.050	4.40E-05	4.30E-05	4.21E-05	3.69E-05	2.28E-05	7.49E-06	3.99E-06	3.32E-06
0.075	1.10E-04	1.09E-04	1.10E-04	1.01E-04	5.21E-05	1.26E-05	4.52E-06	3.66E-06
0.100	2.05E-04	2.20E-04	2.17E-04	2.07E-04	1.05E-04	2.02E-05	5.03E-06	3.90E-06
0.125	4.72E-04	4.64E-04	4.47E-04	4.18E-04	2.08E-04	3.39E-05	5.49E-06	4.11E-06
0.150	9.99E-04	9.64E-04	9.32E-04	7.39E-04	3.85E-04	5.01E-05	6.11E-06	4.21E-06
0.175	2.48E-03	2.39E-03	2.21E-03	1.71E-03	6.55E-04	7.42E-05	6.87E-06	4.41E-06
0.200	4.04E-03	3.93E-03	3.75E-03	3.07E-03	1.09E-03	1.09E-04	7.59E-06	4.50E-06
0.225	4.30E-03	4.19E-03	3.98E-03	3.26E-03	1.65E-03	1.52E-04	8.04E-06	4.73E-06
0.250	4.52E-03	4.40E-03	4.20E-03	3.44E-03	1.91E-03	2.29E-04	8.55E-06	4.92E-06
0.275	4.66E-03	4.54E-03	4.32E-03	3.59E-03	2.02E-03	2.77E-04	8.95E-06	5.06E-06
0.300	4.81E-03	4.70E-03	4.47E-03	3.70E-03	2.10E-03	3.28E-04	9.38E-06	5.23E-06
0.325	4.99E-03	4.87E-03	4.63E-03	3.82E-03	2.19E-03	3.53E-04	9.93E-06	5.48E-06
0.350	5.14E-03	4.99E-03	4.77E-03	3.95E-03	2.28E-03	3.70E-04	1.04E-05	5.79E-06
0.375	5.36E-03	5.22E-03	4.95E-03	4.07E-03	2.35E-03	3.91E-04	1.08E-05	6.42E-06
0.400	5.53E-03	5.37E-03	5.15E-03	4.22E-03	2.41E-03	4.05E-04	1.12E-05	6.93E-06
0.425	5.78E-03	5.59E-03	5.33E-03	4.35E-03	2.49E-03	4.19E-04	1.20E-05	7.34E-06
0.450	6.04E-03	5.89E-03	5.55E-03	4.51E-03	2.57E-03	4.33E-04	1.27E-05	7.67E-06
0.475	6.32E-03	6.14E-03	5.80E-03	4.71E-03	2.66E-03	4.49E-04	1.32E-05	7.91E-06
0.500	6.57E-03	6.37E-03	6.00E-03	4.90E-03	2.77E-03	4.61E-04	1.37E-05	8.18E-06
0.525	6.83E-03	6.63E-03	6.30E-03	5.06E-03	2.90E-03	4.79E-04	1.44E-05	8.57E-06
0.550	7.13E-03	6.94E-03	6.59E-03	5.26E-03	3.01E-03	4.96E-04	1.51E-05	8.82E-06
0.575	7.45E-03	7.25E-03	6.88E-03	5.46E-03	3.13E-03	5.21E-04	1.57E-05	9.27E-06
0.600	7.78E-03	7.49E-03	7.11E-03	5.67E-03	3.23E-03	5.39E-04	1.64E-05	9.60E-06
0.625	8.07E-03	7.84E-03	7.41E-03	5.89E-03	3.40E-03	5.59E-04	1.73E-05	1.01E-05
0.650	8.46E-03	8.19E-03	7.83E-03	6.19E-03	3.53E-03	5.86E-04	1.82E-05	1.04E-05
0.675	8.80E-03	8.67E-03	8.09E-03	6.43E-03	3.70E-03	6.17E-04	1.93E-05	1.09E-05
0.700	9.26E-03	9.01E-03	8.54E-03	6.81E-03	3.85E-03	6.58E-04	2.02E-05	1.17E-05
0.725	9.82E-03	9.53E-03	8.97E-03	7.10E-03	3.98E-03	6.73E-04	2.08E-05	1.25E-05
0.750	1.03E-02	9.99E-03	9.48E-03	7.48E-03	4.21E-03	7.12E-04	2.19E-05	1.33E-05
0.775	1.10E-02	1.07E-02	1.02E-02	7.77E-03	4.44E-03	7.60E-04	2.28E-05	1.44E-05
0.800	1.16E-02	1.13E-02	1.07E-02	8.22E-03	4.68E-03	8.29E-04	2.38E-05	1.54E-05
0.825	1.22E-02	1.18E-02	1.11E-02	8.68E-03	4.96E-03	8.79E-04	2.55E-05	1.67E-05
0.850	1.28E-02	1.24E-02	1.16E-02	8.99E-03	5.27E-03	9.50E-04	2.67E-05	1.79E-05
0.875	1.38E-02	1.33E-02	1.23E-02	9.72E-03	5.58E-03	1.02E-03	2.86E-05	1.92E-05
0.900	1.64E-02	1.54E-02	1.35E-02	1.03E-02	6.03E-03	1.15E-03	3.18E-05	1.98E-05
0.925	2.08E-02	1.94E-02	1.69E-02	1.17E-02	6.45E-03	1.33E-03	3.57E-05	2.00E-05
0.950	3.24E-02	2.83E-02	2.21E-02	1.59E-02	7.50E-03	1.61E-03	4.66E-05	2.05E-05
0.975	6.79E-02	5.61E-02	3.55E-02	2.93E-02	1.36E-02	3.11E-03	7.78E-05	2.13E-05
1.000	6.01E-01	4.07E-01	7.59E-01	2.99E-01	1.15E-01	1.97E-02	1.25E-04	3.02E-05

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA CM-243.RAD

Summary of dose at graphical times, reptition 1

Time Years	Dose statistics at graphical times, mrem/yr							
	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	3.85E-07	4.18E-01	1.35E-02	6.37E-03	1.76E-02	3.33E-02	8.84E-02	3.34E-01
1.00E+00	4.25E-07	2.48E-01	1.10E-02	6.22E-03	1.73E-02	3.20E-02	6.19E-02	1.66E-01
1.06E+00	4.28E-07	2.41E-01	1.09E-02	6.21E-03	1.74E-02	3.17E-02	6.06E-02	1.65E-01
1.12E+00	4.30E-07	2.33E-01	1.08E-02	6.20E-03	1.74E-02	3.13E-02	5.94E-02	1.64E-01
1.19E+00	4.33E-07	2.25E-01	1.07E-02	6.19E-03	1.73E-02	3.10E-02	5.81E-02	1.63E-01
1.25E+00	4.36E-07	2.17E-01	1.06E-02	6.17E-03	1.73E-02	3.08E-02	5.67E-02	1.62E-01
1.33E+00	4.39E-07	2.09E-01	1.04E-02	6.16E-03	1.72E-02	3.07E-02	5.54E-02	1.61E-01
1.40E+00	4.42E-07	2.01E-01	1.03E-02	6.15E-03	1.71E-02	3.06E-02	5.40E-02	1.60E-01
1.49E+00	4.45E-07	1.93E-01	1.02E-02	6.14E-03	1.71E-02	3.05E-02	5.26E-02	1.53E-01
1.57E+00	4.49E-07	1.84E-01	1.01E-02	6.12E-03	1.67E-02	3.03E-02	5.12E-02	1.46E-01
1.66E+00	4.52E-07	1.76E-01	9.96E-03	6.11E-03	1.64E-02	3.02E-02	4.97E-02	1.38E-01
1.76E+00	4.56E-07	1.67E-01	9.84E-03	6.09E-03	1.61E-02	3.00E-02	4.82E-02	1.31E-01
1.86E+00	4.61E-07	1.58E-01	9.71E-03	6.08E-03	1.61E-02	2.94E-02	4.68E-02	1.23E-01
1.97E+00	4.65E-07	1.53E-01	9.59E-03	6.06E-03	1.62E-02	2.87E-02	4.53E-02	1.16E-01
2.09E+00	4.70E-07	1.51E-01	9.46E-03	6.04E-03	1.63E-02	2.80E-02	4.17E-02	1.08E-01
2.21E+00	4.75E-07	1.50E-01	9.33E-03	6.02E-03	1.63E-02	2.73E-02	3.92E-02	1.05E-01
2.24E+00	4.80E-07	1.48E-01	9.21E-03	6.00E-03	1.63E-02	2.59E-02	3.69E-02	1.04E-01
2.27E+00	4.86E-07	1.46E-01	9.08E-03	5.98E-03	1.61E-02	2.59E-02	3.48E-02	1.02E-01
2.26E+00	4.92E-07	1.45E-01	8.95E-03	5.96E-03	1.58E-02	2.53E-02	3.27E-02	1.01E-01
2.27E+00	4.98E-07	1.43E-01	8.83E-03	5.94E-03	1.59E-02	2.51E-02	3.21E-02	9.89E-02
2.29E+00	5.05E-07	1.41E-01	8.70E-03	5.92E-03	1.59E-02	2.47E-02	3.19E-02	9.11E-02
3.00E+00	5.07E-07	1.40E-01	8.65E-03	5.90E-03	1.59E-02	2.34E-02	3.18E-02	8.80E-02
3.31E+00	5.12E-07	1.39E-01	8.57E-03	5.88E-03	1.58E-02	2.27E-02	3.17E-02	8.35E-02
3.32E+00	5.19E-07	1.37E-01	8.45E-03	5.84E-03	1.56E-02	2.25E-02	3.15E-02	7.61E-02
3.48E+00	5.27E-07	1.35E-01	8.34E-03	5.81E-03	1.50E-02	2.23E-02	3.18E-02	6.90E-02
3.68E+00	5.36E-07	1.32E-01	8.23E-03	5.78E-03	1.44E-02	2.35E-02	3.22E-02	6.23E-02
3.89E+00	5.44E-07	1.30E-01	8.13E-03	5.75E-03	1.43E-02	2.32E-02	3.29E-02	5.60E-02
4.12E+00	5.54E-07	1.27E-01	8.03E-03	5.72E-03	1.42E-02	2.27E-02	3.34E-02	5.00E-02
4.36E+00	5.64E-07	1.25E-01	7.94E-03	5.68E-03	1.41E-02	2.18E-02	3.35E-02	4.51E-02
4.61E+00	5.75E-07	1.22E-01	7.83E-03	5.65E-03	1.40E-02	2.11E-02	3.42E-02	4.63E-02
4.88E+00	5.86E-07	1.20E-01	7.71E-03	5.61E-03	1.38E-02	2.09E-02	3.44E-02	4.70E-02
5.17E+00	5.98E-07	1.17E-01	7.61E-03	5.54E-03	1.37E-02	2.08E-02	3.35E-02	5.03E-02
5.47E+00	6.10E-07	1.14E-01	7.52E-03	5.48E-03	1.36E-02	2.06E-02	3.26E-02	5.81E-02
5.78E+00	6.24E-07	1.11E-01	7.47E-03	5.45E-03	1.28E-02	2.04E-02	3.17E-02	7.46E-02
6.12E+00	6.38E-07	1.08E-01	7.42E-03	5.40E-03	1.24E-02	1.94E-02	3.08E-02	7.22E-02
6.48E+00	6.53E-07	1.04E-01	7.36E-03	5.32E-03	1.21E-02	1.90E-02	3.04E-02	6.99E-02
6.86E+00	6.69E-07	1.01E-01	7.29E-03	5.27E-03	1.19E-02	1.86E-02	3.32E-02	6.74E-02
7.26E+00	6.86E-07	9.79E-02	7.27E-03	5.22E-03	1.16E-02	1.82E-02	3.25E-02	7.41E-02
7.68E+00	7.04E-07	1.01E-01	7.23E-03	5.14E-03	1.15E-02	1.78E-02	3.17E-02	9.06E-02
8.13E+00	7.23E-07	1.06E-01	7.12E-03	5.07E-03	1.14E-02	1.73E-02	3.09E-02	8.61E-02
8.60E+00	7.43E-07	1.01E-01	6.99E-03	4.97E-03	1.11E-02	1.68E-02	3.01E-02	8.17E-02
9.10E+00	7.64E-07	9.68E-02	6.86E-03	4.92E-03	1.10E-02	1.63E-02	2.98E-02	7.72E-02
9.63E+00	7.87E-07	9.20E-02	6.76E-03	4.83E-03	1.08E-02	1.62E-02	3.01E-02	7.27E-02
1.00E+01	8.03E-07	8.88E-02	6.73E-03	4.77E-03	1.07E-02	1.55E-02	3.90E-02	6.97E-02
1.02E+01	8.11E-07	8.71E-02	6.74E-03	4.74E-03	1.06E-02	1.51E-02	3.95E-02	6.83E-02
1.08E+01	8.36E-07	9.06E-02	6.69E-03	4.67E-03	1.04E-02	1.53E-02	3.85E-02	7.27E-02
1.14E+01	8.63E-07	8.77E-02	6.55E-03	4.58E-03	1.02E-02	1.48E-02	3.73E-02	6.89E-02
1.21E+01	8.92E-07	8.04E-02	6.42E-03	4.52E-03	9.91E-03	1.43E-02	3.64E-02	6.52E-02
1.28E+01	9.22E-07	7.28E-02	6.25E-03	4.44E-03	9.62E-03	1.38E-02	3.61E-02	6.15E-02
1.35E+01	9.54E-07	6.48E-02	6.06E-03	4.35E-03	9.24E-03	1.37E-02	3.47E-02	5.76E-02
1.43E+01	9.88E-07	5.87E-02	5.86E-03	4.24E-03	8.90E-03	1.37E-02	3.39E-02	5.42E-02
1.51E+01	1.02E-06	5.98E-02	5.66E-03	4.11E-03	8.71E-03	1.30E-02	3.29E-02	5.05E-02
1.60E+01	1.06E-06	6.09E-02	5.47E-03	3.99E-03	8.74E-03	1.22E-02	3.07E-02	4.68E-02
1.70E+01	1.10E-06	6.19E-02	5.30E-03	3.90E-03	8.66E-03	1.22E-02	2.58E-02	4.34E-02
1.80E+01	1.14E-06	6.28E-02	5.22E-03	3.79E-03	8.45E-03	1.34E-02	2.53E-02	5.65E-02
1.90E+01	1.19E-06	7.10E-02	5.08E-03	3.65E-03	7.97E-03	1.09E-02	2.26E-02	5.68E-02

2.01E+01 1.23E-06 6.43E-02 4.97E-03 3.54E-03 7.71E-03 1.05E-02 2.36E-02 5.71E-02

2.13E+01 1.28E-06 6.49E-02 4.69E-03 3.46E-03 7.45E-03 9.92E-03 1.85E-02 5.69E-02

2.25E+01 1.34E-06 6.53E-02 4.52E-03 3.35E-03 7.22E-03 9.63E-03 1.73E-02 4.96E-02

2.38E+01 1.39E-06 6.56E-02 4.40E-03 3.25E-03 6.98E-03 9.21E-03 2.15E-02 4.13E-02

2.52E+01 1.45E-06 6.58E-02 4.28E-03 3.13E-03 6.70E-03 8.79E-03 1.99E-02 5.08E-02

2.67E+01 1.51E-06 6.58E-02 4.08E-03 2.99E-03 6.46E-03 8.37E-03 1.84E-02 4.83E-02

2.82E+01 1.57E-06 6.56E-02 3.88E-03 2.87E-03 6.26E-03 7.99E-03 1.53E-02 4.58E-02

2.99E+01 1.64E-06 6.53E-02 3.69E-03 2.75E-03 5.98E-03 7.53E-03 1.45E-02 4.33E-02

3.00E+01 1.64E-06 6.52E-02 3.67E-03 2.74E-03 5.96E-03 7.50E-03 1.44E-02 4.31E-02

3.16E+01 1.99E-07 6.47E-02 3.52E-03 2.64E-03 5.75E-03 7.03E-03 1.35E-02 4.08E-02

3.35E+01 2.00E-07 6.40E-02 3.38E-03 2.53E-03 5.50E-03 6.68E-03 1.36E-02 3.83E-02

3.54E+01 2.00E-07 6.30E-02 3.27E-03 2.38E-03 5.23E-03 6.27E-03 1.38E-02 3.59E-02

3.75E+01 2.00E-07 6.18E-02 3.18E-03 2.28E-03 4.98E-03 6.29E-03 1.34E-02 4.55E-02

3.97E+01 2.00E-07 6.05E-02 3.06E-03 2.15E-03 4.71E-03 5.95E-03 1.54E-02 3.85E-02

4.20E+01 2.00E-07 5.89E-02 2.92E-03 2.01E-03 4.45E-03 5.83E-03 1.49E-02 4.16E-02

4.44E+01 2.00E-07 5.71E-02 2.73E-03 1.88E-03 4.20E-03 5.28E-03 1.43E-02 3.87E-02

4.70E+01 2.01E-07 5.51E-02 2.53E-03 1.73E-03 3.94E-03 4.87E-03 1.37E-02 3.59E-02

4.97E+01 2.01E-07 5.30E-02 2.34E-03 1.62E-03 3.56E-03 4.58E-03 1.09E-02 3.32E-02

5.26E+01 2.01E-07 5.07E-02 2.15E-03 1.51E-03 3.31E-03 4.17E-03 1.04E-02 3.05E-02

5.57E+01 2.01E-07 4.82E-02 1.99E-03 1.39E-03 3.10E-03 3.96E-03 9.63E-03 2.79E-02

5.90E+01 2.01E-07 4.56E-02 1.86E-03 1.29E-03 2.93E-03 3.85E-03 8.69E-03 2.54E-02

6.24E+01 2.01E-07 4.29E-02 1.76E-03 1.17E-03 2.67E-03 3.59E-03 9.27E-03 2.30E-02

60E+01 2.01E-07 4.01E-02 1.68E-03 1.08E-03 2.44E-03 3.28E-03 9.76E-03 2.45E-02

99E+01 2.02E-07 3.73E-02 1.52E-03 9.59E-04 2.25E-03 2.98E-03 9.07E-03 2.14E-02

7.39E+01 2.02E-07 3.44E-02 1.38E-03 8.91E-04 2.05E-03 2.83E-03 8.38E-03 1.85E-02

7.82E+01 2.02E-07 3.16E-02 1.23E-03 8.04E-04 1.85E-03 2.81E-03 7.32E-03 1.59E-02

8.28E+01 2.02E-07 2.87E-02 1.09E-03 7.25E-04 1.68E-03 2.53E-03 5.42E-03 1.34E-02

8.76E+01 2.02E-07 2.59E-02 9.62E-04 6.45E-04 1.49E-03 2.26E-03 4.82E-03 1.11E-02

9.27E+01 2.02E-07 2.32E-02 8.56E-04 5.57E-04 1.33E-03 1.99E-03 4.89E-03 9.33E-03

9.81E+01 2.02E-07 2.06E-02 7.73E-04 4.88E-04 1.17E-03 1.75E-03 4.38E-03 1.12E-02

1.00E+02 2.02E-07 1.97E-02 7.37E-04 4.65E-04 1.12E-03 1.67E-03 4.15E-03 1.06E-02

1.04E+02 2.02E-07 1.63E-02 6.61E-04 4.21E-04 1.07E-03 1.52E-03 3.71E-03 8.57E-03

1.10E+02 2.02E-07 1.21E-02 5.58E-04 3.59E-04 9.29E-04 1.32E-03 3.12E-03 5.82E-03

1.16E+02 2.02E-07 8.86E-03 4.69E-04 3.08E-04 8.25E-04 1.14E-03 2.49E-03 4.51E-03

1.23E+02 2.02E-07 7.43E-03 3.88E-04 2.67E-04 7.04E-04 9.58E-04 1.65E-03 3.76E-03

1.30E+02 2.02E-07 6.25E-03 3.18E-04 2.27E-04 5.78E-04 8.04E-04 1.20E-03 3.08E-03

1.38E+02 2.02E-07 4.09E-03 2.59E-04 1.89E-04 4.87E-04 6.71E-04 9.88E-04 2.49E-03

1.46E+02 2.02E-07 2.35E-03 2.14E-04 1.60E-04 4.21E-04 5.78E-04 9.08E-04 1.99E-03

1.54E+02 2.02E-07 2.69E-03 1.78E-04 1.29E-04 3.49E-04 4.72E-04 7.12E-04 1.38E-03

1.63E+02 2.02E-07 1.53E-03 1.42E-04 1.05E-04 2.84E-04 3.89E-04 5.65E-04 9.38E-04

1.73E+02 2.02E-07 9.51E-04 1.12E-04 8.55E-05 2.41E-04 3.16E-04 3.93E-04 6.01E-04

1.83E+02 2.02E-07 7.23E-04 8.98E-05 6.99E-05 1.94E-04 2.42E-04 3.19E-04 3.96E-04

1.94E+02 2.02E-07 5.42E-04 7.42E-05 5.80E-05 1.60E-04 2.02E-04 2.54E-04 3.57E-04

2.05E+02 2.02E-07 4.01E-04 6.13E-05 4.77E-05 1.33E-04 1.64E-04 2.39E-04 2.85E-04

2.17E+02 2.02E-07 4.10E-04 5.25E-05 3.86E-05 1.09E-04 1.50E-04 2.19E-04 2.93E-04

2.29E+02 2.02E-07 4.46E-04 4.56E-05 3.08E-05 8.95E-05 1.54E-04 2.02E-04 3.39E-04

2.43E+02 2.02E-07 3.19E-04 3.97E-05 2.58E-05 7.48E-05 1.45E-04 2.24E-04 2.91E-04

2.57E+02 2.02E-07 2.25E-04 2.95E-05 2.09E-05 5.60E-05 9.53E-05 1.32E-04 1.88E-04

2.72E+02 2.02E-07 1.65E-04 2.49E-05 1.82E-05 4.48E-05 8.09E-05 1.18E-04 1.57E-04

2.88E+02 2.02E-07 1.26E-04 2.05E-05 1.57E-05 3.98E-05 5.82E-05 8.73E-05 1.12E-04

3.00E+02 2.02E-07 1.25E-04 1.79E-05 1.38E-05 3.17E-05 4.31E-05 8.20E-05 8.98E-05

3.05E+02 2.02E-07 9.64E-05 1.72E-05 1.33E-05 3.06E-05 4.42E-05 6.54E-05 8.24E-05

3.22E+02 2.02E-07 9.05E-05 1.50E-05 1.18E-05 2.67E-05 3.49E-05 5.00E-05 6.23E-05

3.41E+02 2.02E-07 4.89E-05 1.32E-05 1.09E-05 2.41E-05 2.64E-05 3.44E-05 4.43E-05

3.61E+02 2.01E-07 4.01E-05 1.22E-05 1.03E-05 2.26E-05 2.41E-05 2.83E-05 3.26E-05

3.82E+02 2.01E-07 3.44E-05 1.16E-05 9.87E-06 2.17E-05 2.31E-05 2.44E-05 3.12E-05

4.04E+02 2.01E-07 3.07E-05 1.11E-05 9.43E-06 2.11E-05 2.26E-05 2.41E-05 3.02E-05

4.28E+02 2.01E-07 3.84E-05 1.09E-05 9.09E-06 2.10E-05 2.23E-05 2.50E-05 2.95E-05

4.53E+02 2.01E-07 2.88E-05 1.06E-05 8.92E-06 2.07E-05 2.20E-05 2.39E-05 2.67E-05

4.79E+02 2.01E-07 3.02E-05 1.04E-05 8.77E-06 2.05E-05 2.17E-05 2.26E-05 2.56E-05

5.07E+02 2.01E-07 2.95E-05 1.03E-05 8.72E-06 2.04E-05 2.15E-05 2.24E-05 2.49E-05

5.36E+02 2.00E-07 2.89E-05 1.03E-05 8.73E-06 2.04E-05 2.13E-05 2.24E-05 2.45E-05

5.68E+02 2.00E-07 3.42E-05 1.02E-05 8.63E-06 2.03E-05 2.12E-05 2.25E-05 2.83E-05

0.01E+02 2.00E-07 3.29E-05 1.01E-05 8.59E-06 2.02E-05 2.11E-05 2.24E-05 2.78E-05

6.36E+02 2.00E-07 3.17E-05 1.01E-05 8.41E-06 2.02E-05 2.10E-05 2.23E-05 2.40E-05

6.73E+02 2.00E-07 3.06E-05 9.97E-06 8.36E-06 2.01E-05 2.08E-05 2.20E-05 2.31E-05

7.12E+02 1.99E-07 3.08E-05 9.86E-06 8.34E-06 2.01E-05 2.07E-05 2.19E-05 2.25E-05

7.53E+02 1.99E-07 2.97E-05 9.78E-06 8.28E-06 2.00E-05 2.07E-05 2.16E-05 2.24E-05

7.97E+02 1.99E-07 2.90E-05 9.76E-06 8.26E-06 2.00E-05 2.06E-05 2.13E-05 2.24E-05

8.44E+02 1.99E-07 2.79E-05 9.71E-06 8.24E-06 1.99E-05 2.07E-05 2.12E-05 2.22E-05

93E+02 1.98E-07 2.69E-05 9.67E-06 8.17E-06 1.99E-05 2.06E-05 2.14E-05 2.21E-05

9.45E+02 1.98E-07 2.59E-05 9.65E-06 8.15E-06 1.98E-05 2.06E-05 2.13E-05 2.21E-05

1.00E+03 1.98E-07 2.51E-05 9.62E-06 8.10E-06 1.97E-05 2.04E-05 2.10E-05 2.21E-05

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA CM-243.RAD

Summary of dose at graphical times, reptition 2

Time Years	Dose statistics at graphical times, mrem/yr							
	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	1.53E-06	6.01E-01	1.27E-02	6.50E-03	1.65E-02	3.20E-02	6.84E-02	1.74E-01
1.00E+00	1.58E-06	4.07E-01	1.10E-02	6.32E-03	1.49E-02	2.57E-02	5.56E-02	1.44E-01
1.06E+00	1.59E-06	4.20E-01	1.09E-02	6.31E-03	1.48E-02	2.55E-02	5.48E-02	1.34E-01
1.12E+00	1.59E-06	4.32E-01	1.09E-02	6.30E-03	1.48E-02	2.53E-02	5.39E-02	1.34E-01
1.19E+00	1.59E-06	4.46E-01	1.09E-02	6.29E-03	1.47E-02	2.51E-02	5.31E-02	1.34E-01
1.25E+00	1.60E-06	4.60E-01	1.09E-02	6.28E-03	1.47E-02	2.49E-02	5.22E-02	1.34E-01
1.33E+00	1.60E-06	4.75E-01	1.08E-02	6.27E-03	1.46E-02	2.46E-02	5.12E-02	1.34E-01
1.40E+00	1.61E-06	4.90E-01	1.08E-02	6.26E-03	1.46E-02	2.38E-02	5.03E-02	1.34E-01
1.49E+00	1.61E-06	5.06E-01	1.08E-02	6.25E-03	1.45E-02	2.29E-02	4.93E-02	1.34E-01
1.57E+00	1.61E-06	5.23E-01	1.08E-02	6.24E-03	1.46E-02	2.20E-02	4.82E-02	1.34E-01
1.66E+00	1.62E-06	5.41E-01	1.07E-02	6.22E-03	1.47E-02	2.15E-02	4.72E-02	1.34E-01
1.76E+00	1.62E-06	5.59E-01	1.07E-02	6.20E-03	1.46E-02	2.16E-02	4.50E-02	1.34E-01
1.86E+00	1.63E-06	5.78E-01	1.07E-02	6.18E-03	1.44E-02	2.16E-02	4.10E-02	1.35E-01
1.97E+00	1.64E-06	5.97E-01	1.07E-02	6.16E-03	1.43E-02	2.16E-02	3.76E-02	1.35E-01
2.09E+00	1.64E-06	6.17E-01	1.07E-02	6.14E-03	1.42E-02	2.10E-02	3.69E-02	1.35E-01
2.21E+00	1.65E-06	6.38E-01	1.07E-02	6.13E-03	1.41E-02	2.02E-02	3.61E-02	1.35E-01
2.34E+00	1.66E-06	6.60E-01	1.07E-02	6.11E-03	1.40E-02	1.99E-02	3.55E-02	1.35E-01
2.47E+00	1.66E-06	6.83E-01	1.07E-02	6.09E-03	1.39E-02	1.91E-02	3.55E-02	1.35E-01
2.62E+00	1.67E-06	7.06E-01	1.07E-02	6.06E-03	1.37E-02	1.86E-02	3.55E-02	1.34E-01
2.77E+00	1.68E-06	7.29E-01	1.07E-02	6.04E-03	1.34E-02	1.83E-02	3.55E-02	1.30E-01
2.93E+00	1.69E-06	7.51E-01	1.07E-02	6.02E-03	1.33E-02	1.80E-02	3.55E-02	1.26E-01
3.00E+00	1.69E-06	7.59E-01	1.07E-02	6.01E-03	1.32E-02	1.79E-02	3.55E-02	1.25E-01
3.10E+00	1.70E-06	7.67E-01	1.06E-02	5.99E-03	1.31E-02	1.81E-02	3.55E-02	1.22E-01
3.28E+00	1.71E-06	7.75E-01	1.06E-02	5.94E-03	1.29E-02	1.85E-02	3.55E-02	1.18E-01
3.48E+00	1.72E-06	7.74E-01	1.05E-02	5.91E-03	1.28E-02	1.86E-02	3.55E-02	1.14E-01
3.68E+00	1.73E-06	7.62E-01	1.04E-02	5.89E-03	1.25E-02	1.81E-02	3.55E-02	1.10E-01
3.89E+00	1.74E-06	7.40E-01	1.02E-02	5.85E-03	1.24E-02	1.76E-02	3.54E-02	1.06E-01
4.12E+00	1.75E-06	7.16E-01	1.01E-02	5.82E-03	1.24E-02	1.71E-02	3.54E-02	1.02E-01
4.36E+00	1.76E-06	6.91E-01	9.89E-03	5.79E-03	1.23E-02	1.66E-02	3.47E-02	9.74E-02
4.61E+00	1.78E-06	6.65E-01	9.72E-03	5.74E-03	1.22E-02	1.64E-02	3.40E-02	9.30E-02
4.88E+00	1.79E-06	6.39E-01	9.55E-03	5.70E-03	1.22E-02	1.63E-02	3.32E-02	8.86E-02
5.17E+00	1.81E-06	6.13E-01	9.39E-03	5.66E-03	1.19E-02	1.65E-02	3.24E-02	8.41E-02
5.47E+00	1.82E-06	5.86E-01	9.25E-03	5.62E-03	1.19E-02	1.63E-02	3.35E-02	7.96E-02
5.78E+00	1.84E-06	5.59E-01	9.13E-03	5.56E-03	1.18E-02	1.61E-02	3.38E-02	7.52E-02
6.12E+00	1.86E-06	5.32E-01	9.00E-03	5.50E-03	1.17E-02	1.59E-02	3.25E-02	7.09E-02
6.48E+00	1.88E-06	5.04E-01	8.84E-03	5.44E-03	1.16E-02	1.57E-02	3.13E-02	7.44E-02
6.86E+00	1.90E-06	4.77E-01	8.65E-03	5.40E-03	1.12E-02	1.55E-02	3.00E-02	7.11E-02
7.26E+00	1.92E-06	4.49E-01	8.46E-03	5.32E-03	1.13E-02	1.53E-02	2.87E-02	6.76E-02
7.68E+00	1.94E-06	4.22E-01	8.30E-03	5.21E-03	1.10E-02	1.63E-02	2.76E-02	6.42E-02
8.13E+00	1.96E-06	3.95E-01	8.20E-03	5.15E-03	1.10E-02	1.61E-02	2.94E-02	6.08E-02
8.60E+00	1.99E-06	3.68E-01	8.10E-03	5.07E-03	1.10E-02	1.58E-02	2.87E-02	5.94E-02
9.10E+00	2.01E-06	3.42E-01	7.91E-03	5.00E-03	1.07E-02	1.56E-02	2.79E-02	5.56E-02
9.63E+00	2.04E-06	3.16E-01	7.71E-03	4.93E-03	1.05E-02	1.58E-02	2.70E-02	5.31E-02
1.00E+01	2.06E-06	2.99E-01	7.58E-03	4.88E-03	1.04E-02	1.68E-02	2.69E-02	5.15E-02
1.10E+01	2.07E-06	2.91E-01	7.52E-03	4.86E-03	1.03E-02	1.67E-02	2.70E-02	5.06E-02
1.08E+01	2.10E-06	2.66E-01	7.38E-03	4.79E-03	1.02E-02	1.66E-02	3.09E-02	4.80E-02
1.14E+01	2.13E-06	2.42E-01	7.25E-03	4.69E-03	1.00E-02	1.66E-02	2.96E-02	4.55E-02
1.21E+01	2.17E-06	2.20E-01	7.04E-03	4.62E-03	9.85E-03	1.61E-02	2.83E-02	4.27E-02
1.28E+01	2.20E-06	1.98E-01	6.82E-03	4.52E-03	9.68E-03	1.51E-02	2.84E-02	3.98E-02
1.35E+01	2.24E-06	1.77E-01	6.60E-03	4.40E-03	9.50E-03	1.36E-02	2.69E-02	3.76E-02
1.43E+01	2.28E-06	1.58E-01	6.38E-03	4.31E-03	9.32E-03	1.28E-02	2.54E-02	3.66E-02
1.51E+01	2.32E-06	1.39E-01	6.17E-03	4.19E-03	9.23E-03	1.24E-02	2.39E-02	3.53E-02
1.60E+01	2.36E-06	1.35E-01	5.98E-03	4.03E-03	9.06E-03	1.22E-02	2.23E-02	3.40E-02
1.70E+01	2.41E-06	1.34E-01	5.83E-03	3.94E-03	8.63E-03	1.20E-02	3.00E-02	3.36E-02
1.80E+01	2.46E-06	1.33E-01	5.65E-03	3.84E-03	8.43E-03	1.15E-02	3.05E-02	3.31E-02
1.90E+01	2.51E-06	1.32E-01	5.45E-03	3.72E-03	8.21E-03	1.18E-02	2.80E-02	3.26E-02

2.01E+01 2.57E-06 1.31E-01 5.27E-03 3.61E-03 7.99E-03 1.09E-02 2.56E-02 5.28E-02

2.13E+01 2.62E-06 1.29E-01 5.19E-03 3.51E-03 7.72E-03 1.05E-02 2.76E-02 5.60E-02

2.25E+01 2.68E-06 1.27E-01 4.99E-03 3.39E-03 7.40E-03 1.02E-02 2.58E-02 4.66E-02

2.38E+01 2.74E-06 1.25E-01 4.76E-03 3.27E-03 7.12E-03 9.85E-03 2.39E-02 4.18E-02

2.52E+01 2.81E-06 1.23E-01 4.53E-03 3.08E-03 6.99E-03 9.28E-03 2.17E-02 4.14E-02

2.67E+01 2.88E-06 1.21E-01 4.32E-03 2.94E-03 6.65E-03 9.14E-03 2.09E-02 4.01E-02

2.82E+01 2.95E-06 1.18E-01 4.20E-03 2.83E-03 6.40E-03 8.78E-03 2.08E-02 4.20E-02

2.99E+01 3.03E-06 1.15E-01 3.95E-03 2.72E-03 6.15E-03 8.41E-03 1.74E-02 4.21E-02

3.00E+01 3.03E-06 1.15E-01 3.94E-03 2.71E-03 6.13E-03 8.38E-03 1.73E-02 4.20E-02

3.16E+01 3.11E-06 1.12E-01 3.67E-03 2.60E-03 5.87E-03 7.20E-03 1.49E-02 3.67E-02

3.35E+01 1.49E-07 1.09E-01 3.43E-03 2.48E-03 5.20E-03 6.50E-03 1.11E-02 3.54E-02

3.54E+01 1.48E-07 1.06E-01 3.27E-03 2.36E-03 5.05E-03 6.19E-03 1.12E-02 3.41E-02

3.75E+01 1.47E-07 1.02E-01 3.16E-03 2.24E-03 4.68E-03 5.80E-03 1.11E-02 3.50E-02

3.97E+01 1.46E-07 9.83E-02 2.88E-03 2.08E-03 4.33E-03 5.47E-03 1.00E-02 3.13E-02

4.20E+01 1.45E-07 9.44E-02 2.75E-03 1.95E-03 4.09E-03 4.95E-03 9.65E-03 2.99E-02

4.44E+01 1.44E-07 9.02E-02 2.60E-03 1.83E-03 3.86E-03 4.64E-03 9.28E-03 2.83E-02

4.70E+01 1.44E-07 8.59E-02 2.44E-03 1.71E-03 3.68E-03 4.62E-03 8.88E-03 2.68E-02

4.97E+01 1.43E-07 8.15E-02 2.29E-03 1.60E-03 3.39E-03 4.32E-03 8.48E-03 2.52E-02

5.26E+01 1.42E-07 7.70E-02 2.14E-03 1.48E-03 3.16E-03 4.02E-03 8.06E-03 2.36E-02

5.57E+01 1.41E-07 7.23E-02 2.01E-03 1.36E-03 3.00E-03 3.82E-03 7.63E-03 2.20E-02

5.90E+01 1.40E-07 6.77E-02 1.91E-03 1.25E-03 2.97E-03 3.76E-03 7.57E-03 2.04E-02

6.24E+01 1.39E-07 6.30E-02 1.80E-03 1.15E-03 2.74E-03 3.66E-03 8.01E-03 1.89E-02

60E+01 1.38E-07 5.83E-02 1.65E-03 1.05E-03 2.56E-03 3.35E-03 7.99E-03 1.73E-02

99E+01 1.37E-07 5.36E-02 1.54E-03 9.61E-04 2.33E-03 3.05E-03 6.76E-03 2.25E-02

7.39E+01 1.37E-07 4.91E-02 1.38E-03 8.73E-04 2.11E-03 2.77E-03 5.89E-03 2.04E-02

7.82E+01 1.36E-07 4.46E-02 1.24E-03 7.86E-04 1.85E-03 2.48E-03 5.23E-03 1.83E-02

8.28E+01 1.35E-07 4.02E-02 1.11E-03 7.01E-04 1.65E-03 2.24E-03 4.57E-03 1.64E-02

8.76E+01 1.35E-07 3.59E-02 9.92E-04 6.21E-04 1.54E-03 1.99E-03 3.98E-03 1.46E-02

9.27E+01 1.34E-07 2.75E-02 8.70E-04 5.50E-04 1.39E-03 1.85E-03 3.45E-03 1.25E-02

9.81E+01 1.33E-07 2.07E-02 7.59E-04 4.80E-04 1.24E-03 1.77E-03 3.46E-03 1.05E-02

1.00E+02 1.33E-07 1.88E-02 7.25E-04 4.59E-04 1.18E-03 1.71E-03 3.77E-03 9.89E-03

1.04E+02 1.33E-07 1.54E-02 6.58E-04 4.18E-04 1.08E-03 1.60E-03 3.52E-03 8.73E-03

1.10E+02 1.32E-07 1.12E-02 5.59E-04 3.61E-04 9.88E-04 1.48E-03 2.26E-03 7.19E-03

1.16E+02 1.32E-07 8.02E-03 4.72E-04 3.09E-04 8.29E-04 1.24E-03 2.22E-03 5.85E-03

1.23E+02 1.31E-07 6.19E-03 4.13E-04 2.63E-04 7.28E-04 1.11E-03 2.29E-03 4.70E-03

1.30E+02 1.31E-07 5.20E-03 3.42E-04 2.22E-04 6.10E-04 9.32E-04 1.72E-03 3.88E-03

1.38E+02 1.31E-07 4.33E-03 2.82E-04 1.86E-04 5.04E-04 7.54E-04 1.61E-03 3.07E-03

1.46E+02 1.30E-07 3.57E-03 2.38E-04 1.55E-04 4.11E-04 6.16E-04 1.27E-03 2.92E-03

1.54E+02 1.30E-07 2.90E-03 1.85E-04 1.28E-04 3.35E-04 4.95E-04 8.25E-04 2.06E-03

1.63E+02 1.30E-07 2.33E-03 1.51E-04 1.06E-04 2.75E-04 3.96E-04 6.72E-04 1.66E-03

1.73E+02 1.30E-07 1.86E-03 1.23E-04 8.67E-05 2.31E-04 3.17E-04 4.85E-04 1.32E-03

1.83E+02 1.30E-07 1.46E-03 9.97E-05 7.06E-05 2.08E-04 2.61E-04 3.78E-04 1.04E-03

1.94E+02 1.29E-07 1.13E-03 8.02E-05 5.66E-05 1.67E-04 2.07E-04 2.80E-04 8.03E-04

2.05E+02 1.29E-07 8.62E-04 6.60E-05 4.62E-05 1.36E-04 1.94E-04 2.47E-04 6.16E-04

2.17E+02 1.29E-07 6.49E-04 5.48E-05 3.78E-05 1.08E-04 1.56E-04 2.43E-04 4.66E-04

2.29E+02 1.29E-07 4.82E-04 4.74E-05 3.10E-05 9.09E-05 1.38E-04 2.90E-04 3.91E-04

2.43E+02 1.29E-07 3.53E-04 3.98E-05 2.64E-05 7.41E-05 1.26E-04 2.17E-04 3.17E-04

2.57E+02 1.29E-07 2.56E-04 3.14E-05 2.10E-05 5.94E-05 9.71E-05 1.83E-04 2.35E-04

2.72E+02 1.29E-07 1.83E-04 2.41E-05 1.81E-05 4.57E-05 7.03E-05 9.62E-05 1.48E-04

2.88E+02 1.29E-07 1.37E-04 1.95E-05 1.51E-05 3.48E-05 5.60E-05 7.59E-05 1.06E-04

3.00E+02 1.29E-07 1.25E-04 1.81E-05 1.39E-05 3.18E-05 5.01E-05 8.14E-05 1.01E-04

3.05E+02 1.29E-07 1.12E-04 1.76E-05 1.34E-05 3.11E-05 4.63E-05 7.33E-05 8.91E-05

3.22E+02 1.29E-07 8.22E-05 1.54E-05 1.20E-05 2.86E-05 4.31E-05 5.42E-05 6.35E-05

3.41E+02 1.28E-07 6.34E-05 1.37E-05 1.08E-05 2.42E-05 3.21E-05 3.94E-05 4.78E-05

3.61E+02 1.28E-07 5.09E-05 1.25E-05 1.06E-05 2.26E-05 2.62E-05 3.25E-05 4.21E-05

3.82E+02 1.28E-07 4.46E-05 1.20E-05 1.04E-05 2.18E-05 2.54E-05 2.92E-05 4.09E-05

4.04E+02 1.28E-07 4.51E-05 1.16E-05 9.90E-06 2.13E-05 2.32E-05 2.86E-05 3.93E-05

4.28E+02 1.28E-07 6.17E-05 1.14E-05 9.60E-06 2.09E-05 2.28E-05 2.96E-05 4.33E-05

4.53E+02 1.28E-07 5.97E-05 1.12E-05 9.43E-06 2.07E-05 2.20E-05 2.92E-05 4.18E-05

4.79E+02 1.28E-07 5.80E-05 1.10E-05 9.24E-06 2.06E-05 2.19E-05 2.75E-05 3.21E-05

5.07E+02 1.28E-07 5.64E-05 1.09E-05 9.16E-06 2.05E-05 2.19E-05 2.86E-05 3.48E-05

5.36E+02 1.28E-07 5.50E-05 1.08E-05 9.10E-06 2.05E-05 2.19E-05 2.82E-05 3.39E-05

5.68E+02 1.28E-07 5.41E-05 1.08E-05 9.08E-06 2.04E-05 2.19E-05 2.74E-05 3.36E-05

0.01E+02 1.27E-07 3.73E-05 1.04E-05 8.93E-06 2.03E-05 2.14E-05 2.43E-05 2.87E-05

6.36E+02 1.27E-07 3.61E-05 1.04E-05 8.81E-06 2.03E-05 2.14E-05 2.40E-05 2.84E-05

6.73E+02 1.27E-07 3.50E-05 1.03E-05 8.75E-06 2.03E-05 2.14E-05 2.43E-05 2.84E-05

7.12E+02 1.27E-07 3.42E-05 1.03E-05 8.67E-06 2.03E-05 2.13E-05 2.38E-05 2.83E-05

7.53E+02 1.27E-07 2.83E-05 1.01E-05 8.57E-06 2.01E-05 2.10E-05 2.27E-05 2.45E-05

7.97E+02 1.27E-07 2.82E-05 1.01E-05 8.56E-06 2.00E-05 2.09E-05 2.23E-05 2.39E-05

8.44E+02 1.27E-07 2.82E-05 1.00E-05 8.48E-06 2.00E-05 2.11E-05 2.21E-05 2.32E-05

9.93E+02 1.26E-07 2.82E-05 9.96E-06 8.37E-06 1.99E-05 2.10E-05 2.20E-05 2.45E-05

9.45E+02 1.26E-07 2.81E-05 9.91E-06 8.34E-06 1.99E-05 2.10E-05 2.18E-05 2.37E-05

1.00E+03 1.26E-07 2.81E-05 9.81E-06 8.30E-06 1.98E-05 2.08E-05 2.14E-05 2.23E-05

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA CM-243.RAD

Summary of dose at graphical times, reptition 3

Time Years	Dose statistics at graphical times, mrem/yr							
	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	4.63E-08	4.83E-01	1.21E-02	6.83E-03	1.44E-02	3.50E-02	6.52E-02	1.19E-01
1.00E+00	9.58E-08	2.61E-01	9.97E-03	6.57E-03	1.39E-02	2.72E-02	5.81E-02	9.72E-02
1.06E+00	9.87E-08	2.52E-01	9.89E-03	6.56E-03	1.39E-02	2.71E-02	5.78E-02	9.61E-02
1.12E+00	1.02E-07	2.43E-01	9.81E-03	6.55E-03	1.38E-02	2.69E-02	5.74E-02	9.50E-02
1.19E+00	1.05E-07	2.34E-01	9.72E-03	6.54E-03	1.38E-02	2.68E-02	5.70E-02	9.37E-02
1.25E+00	1.08E-07	2.24E-01	9.64E-03	6.52E-03	1.37E-02	2.66E-02	5.65E-02	9.25E-02
1.33E+00	1.12E-07	2.15E-01	9.55E-03	6.51E-03	1.37E-02	2.64E-02	5.60E-02	9.11E-02
1.40E+00	1.16E-07	2.06E-01	9.46E-03	6.49E-03	1.37E-02	2.63E-02	5.55E-02	8.97E-02
1.49E+00	1.20E-07	1.96E-01	9.37E-03	6.48E-03	1.36E-02	2.61E-02	5.47E-02	8.46E-02
1.57E+00	1.24E-07	1.87E-01	9.28E-03	6.43E-03	1.36E-02	2.60E-02	5.36E-02	7.90E-02
1.66E+00	1.28E-07	1.77E-01	9.18E-03	6.41E-03	1.35E-02	2.58E-02	5.24E-02	7.35E-02
1.76E+00	1.33E-07	1.68E-01	9.09E-03	6.39E-03	1.35E-02	2.57E-02	5.13E-02	6.80E-02
1.86E+00	1.38E-07	1.59E-01	8.99E-03	6.38E-03	1.34E-02	2.55E-02	5.01E-02	6.70E-02
1.97E+00	1.43E-07	1.50E-01	8.89E-03	6.36E-03	1.34E-02	2.53E-02	4.91E-02	6.64E-02
2.09E+00	1.48E-07	1.41E-01	8.80E-03	6.34E-03	1.33E-02	2.52E-02	4.85E-02	6.59E-02
2.21E+00	1.54E-07	1.32E-01	8.70E-03	6.32E-03	1.33E-02	2.50E-02	4.75E-02	6.53E-02
2.24E+00	1.60E-07	1.24E-01	8.60E-03	6.29E-03	1.28E-02	2.48E-02	4.48E-02	6.47E-02
2.27E+00	1.67E-07	1.16E-01	8.50E-03	6.26E-03	1.27E-02	2.46E-02	4.33E-02	6.41E-02
2.62E+00	1.74E-07	1.08E-01	8.40E-03	6.24E-03	1.27E-02	2.44E-02	4.19E-02	6.35E-02
2.77E+00	1.81E-07	1.00E-01	8.29E-03	6.21E-03	1.26E-02	2.42E-02	4.04E-02	6.28E-02
2.93E+00	1.88E-07	9.33E-02	8.19E-03	6.18E-03	1.25E-02	2.39E-02	3.94E-02	6.21E-02
3.00E+00	1.92E-07	9.05E-02	8.15E-03	6.17E-03	1.25E-02	2.38E-02	3.91E-02	6.18E-02
3.10E+00	1.96E-07	8.65E-02	8.09E-03	6.15E-03	1.24E-02	2.36E-02	3.86E-02	6.14E-02
3.28E+00	2.05E-07	8.02E-02	7.99E-03	6.12E-03	1.24E-02	2.30E-02	3.77E-02	6.06E-02
3.48E+00	2.14E-07	7.42E-02	7.89E-03	6.09E-03	1.22E-02	2.28E-02	3.69E-02	5.96E-02
3.68E+00	2.23E-07	6.87E-02	7.79E-03	6.06E-03	1.21E-02	2.26E-02	3.60E-02	5.82E-02
3.89E+00	2.33E-07	6.37E-02	7.69E-03	6.01E-03	1.20E-02	2.25E-02	3.52E-02	5.80E-02
4.12E+00	2.43E-07	5.90E-02	7.59E-03	5.98E-03	1.19E-02	2.20E-02	3.44E-02	5.71E-02
4.36E+00	2.54E-07	5.79E-02	7.50E-03	5.98E-03	1.18E-02	2.11E-02	3.35E-02	5.48E-02
4.61E+00	2.66E-07	5.78E-02	7.43E-03	5.98E-03	1.17E-02	2.04E-02	3.29E-02	5.10E-02
4.88E+00	2.78E-07	5.77E-02	7.37E-03	5.94E-03	1.19E-02	2.01E-02	3.24E-02	4.76E-02
5.17E+00	2.91E-07	5.75E-02	7.35E-03	5.88E-03	1.19E-02	2.01E-02	3.46E-02	4.51E-02
5.47E+00	3.04E-07	6.28E-02	7.35E-03	5.84E-03	1.18E-02	2.05E-02	3.59E-02	5.19E-02
5.78E+00	3.18E-07	8.63E-02	7.32E-03	5.78E-03	1.17E-02	2.01E-02	3.45E-02	5.07E-02
6.12E+00	3.33E-07	9.66E-02	7.25E-03	5.70E-03	1.16E-02	1.97E-02	3.31E-02	4.95E-02
6.48E+00	3.48E-07	9.26E-02	7.14E-03	5.63E-03	1.16E-02	1.93E-02	3.17E-02	4.83E-02
6.86E+00	3.65E-07	8.84E-02	7.03E-03	5.56E-03	1.14E-02	1.89E-02	3.03E-02	4.71E-02
7.26E+00	3.82E-07	8.40E-02	6.95E-03	5.49E-03	1.13E-02	1.97E-02	2.89E-02	4.57E-02
7.68E+00	4.00E-07	7.94E-02	6.91E-03	5.43E-03	1.10E-02	1.93E-02	3.04E-02	5.37E-02
8.13E+00	4.18E-07	7.45E-02	6.80E-03	5.38E-03	1.09E-02	1.81E-02	2.97E-02	4.58E-02
8.60E+00	4.38E-07	6.94E-02	6.64E-03	5.30E-03	1.06E-02	1.78E-02	2.97E-02	4.16E-02
9.10E+00	4.59E-07	6.38E-02	6.53E-03	5.20E-03	1.05E-02	1.74E-02	3.16E-02	4.03E-02
9.63E+00	4.80E-07	6.44E-02	6.49E-03	5.12E-03	1.02E-02	1.71E-02	3.09E-02	5.44E-02
1.00E+01	4.95E-07	5.42E-02	6.36E-03	5.08E-03	1.01E-02	1.67E-02	3.05E-02	5.15E-02
1.02E+01	5.03E-07	5.40E-02	6.29E-03	5.05E-03	1.00E-02	1.62E-02	3.03E-02	4.67E-02
1.08E+01	5.26E-07	5.68E-02	6.04E-03	4.89E-03	9.82E-03	1.53E-02	2.64E-02	4.33E-02
1.14E+01	5.51E-07	8.60E-02	5.99E-03	4.80E-03	9.65E-03	1.50E-02	2.58E-02	3.60E-02
1.21E+01	5.48E-07	5.24E-02	5.73E-03	4.73E-03	9.46E-03	1.46E-02	2.51E-02	3.26E-02
1.28E+01	5.42E-07	5.18E-02	5.45E-03	4.65E-03	9.20E-03	1.34E-02	1.84E-02	2.90E-02
1.35E+01	7.63E-08	5.11E-02	5.30E-03	4.52E-03	9.04E-03	1.26E-02	1.70E-02	2.82E-02
1.43E+01	7.55E-08	5.04E-02	5.15E-03	4.38E-03	8.81E-03	1.30E-02	1.67E-02	2.74E-02
1.51E+01	7.46E-08	4.96E-02	5.02E-03	4.27E-03	8.64E-03	1.23E-02	1.68E-02	2.63E-02
1.60E+01	7.38E-08	4.88E-02	4.92E-03	4.19E-03	8.52E-03	1.16E-02	1.91E-02	2.47E-02
1.70E+01	7.29E-08	4.79E-02	4.87E-03	4.05E-03	8.27E-03	1.09E-02	1.86E-02	2.50E-02
1.80E+01	7.19E-08	8.31E-02	4.86E-03	3.95E-03	8.07E-03	1.02E-02	1.80E-02	2.42E-02
1.90E+01	7.10E-08	8.14E-02	4.75E-03	3.86E-03	7.88E-03	1.10E-02	1.79E-02	2.35E-02

2.01E+01 7.00E-08 7.93E-02 4.70E-03 3.75E-03 7.74E-03 1.01E-02 1.72E-02 4.47E-02

2.13E+01 6.89E-08 7.70E-02 4.65E-03 3.68E-03 7.54E-03 1.01E-02 1.64E-02 4.36E-02

2.25E+01 6.79E-08 7.47E-02 4.50E-03 3.57E-03 7.35E-03 9.46E-03 1.53E-02 4.24E-02

2.38E+01 6.68E-08 7.24E-02 4.37E-03 3.44E-03 7.07E-03 8.84E-03 1.49E-02 4.12E-02

2.52E+01 6.57E-08 7.00E-02 4.30E-03 3.29E-03 6.84E-03 8.63E-03 1.40E-02 4.87E-02

2.67E+01 6.46E-08 6.75E-02 4.18E-03 3.14E-03 6.60E-03 8.37E-03 1.33E-02 5.92E-02

2.82E+01 6.34E-08 6.50E-02 3.99E-03 3.01E-03 6.35E-03 7.90E-03 1.30E-02 5.31E-02

2.99E+01 6.23E-08 6.24E-02 3.80E-03 2.85E-03 6.10E-03 7.44E-03 1.26E-02 4.69E-02

3.00E+01 6.22E-08 6.23E-02 3.79E-03 2.84E-03 6.09E-03 7.42E-03 1.26E-02 4.65E-02

3.16E+01 6.11E-08 5.98E-02 3.61E-03 2.72E-03 5.82E-03 7.21E-03 1.24E-02 4.08E-02

3.35E+01 5.99E-08 5.72E-02 3.43E-03 2.61E-03 5.58E-03 6.98E-03 1.29E-02 3.45E-02

3.54E+01 5.87E-08 5.46E-02 3.26E-03 2.49E-03 5.34E-03 6.51E-03 1.32E-02 3.17E-02

3.75E+01 5.74E-08 5.19E-02 3.15E-03 2.35E-03 5.10E-03 6.14E-03 1.26E-02 3.87E-02

3.97E+01 5.62E-08 4.92E-02 3.00E-03 2.22E-03 4.84E-03 5.92E-03 1.32E-02 4.25E-02

4.20E+01 5.50E-08 4.65E-02 2.83E-03 2.07E-03 4.55E-03 5.76E-03 1.15E-02 3.01E-02

4.44E+01 5.37E-08 4.38E-02 2.60E-03 1.93E-03 4.25E-03 5.41E-03 1.13E-02 2.81E-02

4.70E+01 5.25E-08 4.11E-02 2.38E-03 1.78E-03 3.98E-03 4.85E-03 9.29E-03 2.40E-02

4.97E+01 5.13E-08 3.85E-02 2.23E-03 1.67E-03 3.73E-03 4.45E-03 8.94E-03 2.25E-02

5.26E+01 5.01E-08 4.58E-02 2.14E-03 1.55E-03 3.48E-03 3.97E-03 7.52E-03 3.28E-02

5.57E+01 4.89E-08 3.54E-02 1.95E-03 1.45E-03 3.21E-03 3.58E-03 6.68E-03 3.03E-02

5.90E+01 4.77E-08 3.07E-02 1.78E-03 1.34E-03 3.00E-03 3.41E-03 6.23E-03 2.46E-02

6.24E+01 4.66E-08 2.82E-02 1.61E-03 1.22E-03 2.76E-03 3.34E-03 5.80E-03 1.66E-02

6.0E+01 4.55E-08 2.59E-02 1.44E-03 1.11E-03 2.54E-03 3.05E-03 4.42E-03 1.51E-02

99E+01 4.44E-08 2.35E-02 1.34E-03 1.01E-03 2.33E-03 3.08E-03 4.95E-03 1.38E-02

7.39E+01 4.34E-08 2.13E-02 1.22E-03 9.06E-04 2.15E-03 2.91E-03 5.12E-03 1.25E-02

7.82E+01 4.24E-08 1.92E-02 1.13E-03 8.08E-04 1.94E-03 2.62E-03 5.35E-03 1.13E-02

8.28E+01 4.15E-08 1.72E-02 1.04E-03 7.20E-04 1.75E-03 2.35E-03 4.80E-03 1.40E-02

8.76E+01 4.06E-08 1.53E-02 8.75E-04 6.37E-04 1.55E-03 2.01E-03 4.14E-03 8.98E-03

9.27E+01 3.98E-08 1.35E-02 7.52E-04 5.51E-04 1.36E-03 1.78E-03 3.16E-03 7.91E-03

9.81E+01 3.90E-08 1.18E-02 6.70E-04 4.81E-04 1.20E-03 1.62E-03 2.82E-03 6.96E-03

1.00E+02 3.88E-08 1.13E-02 6.43E-04 4.58E-04 1.14E-03 1.54E-03 2.71E-03 6.66E-03

1.04E+02 3.83E-08 1.03E-02 5.96E-04 4.16E-04 1.04E-03 1.41E-03 2.50E-03 8.47E-03

1.10E+02 3.76E-08 8.87E-03 5.23E-04 3.56E-04 9.06E-04 1.22E-03 2.20E-03 7.75E-03

1.16E+02 3.70E-08 7.59E-03 4.47E-04 3.05E-04 7.78E-04 1.04E-03 1.91E-03 5.83E-03

1.23E+02 3.65E-08 6.43E-03 3.76E-04 2.59E-04 6.74E-04 1.04E-03 1.65E-03 3.80E-03

1.30E+02 3.60E-08 5.40E-03 3.16E-04 2.21E-04 5.71E-04 8.56E-04 1.41E-03 3.19E-03

1.38E+02 3.56E-08 4.49E-03 2.68E-04 1.85E-04 4.72E-04 6.49E-04 1.15E-03 3.55E-03

1.46E+02 3.52E-08 3.69E-03 2.18E-04 1.55E-04 3.99E-04 5.53E-04 9.22E-04 2.18E-03

1.54E+02 3.49E-08 3.00E-03 1.76E-04 1.26E-04 3.26E-04 4.39E-04 6.67E-04 1.78E-03

1.63E+02 3.46E-08 2.41E-03 1.44E-04 1.05E-04 2.64E-04 3.77E-04 5.45E-04 1.43E-03

1.73E+02 3.44E-08 1.92E-03 1.21E-04 8.58E-05 2.20E-04 3.28E-04 4.94E-04 1.14E-03

1.83E+02 3.42E-08 1.50E-03 9.89E-05 6.99E-05 1.79E-04 2.62E-04 3.91E-04 1.23E-03

1.94E+02 3.40E-08 1.16E-03 7.85E-05 5.77E-05 1.44E-04 2.07E-04 2.73E-04 9.45E-04

2.05E+02 3.39E-08 8.83E-04 6.37E-05 4.66E-05 1.18E-04 1.71E-04 2.18E-04 7.14E-04

2.17E+02 3.38E-08 6.62E-04 5.40E-05 3.69E-05 1.04E-04 1.37E-04 2.21E-04 5.30E-04

2.29E+02 3.37E-08 4.89E-04 4.64E-05 3.03E-05 8.75E-05 1.36E-04 2.46E-04 3.93E-04

2.43E+02 3.36E-08 3.56E-04 3.69E-05 2.46E-05 6.69E-05 1.17E-04 1.92E-04 2.98E-04

2.57E+02 3.35E-08 2.82E-04 3.07E-05 2.08E-05 5.29E-05 1.02E-04 1.68E-04 2.47E-04

2.72E+02 3.35E-08 2.06E-04 2.53E-05 1.78E-05 4.15E-05 8.40E-05 1.34E-04 1.79E-04

2.88E+02 3.34E-08 1.55E-04 2.06E-05 1.53E-05 3.54E-05 5.58E-05 9.77E-05 1.25E-04

3.00E+02 3.34E-08 1.13E-04 1.78E-05 1.35E-05 3.19E-05 4.75E-05 7.64E-05 9.46E-05

3.05E+02 3.34E-08 1.04E-04 1.72E-05 1.32E-05 3.10E-05 4.71E-05 6.82E-05 8.56E-05

3.22E+02 3.34E-08 7.72E-05 1.52E-05 1.20E-05 2.62E-05 3.87E-05 5.74E-05 6.86E-05

3.41E+02 3.33E-08 5.55E-05 1.34E-05 1.10E-05 2.44E-05 3.05E-05 3.73E-05 4.29E-05

3.61E+02 3.33E-08 4.23E-05 1.23E-05 1.01E-05 2.24E-05 2.73E-05 3.26E-05 3.45E-05

3.82E+02 3.33E-08 3.44E-05 1.16E-05 9.82E-06 2.10E-05 2.39E-05 2.79E-05 3.14E-05

4.04E+02 3.33E-08 3.33E-05 1.11E-05 9.50E-06 2.07E-05 2.28E-05 2.55E-05 2.88E-05

4.28E+02 3.32E-08 3.24E-05 1.08E-05 9.13E-06 2.05E-05 2.25E-05 2.41E-05 2.85E-05

4.53E+02 3.32E-08 5.28E-05 1.08E-05 9.12E-06 2.06E-05 2.24E-05 2.41E-05 2.96E-05

4.79E+02 3.32E-08 3.21E-05 1.05E-05 8.82E-06 2.05E-05 2.20E-05 2.36E-05 2.96E-05

5.07E+02 3.32E-08 3.18E-05 1.03E-05 8.64E-06 2.03E-05 2.19E-05 2.35E-05 3.00E-05

5.36E+02 3.31E-08 3.17E-05 1.02E-05 8.56E-06 2.03E-05 2.16E-05 2.33E-05 2.78E-05

5.68E+02 3.31E-08 2.99E-05 1.02E-05 8.57E-06 2.02E-05 2.14E-05 2.28E-05 2.76E-05

0.01E+02 3.31E-08 2.90E-05 1.01E-05 8.60E-06 2.01E-05 2.10E-05 2.27E-05 2.46E-05

6.36E+02 3.30E-08 4.76E-05 1.01E-05 8.53E-06 2.01E-05 2.10E-05 2.27E-05 2.74E-05

6.73E+02 3.30E-08 4.66E-05 1.01E-05 8.50E-06 2.01E-05 2.09E-05 2.26E-05 2.72E-05

7.12E+02 3.30E-08 4.56E-05 1.00E-05 8.45E-06 2.01E-05 2.10E-05 2.26E-05 2.71E-05

7.53E+02 3.29E-08 4.46E-05 9.99E-06 8.44E-06 2.00E-05 2.09E-05 2.25E-05 2.70E-05

7.97E+02 3.29E-08 4.35E-05 9.92E-06 8.33E-06 2.00E-05 2.09E-05 2.25E-05 2.69E-05

8.44E+02 3.29E-08 4.24E-05 9.89E-06 8.31E-06 2.00E-05 2.09E-05 2.24E-05 2.67E-05

9.93E+02 3.28E-08 4.82E-05 9.92E-06 8.30E-06 2.00E-05 2.08E-05 2.25E-05 2.82E-05

9.45E+02 3.28E-08 4.72E-05 9.84E-06 8.28E-06 1.99E-05 2.07E-05 2.18E-05 2.65E-05

1.00E+03 3.27E-08 3.02E-05 9.68E-06 8.20E-06 1.99E-05 2.06E-05 2.14E-05 2.35E-05

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA CM-243.RAD

Peak of the mean dose (averaged over observations) at graphical times

Repetition	Time of peak mean dose		Peak mean dose mrem/yr
	Years		
1	0.000E+00		1.348E-02
2	0.000E+00		1.266E-02
3	0.000E+00		1.211E-02

Title : RESRAD Default Parameters
 Input File : FCS BURIED PIPE INSITU UA CM-243.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	1	1	1	1

Description of Probabilistic Variable

	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Contaminated zone erosion rate	4	0.07	4	0.07	15	0.02	15	0.01
Contaminated zone b parameter	6	-0.06	5	-0.06	18	-0.01	18	-0.01
Evapotranspiration coefficient	8	0.05	8	0.05	13	0.02	13	0.02
Wind Speed	12	-0.03	12	-0.03	17	0.01	17	0.01
Runoff coefficient	18	0.00	18	0.00	16	-0.02	16	-0.01
b Parameter of Unsaturated zone 1	9	-0.05	9	-0.05	9	0.06	9	0.05
Mass loading for inhalation	10	0.04	10	0.04	4	0.11	5	0.09
Indoor dust filtration factor	16	-0.02	16	-0.02	14	-0.02	14	-0.02
Depth of soil mixing layer	3	0.08	3	0.08	12	-0.03	12	-0.02
Depth of roots	11	-0.03	11	-0.03	5	0.11	4	0.09
Wet weight crop yield of fruit, grain and non-leafy vegetables	17	-0.01	17	-0.01	8	-0.08	8	-0.06
Weathering removal constant of all vegetation	5	-0.06	6	-0.06	10	-0.06	10	-0.05
Wet foliar interception fraction of leafy vegetables	13	0.03	13	0.03	3	-0.12	3	-0.10
Humidity in air	14	0.02	15	0.02	6	-0.10	6	-0.08
Cover erosion rate	1	0.23	1	0.23	7	0.09	7	0.07
Kd of Cm-243 in Contaminated Zone	7	-0.06	7	-0.05	1	-0.53	1	-0.51
Kd of Cm-243 in Saturated Zone	15	-0.02	14	-0.02	11	0.04	11	0.03
Well pump intake depth	2	-0.13	2	-0.12	2	-0.23	2	-0.19
R-SQUARE		0.10		0.10		0.34		0.34

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Title : RESRAD Default Parameters
 Input File : FCS BURIED PIPE INSITU UA CM-243.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	2	2	2	2

Description of Probabilistic Variable

	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Contaminated zone erosion rate	13 -0.02	13 -0.02	6 -0.07	6 -0.06
Contaminated zone b parameter	5 0.05	5 0.05	8 -0.06	8 -0.05
Evapotranspiration coefficient	10 0.03	10 0.03	10 -0.05	10 -0.05
Wind Speed	2 0.10	2 0.10	7 0.07	7 0.06
Runoff coefficient	11 0.03	11 0.02	14 0.03	14 0.03
b Parameter of Unsaturated zone 1	18 0.00	18 0.00	15 0.03	15 0.02
Mass loading for inhalation	17 0.01	17 0.00	9 -0.06	9 -0.05
Indoor dust filtration factor	7 0.04	7 0.04	16 -0.02	16 -0.02
Depth of soil mixing layer	8 0.04	8 0.04	5 0.08	5 0.07
Depth of roots	9 -0.04	9 -0.04	4 0.08	4 0.07
Wet weight crop yield of fruit, grain and non-leafy vegetables	14 -0.01	14 -0.01	12 -0.05	12 -0.04
Weathering removal constant of all vegetation	4 0.06	4 0.06	13 0.04	13 0.04
Wet foliar interception fraction of leafy vegetables	12 -0.02	12 -0.02	18 0.00	18 0.00
Humidity in air	6 0.04	6 0.04	17 0.00	17 0.00
Cover erosion rate	1 0.35	1 0.35	2 0.16	2 0.14
Kd of Cm-243 in Contaminated Zone	15 -0.01	15 -0.01	1 -0.48	1 -0.47
Kd of Cm-243 in Saturated Zone	16 -0.01	16 -0.01	11 -0.05	11 -0.04
Well pump intake depth	3 -0.09	3 -0.08	3 -0.16	3 -0.14

R-SQUARE 0.15 0.15 0.27 0.27

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Title : RESRAD Default Parameters

Input File : FCS BURIED PIPE INSITU UA CM-243.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	3	3	3	3

Description of Probabilistic Variable

	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Contaminated zone erosion rate	11 -0.03	10 -0.03	4 0.09	4 0.07
Contaminated zone b parameter	7 -0.04	7 -0.04	9 -0.04	9 -0.03
Evapotranspiration coefficient	9 -0.04	9 -0.04	15 -0.01	15 -0.01
Wind Speed	3 -0.11	3 -0.11	6 -0.07	6 -0.06
Runoff coefficient	10 0.03	11 0.03	7 -0.06	7 -0.05
b Parameter of Unsaturated zone 1	14 -0.02	14 -0.02	17 0.01	17 0.01
Mass loading for inhalation	17 0.01	17 0.01	14 0.02	14 0.01
Indoor dust filtration factor	6 -0.05	6 -0.04	18 -0.01	18 0.00
Depth of soil mixing layer	4 -0.11	4 -0.10	5 -0.08	5 -0.07
Depth of roots	5 -0.05	5 -0.05	10 -0.03	10 -0.03
Wet weight crop yield of fruit, grain and non-leafy vegetables	12 -0.03	12 -0.03	11 -0.03	11 -0.02
Weathering removal constant of all vegetation	8 -0.04	8 -0.04	12 -0.02	12 -0.02
Wet foliar interception fraction of leafy vegetables	18 0.01	18 0.01	8 0.05	8 0.04
Humidity in air	16 0.01	16 0.01	16 0.01	16 0.01
Cover erosion rate	1 0.26	1 0.27	2 0.29	2 0.25
Kd of Cm-243 in Contaminated Zone	15 -0.02	15 -0.02	1 -0.49	1 -0.46
Kd of Cm-243 in Saturated Zone	13 -0.03	13 -0.02	13 0.02	13 0.01
Well pump intake depth	2 -0.15	2 -0.14	3 -0.23	3 -0.20

R-SQUARE 0.12 0.12 0.33 0.33

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.