

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 1 DCGL 0.15 M.RAD

Table of ContentsPart I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	4
Summary of Pathway Selections	9
Contaminated Zone and Total Dose Summary	10
Total Dose Components	
Time = 0.000E+00	11
Time = 1.000E+00	12
Time = 3.000E+00	13
Time = 1.000E+01	14
Time = 3.000E+01	15
Time = 1.000E+02	16
Time = 3.000E+02	17
Time = 1.000E+03	18
Dose/Source Ratios Summed Over All Pathways	19
Single Radionuclide Soil Guidelines	19
Dose Per Nuclide Summed Over All Pathways	20
Soil Concentration Per Nuclide	20

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 1 DCGL 0.15 M.RAD

Dose Conversion Factor (and Related) Parameter Summary

Dose Library: FCS FGR11 Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
A-1	DCF's for external ground radiation, (mrem/yr)/(pCi/g)			
A-1	Ba-137m (Source: FGR 12)	3.606E+00	3.606E+00	DCF1 (1)
A-1	C-14 (Source: FGR 12)	1.345E-05	1.345E-05	DCF1 (2)
A-1	Co-60 (Source: FGR 12)	1.622E+01	1.622E+01	DCF1 (3)
A-1	Cs-137 (Source: FGR 12)	7.510E-04	7.510E-04	DCF1 (4)
A-1	Eu-152 (Source: FGR 12)	7.006E+00	7.006E+00	DCF1 (5)
A-1	Gd-152 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1 (6)
A-1	Ni-63 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1 (7)
A-1	Sr-90 (Source: FGR 12)	7.043E-04	7.043E-04	DCF1 (8)
A-1	Y-90 (Source: FGR 12)	2.391E-02	2.391E-02	DCF1 (9)
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	C-14(p) (Class: ORGANIC)	2.090E-06	2.090E-06	DCF2 (1)
B-1	C-14(g) (Class: CO2)	2.350E-08	2.350E-08	C14GInhDCF
B-1	Co-60	2.190E-04	2.190E-04	DCF2 (2)
B-1	Cs-137+D	3.190E-05	3.190E-05	DCF2 (3)
B-1	Eu-152	2.210E-04	2.210E-04	DCF2 (4)
B-1	Gd-152	2.430E-01	2.430E-01	DCF2 (6)
B-1	Ni-63	6.290E-06	6.290E-06	DCF2 (7)
B-1	Sr-90+D	1.308E-03	1.300E-03	DCF2 (8)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	C-14	2.090E-06	2.090E-06	DCF3 (1)
D-1	Co-60	2.690E-05	2.690E-05	DCF3 (2)
D-1	Cs-137+D	5.000E-05	5.000E-05	DCF3 (3)
D-1	Eu-152	6.480E-06	6.480E-06	DCF3 (4)
D-1	Gd-152	1.610E-04	1.610E-04	DCF3 (6)
D-1	Ni-63	5.770E-07	5.770E-07	DCF3 (7)
D-1	Sr-90+D	1.528E-04	1.420E-04	DCF3 (8)
D-34	Food transfer factors:			
D-34	C-14 , plant/soil concentration ratio, dimensionless	1.280E+00	5.500E+00	RTF(1,1)
D-34	C-14 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	6.110E-02	3.100E-02	RTF(1,2)
D-34	C-14 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.250E-02	1.200E-02	RTF(1,3)
D-34	Co-60 , plant/soil concentration ratio, dimensionless	1.460E-01	8.000E-02	RTF(2,1)
D-34	Co-60 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.980E-02	2.000E-02	RTF(2,2)
D-34	Co-60 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.220E-03	2.000E-03	RTF(2,3)
D-34	Cs-137+D , plant/soil concentration ratio, dimensionless	7.830E-02	4.000E-02	RTF(3,1)
D-34	Cs-137+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	6.560E-02	3.000E-02	RTF(3,2)
D-34	Cs-137+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.370E-02	8.000E-03	RTF(3,3)
D-34	Eu-152 , plant/soil concentration ratio, dimensionless	4.210E-03	2.500E-03	RTF(4,1)
D-34	Eu-152 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	4.020E-03	2.000E-03	RTF(4,2)
D-34	Eu-152 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.120E-04	5.000E-05	RTF(4,3)
D-34	Gd-152 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(6,1)
D-34	Gd-152 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-03	2.000E-03	RTF(6,2)
D-34	Gd-152 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF(6,3)

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 1 DCGL 0.15 M.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: FCS FGR11 Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-34	Ni-63 , plant/soil concentration ratio, dimensionless	9.130E-02	5.000E-02	RTF(7,1)
D-34	Ni-63 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	9.260E-03	5.000E-03	RTF(7,2)
D-34	Ni-63 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.190E-02	2.000E-02	RTF(7,3)
D-34				
D-34	Sr-90+D , plant/soil concentration ratio, dimensionless	5.900E-01	3.000E-01	RTF(8,1)
D-34	Sr-90+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.310E-02	8.000E-03	RTF(8,2)
D-34	Sr-90+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.760E-03	2.000E-03	RTF(8,3)
D-34				
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	C-14 , fish	5.000E+04	5.000E+04	BIOFAC(1,1)
D-5	C-14 , crustacea and mollusks	9.100E+03	9.100E+03	BIOFAC(1,2)
D-5				
D-5	Co-60 , fish	3.000E+02	3.000E+02	BIOFAC(2,1)
D-5	Co-60 , crustacea and mollusks	2.000E+02	2.000E+02	BIOFAC(2,2)
D-5				
D-5	Cs-137+D , fish	2.000E+03	2.000E+03	BIOFAC(3,1)
D-5	Cs-137+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(3,2)
D-5				
D-5	Eu-152 , fish	5.000E+01	5.000E+01	BIOFAC(4,1)
D-5	Eu-152 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(4,2)
D-5				
D-5	Gd-152 , fish	2.500E+01	2.500E+01	BIOFAC(6,1)
D-5	Gd-152 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(6,2)
D-5				
D-5	Ni-63 , fish	1.000E+02	1.000E+02	BIOFAC(7,1)
D-5	Ni-63 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(7,2)
D-5				
D-5	Sr-90+D , fish	6.000E+01	6.000E+01	BIOFAC(8,1)
D-5	Sr-90+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(8,2)

#For DCF1(xxx) only, factors are for infinite depth & area. See EFTG table in Ground Pathway of Detailed Report.

*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 1 DCGL 0.15 M.RAD

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.000E+00	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.500E-01	2.000E+00	---	THICK0
R011	Fraction of contamination that is submerged	0.000E+00	0.000E+00	---	SUBMFRAC
R011	Length parallel to aquifer flow (m)	1.000E+00	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T (2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T (3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T (4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T (5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T (6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T (7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T (8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T (9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): C-14	1.000E+00	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Co-60	1.000E+00	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Cs-137	1.000E+00	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): Eu-152	1.000E+00	0.000E+00	---	S1(4)
R012	Initial principal radionuclide (pCi/g): Ni-63	1.000E+00	0.000E+00	---	S1(7)
R012	Initial principal radionuclide (pCi/g): Sr-90	1.000E+00	0.000E+00	---	S1(8)
R012	Concentration in groundwater (pCi/L): C-14	not used	0.000E+00	---	W1(1)
R012	Concentration in groundwater (pCi/L): Co-60	not used	0.000E+00	---	W1(2)
R012	Concentration in groundwater (pCi/L): Cs-137	not used	0.000E+00	---	W1(3)
R012	Concentration in groundwater (pCi/L): Eu-152	not used	0.000E+00	---	W1(4)
R012	Concentration in groundwater (pCi/L): Ni-63	not used	0.000E+00	---	W1(7)
R012	Concentration in groundwater (pCi/L): Sr-90	not used	0.000E+00	---	W1(8)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.500E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	7.590E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	4.300E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.800E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	3.440E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	2.870E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	3.270E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	8.700E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	7.600E-01	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	1.900E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.300E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.490E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	4.500E-01	4.000E-01	---	TPSZ

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 1 DCGL 0.15 M.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.400E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	4.350E+03	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	8.400E-04	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	2.140E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	4.550E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	1.000E-01	4.000E+00	---	H (1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.500E+00	1.500E+00	---	DENSUZ (1)
R015	Unsat. zone 1, total porosity	4.300E-01	4.000E-01	---	TPUZ (1)
R015	Unsat. zone 1, effective porosity	1.600E-01	2.000E-01	---	EPUZ (1)
R015	Unsat. zone 1, field capacity	2.800E-01	2.000E-01	---	FCUZ (1)
R015	Unsat. zone 1, soil-specific b parameter	3.600E+00	5.300E+00	---	BUZ (1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	3.440E+01	1.000E+01	---	HCUZ (1)
R016	Distribution coefficients for C-14				
R016	Contaminated zone (cm**3/g)	9.670E+01	0.000E+00	---	DCNUCC (1)
R016	Unsat. zone 1 (cm**3/g)	9.670E+01	0.000E+00	---	DCNUCU (1,1)
R016	Saturated zone (cm**3/g)	1.100E+01	0.000E+00	---	DCNUCS (1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.810E-03	ALEACH (1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (1)
R016	Distribution coefficients for Co-60				
R016	Contaminated zone (cm**3/g)	5.050E+03	1.000E+03	---	DCNUCC (2)
R016	Unsat. zone 1 (cm**3/g)	5.050E+03	1.000E+03	---	DCNUCU (2,1)
R016	Saturated zone (cm**3/g)	2.600E+02	1.000E+03	---	DCNUCS (2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.391E-05	ALEACH (2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (2)
R016	Distribution coefficients for Cs-137				
R016	Contaminated zone (cm**3/g)	3.500E+03	4.600E+03	---	DCNUCC (3)
R016	Unsat. zone 1 (cm**3/g)	3.500E+03	4.600E+03	---	DCNUCU (3,1)
R016	Saturated zone (cm**3/g)	5.280E+02	4.600E+03	---	DCNUCS (3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	7.778E-05	ALEACH (3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (3)
R016	Distribution coefficients for Eu-152				
R016	Contaminated zone (cm**3/g)	7.270E+03	-1.000E+00	---	DCNUCC (4)
R016	Unsat. zone 1 (cm**3/g)	7.270E+03	-1.000E+00	---	DCNUCU (4,1)
R016	Saturated zone (cm**3/g)	8.290E+02	-1.000E+00	---	DCNUCS (4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.745E-05	ALEACH (4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (4)

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 1 DCGL 0.15 M.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for Ni-63				
R016	Contaminated zone (cm**3/g)	5.320E+02	1.000E+03	---	DCNUCC (7)
R016	Unsaturated zone 1 (cm**3/g)	5.320E+02	1.000E+03	---	DCNUCU (7,1)
R016	Saturated zone (cm**3/g)	1.300E+02	1.000E+03	---	DCNUCS (7)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.116E-04	ALEACH (7)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (7)
R016	Distribution coefficients for Sr-90				
R016	Contaminated zone (cm**3/g)	1.680E+02	3.000E+01	---	DCNUCC (8)
R016	Unsaturated zone 1 (cm**3/g)	1.680E+02	3.000E+01	---	DCNUCU (8,1)
R016	Saturated zone (cm**3/g)	2.200E+01	3.000E+01	---	DCNUCS (8)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.619E-03	ALEACH (8)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (8)
R016	Distribution coefficients for daughter Gd-152				
R016	Contaminated zone (cm**3/g)	-1.000E+00	-1.000E+00	8.249E+02	DCNUCC (6)
R016	Unsaturated zone 1 (cm**3/g)	-1.000E+00	-1.000E+00	8.249E+02	DCNUCU (6,1)
R016	Saturated zone (cm**3/g)	-1.000E+00	-1.000E+00	8.249E+02	DCNUCS (6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.300E-04	ALEACH (6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (6)
R017	Inhalation rate (m**3/yr)	8.600E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.870E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	7.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	5.520E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.600E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.200E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE (1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE (2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE (3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE (4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE (5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE (6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE (7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE (8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE (9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE (10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE (11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE (12)

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 1 DCGL 0.15 M.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA (1)
R017	Ring 2	not used	2.732E-01	---	FRACA (2)
R017	Ring 3	not used	0.000E+00	---	FRACA (3)
R017	Ring 4	not used	0.000E+00	---	FRACA (4)
R017	Ring 5	not used	0.000E+00	---	FRACA (5)
R017	Ring 6	not used	0.000E+00	---	FRACA (6)
R017	Ring 7	not used	0.000E+00	---	FRACA (7)
R017	Ring 8	not used	0.000E+00	---	FRACA (8)
R017	Ring 9	not used	0.000E+00	---	FRACA (9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	2.240E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	4.280E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.830E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.780E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	-1	-1	0.500E-03	FPLANT
R018	Contamination fraction of meat	-1	-1	0.500E-04	FMEAT
R018	Contamination fraction of milk	-1	-1	0.500E-04	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.710E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.321E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	7.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
R019	Depth of roots (m)	1.230E+00	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.890E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.890E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE(3)

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 1 DCGL 0.15 M.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	2.000E-05	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	3.000E-02	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	2.000E-02	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	9.800E-01	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	3.000E-01	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	7.000E-07	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	1.000E-10	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	9.000E-02	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	3.000E-02	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	128	---	---	NPTS

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 1 DCGL 0.15 M.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	suppressed
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	suppressed

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 1 DCGL 0.15 M.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	1.00 square meters	C-14	1.000E+00
Thickness:	0.15 meters	Co-60	1.000E+00
Cover Depth:	0.00 meters	Cs-137	1.000E+00
		Eu-152	1.000E+00
		Ni-63	1.000E+00
		Sr-90	1.000E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	8.839E-01	8.023E-01	6.651E-01	3.687E-01	1.103E-01	8.085E-03	9.592E-10	6.827E-21
M(t):	3.536E-02	3.209E-02	2.661E-02	1.475E-02	4.411E-03	3.234E-04	3.837E-11	2.731E-22

Maximum TDOSE(t): 8.839E-01 mrem/yr at t = 0.000E+00 years

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 1 DCGL 0.15 M.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	3.859E-08	0.0000	8.767E-08	0.0000	0.000E+00	0.0000	1.007E-06	0.0000	5.526E-08	0.0000	3.095E-08	0.0000	8.937E-10	0.0000
Co-60	5.127E-01	0.5800	1.006E-06	0.0000	0.000E+00	0.0000	5.973E-05	0.0001	4.598E-06	0.0000	1.493E-06	0.0000	2.341E-07	0.0000
Cs-137	1.264E-01	0.1430	1.545E-07	0.0000	0.000E+00	0.0000	6.281E-05	0.0001	7.534E-06	0.0000	8.345E-06	0.0000	4.589E-07	0.0000
Eu-152	2.422E-01	0.2740	1.055E-06	0.0000	0.000E+00	0.0000	4.318E-07	0.0000	3.879E-08	0.0000	4.020E-09	0.0000	5.863E-08	0.0000
Ni-63	0.000E+00	0.0000	3.071E-08	0.0000	0.000E+00	0.0000	8.517E-07	0.0000	1.311E-08	0.0000	2.473E-07	0.0000	5.337E-09	0.0000
Sr-90	9.417E-04	0.0011	6.331E-06	0.0000	0.000E+00	0.0000	1.445E-03	0.0016	1.546E-05	0.0000	2.423E-05	0.0000	1.401E-06	0.0000
Total	8.823E-01	0.9981	8.665E-06	0.0000	0.000E+00	0.0000	1.570E-03	0.0018	2.770E-05	0.0000	3.435E-05	0.0000	2.159E-06	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.221E-06	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.127E-01	0.5801
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.265E-01	0.1431
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.422E-01	0.2741
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.148E-06	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.434E-03	0.0028
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.839E-01	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 1 DCGL 0.15 M.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	9.520E-18	0.0000	2.152E-17	0.0000	0.000E+00	0.0000	6.221E-16	0.0000	2.121E-16	0.0000	6.758E-17	0.0000	2.194E-19	0.0000
Co-60	4.477E-01	0.5580	8.772E-07	0.0000	0.000E+00	0.0000	5.210E-05	0.0001	4.011E-06	0.0000	1.302E-06	0.0000	2.042E-07	0.0000
Cs-137	1.231E-01	0.1534	1.502E-07	0.0000	0.000E+00	0.0000	6.106E-05	0.0001	7.324E-06	0.0000	8.113E-06	0.0000	4.462E-07	0.0000
Eu-152	2.291E-01	0.2855	9.968E-07	0.0000	0.000E+00	0.0000	4.078E-07	0.0000	3.663E-08	0.0000	3.797E-09	0.0000	5.538E-08	0.0000
Ni-63	0.000E+00	0.0000	3.031E-08	0.0000	0.000E+00	0.0000	8.409E-07	0.0000	1.294E-08	0.0000	2.442E-07	0.0000	5.269E-09	0.0000
Sr-90	9.151E-04	0.0011	6.141E-06	0.0000	0.000E+00	0.0000	1.401E-03	0.0017	1.499E-05	0.0000	2.351E-05	0.0000	1.359E-06	0.0000
Total	8.007E-01	0.9980	8.196E-06	0.0000	0.000E+00	0.0000	1.516E-03	0.0019	2.638E-05	0.0000	3.317E-05	0.0000	2.070E-06	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.330E-16	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.477E-01	0.5581
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.232E-01	0.1535
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.291E-01	0.2855
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.134E-06	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.363E-03	0.0029
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.023E-01	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 1 DCGL 0.15 M.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	3.414E-01	0.5132	6.674E-07	0.0000	0.000E+00	0.0000	3.964E-05	0.0001	3.052E-06	0.0000	9.908E-07	0.0000	1.553E-07	0.0000
Cs-137	1.166E-01	0.1753	1.420E-07	0.0000	0.000E+00	0.0000	5.770E-05	0.0001	6.921E-06	0.0000	7.667E-06	0.0000	4.216E-07	0.0000
Eu-152	2.048E-01	0.3079	8.891E-07	0.0000	0.000E+00	0.0000	3.638E-07	0.0000	3.268E-08	0.0000	3.387E-09	0.0000	4.940E-08	0.0000
Ni-63	0.000E+00	0.0000	2.954E-08	0.0000	0.000E+00	0.0000	8.196E-07	0.0000	1.262E-08	0.0000	2.380E-07	0.0000	5.135E-09	0.0000
Sr-90	8.641E-04	0.0013	5.777E-06	0.0000	0.000E+00	0.0000	1.318E-03	0.0020	1.411E-05	0.0000	2.212E-05	0.0000	1.278E-06	0.0000
Total	6.636E-01	0.9978	7.505E-06	0.0000	0.000E+00	0.0000	1.417E-03	0.0021	2.412E-05	0.0000	3.101E-05	0.0000	1.910E-06	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.414E-01	0.5133
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.167E-01	0.1754
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.048E-01	0.3079
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.105E-06	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.226E-03	0.0033
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.651E-01	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 1 DCGL 0.15 M.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	1.320E-01	0.3581	2.562E-07	0.0000	0.000E+00	0.0000	1.521E-05	0.0000	1.171E-06	0.0000	3.803E-07	0.0000	5.962E-08	0.0000
Cs-137	9.652E-02	0.2618	1.163E-07	0.0000	0.000E+00	0.0000	4.729E-05	0.0001	5.672E-06	0.0000	6.283E-06	0.0000	3.455E-07	0.0000
Eu-152	1.383E-01	0.3751	5.954E-07	0.0000	0.000E+00	0.0000	2.436E-07	0.0000	2.188E-08	0.0000	2.268E-09	0.0000	3.308E-08	0.0000
Ni-63	0.000E+00	0.0000	2.698E-08	0.0000	0.000E+00	0.0000	7.484E-07	0.0000	1.152E-08	0.0000	2.173E-07	0.0000	4.689E-09	0.0000
Sr-90	7.063E-04	0.0019	4.661E-06	0.0000	0.000E+00	0.0000	1.064E-03	0.0029	1.138E-05	0.0000	1.784E-05	0.0000	1.031E-06	0.0000
Total	3.676E-01	0.9968	5.656E-06	0.0000	0.000E+00	0.0000	1.127E-03	0.0031	1.826E-05	0.0000	2.473E-05	0.0001	1.474E-06	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.320E-01	0.3581
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.658E-02	0.2619
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.383E-01	0.3751
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.009E-06	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.805E-03	0.0049
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.687E-01	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 1 DCGL 0.15 M.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	8.686E-03	0.0788	1.647E-08	0.0000	0.000E+00	0.0000	9.784E-07	0.0000	7.533E-08	0.0000	2.445E-08	0.0000	3.834E-09	0.0000
Cs-137	5.583E-02	0.5063	6.535E-08	0.0000	0.000E+00	0.0000	2.657E-05	0.0002	3.187E-06	0.0000	3.530E-06	0.0000	1.941E-07	0.0000
Eu-152	4.474E-02	0.4057	1.878E-07	0.0000	0.000E+00	0.0000	7.685E-08	0.0000	6.903E-09	0.0000	7.154E-10	0.0000	1.043E-08	0.0000
Ni-63	0.000E+00	0.0000	2.064E-08	0.0000	0.000E+00	0.0000	5.726E-07	0.0000	8.816E-09	0.0000	1.663E-07	0.0000	3.588E-09	0.0000
Sr-90	3.947E-04	0.0036	2.504E-06	0.0000	0.000E+00	0.0000	5.714E-04	0.0052	6.114E-06	0.0001	9.585E-06	0.0001	5.540E-07	0.0000
Total	1.096E-01	0.9943	2.794E-06	0.0000	0.000E+00	0.0000	5.996E-04	0.0054	9.392E-06	0.0001	1.331E-05	0.0001	7.660E-07	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.687E-03	0.0788
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.586E-02	0.5066
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.474E-02	0.4057
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.720E-07	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.848E-04	0.0089
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.103E-01	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 1 DCGL 0.15 M.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	5.558E-07	0.0001	9.587E-13	0.0000	0.000E+00	0.0000	5.695E-11	0.0000	4.387E-12	0.0000	1.424E-12	0.0000	2.231E-13	0.0000
Cs-137	7.220E-03	0.8930	7.496E-09	0.0000	0.000E+00	0.0000	3.047E-06	0.0004	3.656E-07	0.0000	4.050E-07	0.0001	2.226E-08	0.0000
Eu-152	7.564E-04	0.0936	2.858E-09	0.0000	0.000E+00	0.0000	1.170E-09	0.0000	1.051E-10	0.0000	1.089E-11	0.0000	1.588E-10	0.0000
Ni-63	0.000E+00	0.0000	6.983E-09	0.0000	0.000E+00	0.0000	1.937E-07	0.0000	2.983E-09	0.0000	5.627E-08	0.0000	1.214E-09	0.0000
Sr-90	4.586E-05	0.0057	2.455E-07	0.0000	0.000E+00	0.0000	5.603E-05	0.0069	5.999E-07	0.0001	9.403E-07	0.0001	5.432E-08	0.0000
Total	8.023E-03	0.9923	2.628E-07	0.0000	0.000E+00	0.0000	5.927E-05	0.0073	9.686E-07	0.0001	1.402E-06	0.0002	7.796E-08	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.558E-07	0.0001
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.224E-03	0.8935
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.564E-04	0.0936
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.612E-07	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.037E-04	0.0128
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.085E-03	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 1 DCGL 0.15 M.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	9.591E-10	0.9999	0.000E+00	0.0000	0.000E+00	0.0000	9.367E-14	0.0001	6.711E-15	0.0000	8.048E-15	0.0000	9.592E-10	1.0000
Total	9.591E-10	0.9999	0.000E+00	0.0000	0.000E+00	0.0000	9.367E-14	0.0001	6.711E-15	0.0000	8.048E-15	0.0000	9.592E-10	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 1 DCGL 0.15 M.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Eu-152	6.826E-21	0.9999	0.000E+00	0.0000	0.000E+00	0.0000	5.319E-25	0.0001	7.226E-27	0.0000	4.095E-28	0.0000	6.827E-21	1.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	6.826E-21	0.9999	0.000E+00	0.0000	0.000E+00	0.0000	5.319E-25	0.0001	7.226E-27	0.0000	4.095E-28	0.0000	6.827E-21	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 1 DCGL 0.15 M.RAD

Dose/Source Ratios Summed Over All Pathways
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)							
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
C-14	C-14	1.000E+00	1.221E-06	9.330E-16	5.620E-35	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Co-60	Co-60	1.000E+00	5.127E-01	4.477E-01	3.414E-01	1.320E-01	8.687E-03	5.558E-07	0.000E+00	0.000E+00
Cs-137+D	Cs-137+D	1.000E+00	1.265E-01	1.232E-01	1.167E-01	9.658E-02	5.586E-02	7.224E-03	0.000E+00	0.000E+00
Eu-152	Eu-152	7.208E-01	1.746E-01	1.651E-01	1.476E-01	9.970E-02	3.225E-02	5.452E-04	0.000E+00	0.000E+00
Eu-152	Eu-152	2.792E-01	6.763E-02	6.395E-02	5.718E-02	3.862E-02	1.249E-02	2.112E-04	0.000E+00	0.000E+00
Eu-152	Gd-152	2.792E-01	1.055E-18	3.080E-18	6.764E-18	1.647E-17	2.768E-17	1.970E-17	0.000E+00	6.827E-21
Eu-152	∑DSR(j)		6.763E-02	6.395E-02	5.718E-02	3.862E-02	1.249E-02	2.112E-04	0.000E+00	6.827E-21
Ni-63	Ni-63	1.000E+00	1.148E-06	1.134E-06	1.105E-06	1.009E-06	7.720E-07	2.612E-07	0.000E+00	0.000E+00
Sr-90+D	Sr-90+D	1.000E+00	2.434E-03	2.363E-03	2.226E-03	1.805E-03	9.848E-04	1.037E-04	9.592E-10	0.000E+00

The DSR includes contributions from associated (half-life ≤ 30 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide (i)	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
C-14	2.048E+07	*4.455E+12	*4.455E+12	*4.455E+12	*4.455E+12	*4.455E+12	*4.455E+12	*4.455E+12
Co-60	4.876E+01	5.583E+01	7.323E+01	1.893E+02	2.878E+03	4.498E+07	*1.132E+15	*1.132E+15
Cs-137	1.976E+02	2.030E+02	2.142E+02	2.588E+02	4.475E+02	3.461E+03	*8.704E+13	*8.704E+13
Eu-152	1.032E+02	1.091E+02	1.221E+02	1.808E+02	5.588E+02	3.305E+04	*1.765E+14	*1.765E+14
Ni-63	2.177E+07	2.205E+07	2.263E+07	2.478E+07	3.238E+07	9.572E+07	*5.917E+13	*5.917E+13
Sr-90	1.027E+04	1.058E+04	1.123E+04	1.385E+04	2.539E+04	2.410E+05	2.606E+10	*1.365E+14

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 at tmin = time of minimum single radionuclide soil guideline
 and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide (i)	Initial (pCi/g)	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
C-14	1.000E+00	0.000E+00	1.221E-06	2.048E+07	1.221E-06	2.048E+07
Co-60	1.000E+00	0.000E+00	5.127E-01	4.876E+01	5.127E-01	4.876E+01
Cs-137	1.000E+00	0.000E+00	1.265E-01	1.976E+02	1.265E-01	1.976E+02
Eu-152	1.000E+00	0.000E+00	2.422E-01	1.032E+02	2.422E-01	1.032E+02
Ni-63	1.000E+00	0.000E+00	1.148E-06	2.177E+07	1.148E-06	2.177E+07
Sr-90	1.000E+00	0.000E+00	2.434E-03	1.027E+04	2.434E-03	1.027E+04

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 1 DCGL 0.15 M.RAD

Individual Nuclide Dose Summed Over All Pathways

Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE(j,t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
C-14	C-14	1.000E+00	1.221E-06	9.330E-16	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Co-60	Co-60	1.000E+00	5.127E-01	4.477E-01	3.414E-01	1.320E-01	8.687E-03	5.558E-07	0.000E+00	0.000E+00
Cs-137	Cs-137	1.000E+00	1.265E-01	1.232E-01	1.167E-01	9.658E-02	5.586E-02	7.224E-03	0.000E+00	0.000E+00
Eu-152	Eu-152	7.208E-01	1.746E-01	1.651E-01	1.476E-01	9.970E-02	3.225E-02	5.452E-04	0.000E+00	0.000E+00
Eu-152	Eu-152	2.792E-01	6.763E-02	6.395E-02	5.718E-02	3.862E-02	1.249E-02	2.112E-04	0.000E+00	0.000E+00
Eu-152	ΣDOSE(j)		2.422E-01	2.291E-01	2.048E-01	1.383E-01	4.474E-02	7.564E-04	0.000E+00	0.000E+00
Gd-152	Eu-152	2.792E-01	1.055E-18	3.080E-18	6.764E-18	1.647E-17	2.768E-17	1.970E-17	0.000E+00	6.827E-21
Ni-63	Ni-63	1.000E+00	1.148E-06	1.134E-06	1.105E-06	1.009E-06	7.720E-07	2.612E-07	0.000E+00	0.000E+00
Sr-90	Sr-90	1.000E+00	2.434E-03	2.363E-03	2.226E-03	1.805E-03	9.848E-04	1.037E-04	9.592E-10	0.000E+00

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration

Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
C-14	C-14	1.000E+00	1.000E+00	2.467E-10	1.501E-29	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Co-60	Co-60	1.000E+00	1.000E+00	8.767E-01	6.739E-01	2.683E-01	1.932E-02	1.935E-06	7.241E-18	0.000E+00
Cs-137	Cs-137	1.000E+00	1.000E+00	9.771E-01	9.328E-01	7.931E-01	4.988E-01	9.844E-02	9.540E-04	8.548E-11
Eu-152	Eu-152	7.208E-01	7.208E-01	6.843E-01	6.166E-01	4.284E-01	1.513E-01	3.962E-03	1.197E-07	1.814E-23
Eu-152	Eu-152	2.792E-01	2.792E-01	2.650E-01	2.388E-01	1.659E-01	5.861E-02	1.535E-03	4.636E-08	7.027E-24
Eu-152	ΣS(j):		1.000E+00	9.493E-01	8.555E-01	5.943E-01	2.099E-01	5.496E-03	1.661E-07	2.517E-23
Gd-152	Eu-152	2.792E-01	0.000E+00	1.746E-15	4.975E-15	1.395E-14	2.704E-14	3.334E-14	3.139E-14	2.492E-14
Ni-63	Ni-63	1.000E+00	1.000E+00	9.923E-01	9.771E-01	9.256E-01	7.930E-01	4.615E-01	9.832E-02	4.386E-04
Sr-90	Sr-90	1.000E+00	1.000E+00	9.749E-01	9.266E-01	7.755E-01	4.664E-01	7.869E-02	4.873E-04	9.108E-12

THF(i) is the thread fraction of the parent nuclide.

RESCALC.EXE execution time = 0.98 seconds