

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 2 DCGL 0.15 M.RAD

Table of ContentsPart I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	4
Summary of Pathway Selections	9
Contaminated Zone and Total Dose Summary	10
Total Dose Components	
Time = 0.000E+00	11
Time = 1.000E+00	12
Time = 3.000E+00	13
Time = 1.000E+01	14
Time = 3.000E+01	15
Time = 1.000E+02	16
Time = 3.000E+02	17
Time = 1.000E+03	18
Dose/Source Ratios Summed Over All Pathways	19
Single Radionuclide Soil Guidelines	19
Dose Per Nuclide Summed Over All Pathways	20
Soil Concentration Per Nuclide	20

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 2 DCGL 0.15 M.RAD

Dose Conversion Factor (and Related) Parameter Summary

Dose Library: FCS FGR11 Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
A-1	DCF's for external ground radiation, (mrem/yr)/(pCi/g)			
A-1	Ba-137m (Source: FGR 12)	3.606E+00	3.606E+00	DCF1 (1)
A-1	C-14 (Source: FGR 12)	1.345E-05	1.345E-05	DCF1 (2)
A-1	Co-60 (Source: FGR 12)	1.622E+01	1.622E+01	DCF1 (3)
A-1	Cs-137 (Source: FGR 12)	7.510E-04	7.510E-04	DCF1 (4)
A-1	Eu-152 (Source: FGR 12)	7.006E+00	7.006E+00	DCF1 (5)
A-1	Gd-152 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1 (6)
A-1	Ni-63 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1 (7)
A-1	Sr-90 (Source: FGR 12)	7.043E-04	7.043E-04	DCF1 (8)
A-1	Y-90 (Source: FGR 12)	2.391E-02	2.391E-02	DCF1 (9)
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	C-14(p) (Class: ORGANIC)	2.090E-06	2.090E-06	DCF2 (1)
B-1	C-14(g) (Class: CO2)	2.350E-08	2.350E-08	C14GInhDCF
B-1	Co-60	2.190E-04	2.190E-04	DCF2 (2)
B-1	Cs-137+D	3.190E-05	3.190E-05	DCF2 (3)
B-1	Eu-152	2.210E-04	2.210E-04	DCF2 (4)
B-1	Gd-152	2.430E-01	2.430E-01	DCF2 (6)
B-1	Ni-63	6.290E-06	6.290E-06	DCF2 (7)
B-1	Sr-90+D	1.308E-03	1.300E-03	DCF2 (8)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	C-14	2.090E-06	2.090E-06	DCF3 (1)
D-1	Co-60	2.690E-05	2.690E-05	DCF3 (2)
D-1	Cs-137+D	5.000E-05	5.000E-05	DCF3 (3)
D-1	Eu-152	6.480E-06	6.480E-06	DCF3 (4)
D-1	Gd-152	1.610E-04	1.610E-04	DCF3 (6)
D-1	Ni-63	5.770E-07	5.770E-07	DCF3 (7)
D-1	Sr-90+D	1.528E-04	1.420E-04	DCF3 (8)
D-34	Food transfer factors:			
D-34	C-14 , plant/soil concentration ratio, dimensionless	1.280E+00	5.500E+00	RTF(1,1)
D-34	C-14 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	6.110E-02	3.100E-02	RTF(1,2)
D-34	C-14 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.250E-02	1.200E-02	RTF(1,3)
D-34	Co-60 , plant/soil concentration ratio, dimensionless	1.460E-01	8.000E-02	RTF(2,1)
D-34	Co-60 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.980E-02	2.000E-02	RTF(2,2)
D-34	Co-60 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.220E-03	2.000E-03	RTF(2,3)
D-34	Cs-137+D , plant/soil concentration ratio, dimensionless	7.830E-02	4.000E-02	RTF(3,1)
D-34	Cs-137+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	6.560E-02	3.000E-02	RTF(3,2)
D-34	Cs-137+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.370E-02	8.000E-03	RTF(3,3)
D-34	Eu-152 , plant/soil concentration ratio, dimensionless	4.210E-03	2.500E-03	RTF(4,1)
D-34	Eu-152 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	4.020E-03	2.000E-03	RTF(4,2)
D-34	Eu-152 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.120E-04	5.000E-05	RTF(4,3)
D-34	Gd-152 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(6,1)
D-34	Gd-152 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-03	2.000E-03	RTF(6,2)
D-34	Gd-152 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF(6,3)

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 2 DCGL 0.15 M.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: FCS FGR11 Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-34	Ni-63 , plant/soil concentration ratio, dimensionless	9.130E-02	5.000E-02	RTF(7,1)
D-34	Ni-63 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	9.260E-03	5.000E-03	RTF(7,2)
D-34	Ni-63 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.190E-02	2.000E-02	RTF(7,3)
D-34				
D-34	Sr-90+D , plant/soil concentration ratio, dimensionless	5.900E-01	3.000E-01	RTF(8,1)
D-34	Sr-90+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.310E-02	8.000E-03	RTF(8,2)
D-34	Sr-90+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.760E-03	2.000E-03	RTF(8,3)
D-34				
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	C-14 , fish	5.000E+04	5.000E+04	BIOFAC(1,1)
D-5	C-14 , crustacea and mollusks	9.100E+03	9.100E+03	BIOFAC(1,2)
D-5				
D-5	Co-60 , fish	3.000E+02	3.000E+02	BIOFAC(2,1)
D-5	Co-60 , crustacea and mollusks	2.000E+02	2.000E+02	BIOFAC(2,2)
D-5				
D-5	Cs-137+D , fish	2.000E+03	2.000E+03	BIOFAC(3,1)
D-5	Cs-137+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(3,2)
D-5				
D-5	Eu-152 , fish	5.000E+01	5.000E+01	BIOFAC(4,1)
D-5	Eu-152 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(4,2)
D-5				
D-5	Gd-152 , fish	2.500E+01	2.500E+01	BIOFAC(6,1)
D-5	Gd-152 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(6,2)
D-5				
D-5	Ni-63 , fish	1.000E+02	1.000E+02	BIOFAC(7,1)
D-5	Ni-63 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(7,2)
D-5				
D-5	Sr-90+D , fish	6.000E+01	6.000E+01	BIOFAC(8,1)
D-5	Sr-90+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(8,2)

#For DCF1(xxx) only, factors are for infinite depth & area. See EFTG table in Ground Pathway of Detailed Report.

*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 2 DCGL 0.15 M.RAD

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	2.000E+00	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.500E-01	2.000E+00	---	THICK0
R011	Fraction of contamination that is submerged	0.000E+00	0.000E+00	---	SUBMFRAC
R011	Length parallel to aquifer flow (m)	1.410E+00	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T (2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T (3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T (4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T (5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T (6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T (7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T (8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T (9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): C-14	1.000E+00	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Co-60	1.000E+00	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Cs-137	1.000E+00	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): Eu-152	1.000E+00	0.000E+00	---	S1(4)
R012	Initial principal radionuclide (pCi/g): Ni-63	1.000E+00	0.000E+00	---	S1(7)
R012	Initial principal radionuclide (pCi/g): Sr-90	1.000E+00	0.000E+00	---	S1(8)
R012	Concentration in groundwater (pCi/L): C-14	not used	0.000E+00	---	W1(1)
R012	Concentration in groundwater (pCi/L): Co-60	not used	0.000E+00	---	W1(2)
R012	Concentration in groundwater (pCi/L): Cs-137	not used	0.000E+00	---	W1(3)
R012	Concentration in groundwater (pCi/L): Eu-152	not used	0.000E+00	---	W1(4)
R012	Concentration in groundwater (pCi/L): Ni-63	not used	0.000E+00	---	W1(7)
R012	Concentration in groundwater (pCi/L): Sr-90	not used	0.000E+00	---	W1(8)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.500E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	7.590E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	4.300E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.800E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	3.440E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	2.870E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	3.270E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	8.700E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	7.600E-01	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	1.900E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.300E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.490E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	4.500E-01	4.000E-01	---	TPSZ

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 2 DCGL 0.15 M.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.400E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	4.350E+03	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	8.400E-04	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	2.140E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	4.550E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	1.000E-01	4.000E+00	---	H (1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.500E+00	1.500E+00	---	DENSUZ (1)
R015	Unsat. zone 1, total porosity	4.300E-01	4.000E-01	---	TPUZ (1)
R015	Unsat. zone 1, effective porosity	1.600E-01	2.000E-01	---	EPUZ (1)
R015	Unsat. zone 1, field capacity	2.800E-01	2.000E-01	---	FCUZ (1)
R015	Unsat. zone 1, soil-specific b parameter	3.600E+00	5.300E+00	---	BUZ (1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	3.440E+01	1.000E+01	---	HCUZ (1)
R016	Distribution coefficients for C-14				
R016	Contaminated zone (cm**3/g)	9.670E+01	0.000E+00	---	DCNUCC (1)
R016	Unsat. zone 1 (cm**3/g)	9.670E+01	0.000E+00	---	DCNUCU (1,1)
R016	Saturated zone (cm**3/g)	1.100E+01	0.000E+00	---	DCNUCS (1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.810E-03	ALEACH (1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (1)
R016	Distribution coefficients for Co-60				
R016	Contaminated zone (cm**3/g)	5.050E+03	1.000E+03	---	DCNUCC (2)
R016	Unsat. zone 1 (cm**3/g)	5.050E+03	1.000E+03	---	DCNUCU (2,1)
R016	Saturated zone (cm**3/g)	2.600E+02	1.000E+03	---	DCNUCS (2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.391E-05	ALEACH (2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (2)
R016	Distribution coefficients for Cs-137				
R016	Contaminated zone (cm**3/g)	3.500E+03	4.600E+03	---	DCNUCC (3)
R016	Unsat. zone 1 (cm**3/g)	3.500E+03	4.600E+03	---	DCNUCU (3,1)
R016	Saturated zone (cm**3/g)	5.280E+02	4.600E+03	---	DCNUCS (3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	7.778E-05	ALEACH (3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (3)
R016	Distribution coefficients for Eu-152				
R016	Contaminated zone (cm**3/g)	7.270E+03	-1.000E+00	---	DCNUCC (4)
R016	Unsat. zone 1 (cm**3/g)	7.270E+03	-1.000E+00	---	DCNUCU (4,1)
R016	Saturated zone (cm**3/g)	8.290E+02	-1.000E+00	---	DCNUCS (4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.745E-05	ALEACH (4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (4)

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 2 DCGL 0.15 M.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for Ni-63				
R016	Contaminated zone (cm**3/g)	5.320E+02	1.000E+03	---	DCNUCC (7)
R016	Unsaturated zone 1 (cm**3/g)	5.320E+02	1.000E+03	---	DCNUCU (7,1)
R016	Saturated zone (cm**3/g)	1.300E+02	1.000E+03	---	DCNUCS (7)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.116E-04	ALEACH (7)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (7)
R016	Distribution coefficients for Sr-90				
R016	Contaminated zone (cm**3/g)	1.680E+02	3.000E+01	---	DCNUCC (8)
R016	Unsaturated zone 1 (cm**3/g)	1.680E+02	3.000E+01	---	DCNUCU (8,1)
R016	Saturated zone (cm**3/g)	2.200E+01	3.000E+01	---	DCNUCS (8)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.619E-03	ALEACH (8)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (8)
R016	Distribution coefficients for daughter Gd-152				
R016	Contaminated zone (cm**3/g)	-1.000E+00	-1.000E+00	8.249E+02	DCNUCC (6)
R016	Unsaturated zone 1 (cm**3/g)	-1.000E+00	-1.000E+00	8.249E+02	DCNUCU (6,1)
R016	Saturated zone (cm**3/g)	-1.000E+00	-1.000E+00	8.249E+02	DCNUCS (6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.300E-04	ALEACH (6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (6)
R017	Inhalation rate (m**3/yr)	8.600E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.870E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	7.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	5.520E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.600E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.200E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE (1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE (2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE (3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE (4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE (5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE (6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE (7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE (8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE (9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE (10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE (11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE (12)

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 2 DCGL 0.15 M.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA (1)
R017	Ring 2	not used	2.732E-01	---	FRACA (2)
R017	Ring 3	not used	0.000E+00	---	FRACA (3)
R017	Ring 4	not used	0.000E+00	---	FRACA (4)
R017	Ring 5	not used	0.000E+00	---	FRACA (5)
R017	Ring 6	not used	0.000E+00	---	FRACA (6)
R017	Ring 7	not used	0.000E+00	---	FRACA (7)
R017	Ring 8	not used	0.000E+00	---	FRACA (8)
R017	Ring 9	not used	0.000E+00	---	FRACA (9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	2.240E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	4.280E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.830E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.780E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	-1	-1	0.100E-02	FPLANT
R018	Contamination fraction of meat	-1	-1	0.100E-03	FMEAT
R018	Contamination fraction of milk	-1	-1	0.100E-03	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.710E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.321E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	7.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
R019	Depth of roots (m)	1.230E+00	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.890E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.890E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE(3)

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 2 DCGL 0.15 M.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	2.000E-05	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	3.000E-02	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	2.000E-02	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	9.800E-01	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	3.000E-01	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	7.000E-07	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	1.000E-10	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	9.000E-02	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	3.000E-02	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	128	---	---	NPTS

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 2 DCGL 0.15 M.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	suppressed
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	suppressed

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 2 DCGL 0.15 M.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	2.00 square meters	C-14	1.000E+00
Thickness:	0.15 meters	Co-60	1.000E+00
Cover Depth:	0.00 meters	Cs-137	1.000E+00
		Eu-152	1.000E+00
		Ni-63	1.000E+00
		Sr-90	1.000E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	1.552E+00	1.409E+00	1.168E+00	6.476E-01	1.939E-01	1.438E-02	1.952E-09	2.536E-20
M(t):	6.208E-02	5.635E-02	4.672E-02	2.590E-02	7.757E-03	5.754E-04	7.807E-11	1.015E-21

Maximum TDOSE(t): 1.552E+00 mrem/yr at t = 0.000E+00 years

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 2 DCGL 0.15 M.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	6.099E-08	0.0000	1.238E-07	0.0000	0.000E+00	0.0000	2.530E-06	0.0000	1.329E-07	0.0000	7.481E-08	0.0000	1.787E-09	0.0000
Co-60	9.018E-01	0.5811	1.085E-06	0.0000	0.000E+00	0.0000	1.195E-04	0.0001	9.197E-06	0.0000	2.986E-06	0.0000	4.681E-07	0.0000
Cs-137	2.205E-01	0.1421	1.668E-07	0.0000	0.000E+00	0.0000	1.256E-04	0.0001	1.507E-05	0.0000	1.669E-05	0.0000	9.179E-07	0.0000
Eu-152	4.248E-01	0.2737	1.139E-06	0.0000	0.000E+00	0.0000	8.637E-07	0.0000	7.757E-08	0.0000	8.040E-09	0.0000	1.173E-07	0.0000
Ni-63	0.000E+00	0.0000	3.314E-08	0.0000	0.000E+00	0.0000	1.703E-06	0.0000	2.622E-08	0.0000	4.947E-07	0.0000	1.067E-08	0.0000
Sr-90	1.649E-03	0.0011	6.833E-06	0.0000	0.000E+00	0.0000	2.890E-03	0.0019	3.091E-05	0.0000	4.847E-05	0.0000	2.802E-06	0.0000
Total	1.549E+00	0.9979	9.381E-06	0.0000	0.000E+00	0.0000	3.140E-03	0.0020	5.541E-05	0.0000	6.872E-05	0.0000	4.318E-06	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.924E-06	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.019E-01	0.5811
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.206E-01	0.1422
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.248E-01	0.2737
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.268E-06	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.628E-03	0.0030
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.552E+00	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 2 DCGL 0.15 M.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	1.505E-17	0.0000	3.039E-17	0.0000	0.000E+00	0.0000	1.562E-15	0.0000	5.280E-16	0.0000	1.689E-16	0.0000	4.387E-19	0.0000
Co-60	7.876E-01	0.5591	9.468E-07	0.0000	0.000E+00	0.0000	1.042E-04	0.0001	8.023E-06	0.0000	2.605E-06	0.0000	4.083E-07	0.0000
Cs-137	2.146E-01	0.1524	1.621E-07	0.0000	0.000E+00	0.0000	1.221E-04	0.0001	1.465E-05	0.0000	1.623E-05	0.0000	8.923E-07	0.0000
Eu-152	4.017E-01	0.2852	1.076E-06	0.0000	0.000E+00	0.0000	8.158E-07	0.0000	7.327E-08	0.0000	7.593E-09	0.0000	1.108E-07	0.0000
Ni-63	0.000E+00	0.0000	3.272E-08	0.0000	0.000E+00	0.0000	1.682E-06	0.0000	2.589E-08	0.0000	4.884E-07	0.0000	1.054E-08	0.0000
Sr-90	1.603E-03	0.0011	6.628E-06	0.0000	0.000E+00	0.0000	2.803E-03	0.0020	2.999E-05	0.0000	4.702E-05	0.0000	2.718E-06	0.0000
Total	1.406E+00	0.9978	8.845E-06	0.0000	0.000E+00	0.0000	3.032E-03	0.0022	5.276E-05	0.0000	6.634E-05	0.0000	4.140E-06	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.305E-15	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.877E-01	0.5591
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.148E-01	0.1525
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.018E-01	0.2852
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.239E-06	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.492E-03	0.0032
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.409E+00	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 2 DCGL 0.15 M.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	6.007E-01	0.5143	7.203E-07	0.0000	0.000E+00	0.0000	7.928E-05	0.0001	6.104E-06	0.0000	1.982E-06	0.0000	3.107E-07	0.0000
Cs-137	2.035E-01	0.1742	1.532E-07	0.0000	0.000E+00	0.0000	1.154E-04	0.0001	1.384E-05	0.0000	1.533E-05	0.0000	8.432E-07	0.0000
Eu-152	3.593E-01	0.3077	9.596E-07	0.0000	0.000E+00	0.0000	7.276E-07	0.0000	6.535E-08	0.0000	6.773E-09	0.0000	9.879E-08	0.0000
Ni-63	0.000E+00	0.0000	3.189E-08	0.0000	0.000E+00	0.0000	1.639E-06	0.0000	2.523E-08	0.0000	4.760E-07	0.0000	1.027E-08	0.0000
Sr-90	1.514E-03	0.0013	6.235E-06	0.0000	0.000E+00	0.0000	2.637E-03	0.0023	2.821E-05	0.0000	4.423E-05	0.0000	2.557E-06	0.0000
Total	1.165E+00	0.9975	8.100E-06	0.0000	0.000E+00	0.0000	2.834E-03	0.0024	4.825E-05	0.0000	6.203E-05	0.0001	3.820E-06	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.007E-01	0.5144
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.036E-01	0.1743
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.593E-01	0.3077
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.183E-06	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.232E-03	0.0036
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.168E+00	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 2 DCGL 0.15 M.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	2.325E-01	0.3591	2.765E-07	0.0000	0.000E+00	0.0000	3.043E-05	0.0000	2.343E-06	0.0000	7.606E-07	0.0000	1.192E-07	0.0000
Cs-137	1.686E-01	0.2603	1.256E-07	0.0000	0.000E+00	0.0000	9.458E-05	0.0001	1.134E-05	0.0000	1.257E-05	0.0000	6.910E-07	0.0000
Eu-152	2.429E-01	0.3751	6.426E-07	0.0000	0.000E+00	0.0000	4.873E-07	0.0000	4.377E-08	0.0000	4.536E-09	0.0000	6.616E-08	0.0000
Ni-63	0.000E+00	0.0000	2.912E-08	0.0000	0.000E+00	0.0000	1.497E-06	0.0000	2.304E-08	0.0000	4.347E-07	0.0000	9.379E-09	0.0000
Sr-90	1.239E-03	0.0019	5.031E-06	0.0000	0.000E+00	0.0000	2.127E-03	0.0033	2.276E-05	0.0000	3.569E-05	0.0001	2.063E-06	0.0000
Total	6.453E-01	0.9964	6.104E-06	0.0000	0.000E+00	0.0000	2.254E-03	0.0035	3.652E-05	0.0001	4.945E-05	0.0001	2.949E-06	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.326E-01	0.3591
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.687E-01	0.2605
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.429E-01	0.3751
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.993E-06	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.431E-03	0.0053
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.476E-01	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 2 DCGL 0.15 M.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	1.534E-02	0.0791	1.778E-08	0.0000	0.000E+00	0.0000	1.957E-06	0.0000	1.507E-07	0.0000	4.891E-08	0.0000	7.667E-09	0.0000
Cs-137	9.780E-02	0.5044	7.054E-08	0.0000	0.000E+00	0.0000	5.313E-05	0.0003	6.373E-06	0.0000	7.060E-06	0.0000	3.882E-07	0.0000
Eu-152	7.882E-02	0.4065	2.027E-07	0.0000	0.000E+00	0.0000	1.537E-07	0.0000	1.381E-08	0.0000	1.431E-09	0.0000	2.087E-08	0.0000
Ni-63	0.000E+00	0.0000	2.228E-08	0.0000	0.000E+00	0.0000	1.145E-06	0.0000	1.763E-08	0.0000	3.326E-07	0.0000	7.176E-09	0.0000
Sr-90	6.944E-04	0.0036	2.702E-06	0.0000	0.000E+00	0.0000	1.143E-03	0.0059	1.223E-05	0.0001	1.917E-05	0.0001	1.108E-06	0.0000
Total	1.927E-01	0.9936	3.015E-06	0.0000	0.000E+00	0.0000	1.199E-03	0.0062	1.878E-05	0.0001	2.661E-05	0.0001	1.532E-06	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.534E-02	0.0791
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.787E-02	0.5047
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.882E-02	0.4065
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.525E-06	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.872E-03	0.0097
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.939E-01	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 2 DCGL 0.15 M.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	9.941E-07	0.0001	1.035E-12	0.0000	0.000E+00	0.0000	1.139E-10	0.0000	8.773E-12	0.0000	2.848E-12	0.0000	4.463E-13	0.0000
Cs-137	1.283E-02	0.8916	8.090E-09	0.0000	0.000E+00	0.0000	6.095E-06	0.0004	7.313E-07	0.0001	8.099E-07	0.0001	4.452E-08	0.0000
Eu-152	1.352E-03	0.0940	3.085E-09	0.0000	0.000E+00	0.0000	2.340E-09	0.0000	2.102E-10	0.0000	2.178E-11	0.0000	3.176E-10	0.0000
Ni-63	0.000E+00	0.0000	7.536E-09	0.0000	0.000E+00	0.0000	3.875E-07	0.0000	5.967E-09	0.0000	1.126E-07	0.0000	2.427E-09	0.0000
Sr-90	8.182E-05	0.0057	2.650E-07	0.0000	0.000E+00	0.0000	1.121E-04	0.0078	1.200E-06	0.0001	1.881E-06	0.0001	1.086E-07	0.0000
Total	1.426E-02	0.9914	2.837E-07	0.0000	0.000E+00	0.0000	1.185E-04	0.0082	1.937E-06	0.0001	2.803E-06	0.0002	1.559E-07	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.942E-07	0.0001
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.283E-02	0.8922
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.352E-03	0.0940
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.159E-07	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.973E-04	0.0137
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.438E-02	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 2 DCGL 0.15 M.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	1.951E-09	0.9998	0.000E+00	0.0000	0.000E+00	0.0000	3.811E-13	0.0002	2.731E-14	0.0000	3.275E-14	0.0000	1.952E-09	1.0000
Total	1.951E-09	0.9998	0.000E+00	0.0000	0.000E+00	0.0000	3.811E-13	0.0002	2.731E-14	0.0000	3.275E-14	0.0000	1.952E-09	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 2 DCGL 0.15 M.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Eu-152	2.536E-20	0.9998	0.000E+00	0.0000	0.000E+00	0.0000	3.952E-24	0.0002	5.364E-26	0.0000	3.041E-27	0.0000	2.536E-20	1.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	2.536E-20	0.9998	0.000E+00	0.0000	0.000E+00	0.0000	3.952E-24	0.0002	5.364E-26	0.0000	3.041E-27	0.0000	2.536E-20	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 2 DCGL 0.15 M.RAD

Dose/Source Ratios Summed Over All Pathways
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)							
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
C-14	C-14	1.000E+00	2.924E-06	2.305E-15	1.388E-34	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Co-60	Co-60	1.000E+00	9.019E-01	7.877E-01	6.007E-01	2.326E-01	1.534E-02	9.942E-07	0.000E+00	0.000E+00
Cs-137+D	Cs-137+D	1.000E+00	2.206E-01	2.148E-01	2.036E-01	1.687E-01	9.787E-02	1.283E-02	0.000E+00	0.000E+00
Eu-152	Eu-152	7.208E-01	3.062E-01	2.896E-01	2.590E-01	1.751E-01	5.682E-02	9.747E-04	0.000E+00	0.000E+00
Eu-152	Eu-152	2.792E-01	1.186E-01	1.122E-01	1.003E-01	6.782E-02	2.201E-02	3.775E-04	0.000E+00	0.000E+00
Eu-152	Gd-152	2.792E-01	1.146E-18	3.344E-18	7.345E-18	1.788E-17	3.005E-17	2.139E-17	0.000E+00	2.536E-20
Eu-152	ΣDSR(j)		1.186E-01	1.122E-01	1.003E-01	6.782E-02	2.201E-02	3.775E-04	0.000E+00	2.536E-20
Ni-63	Ni-63	1.000E+00	2.268E-06	2.239E-06	2.183E-06	1.993E-06	1.525E-06	5.159E-07	0.000E+00	0.000E+00
Sr-90+D	Sr-90+D	1.000E+00	4.628E-03	4.492E-03	4.232E-03	3.431E-03	1.872E-03	1.973E-04	1.952E-09	0.000E+00

The DSR includes contributions from associated (half-life ≤ 30 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide (i)	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
C-14	8.550E+06	*4.455E+12	*4.455E+12	*4.455E+12	*4.455E+12	*4.455E+12	*4.455E+12	*4.455E+12
Co-60	2.772E+01	3.174E+01	4.162E+01	1.075E+02	1.629E+03	2.515E+07	*1.132E+15	*1.132E+15
Cs-137	1.133E+02	1.164E+02	1.228E+02	1.482E+02	2.554E+02	1.948E+03	*8.704E+13	*8.704E+13
Eu-152	5.885E+01	6.223E+01	6.958E+01	1.029E+02	3.172E+02	1.849E+04	*1.765E+14	*1.765E+14
Ni-63	1.102E+07	1.116E+07	1.145E+07	1.254E+07	1.639E+07	4.846E+07	*5.917E+13	*5.917E+13
Sr-90	5.402E+03	5.566E+03	5.908E+03	7.285E+03	1.335E+04	1.267E+05	1.281E+10	*1.365E+14

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 at t_{min} = time of minimum single radionuclide soil guideline
 and at t_{max} = time of maximum total dose = 0.000E+00 years

Nuclide (i)	Initial (pCi/g)	t _{min} (years)	DSR(i,t _{min})	G(i,t _{min}) (pCi/g)	DSR(i,t _{max})	G(i,t _{max}) (pCi/g)
C-14	1.000E+00	0.000E+00	2.924E-06	8.550E+06	2.924E-06	8.550E+06
Co-60	1.000E+00	0.000E+00	9.019E-01	2.772E+01	9.019E-01	2.772E+01
Cs-137	1.000E+00	0.000E+00	2.206E-01	1.133E+02	2.206E-01	1.133E+02
Eu-152	1.000E+00	0.000E+00	4.248E-01	5.885E+01	4.248E-01	5.885E+01
Ni-63	1.000E+00	0.000E+00	2.268E-06	1.102E+07	2.268E-06	1.102E+07
Sr-90	1.000E+00	0.000E+00	4.628E-03	5.402E+03	4.628E-03	5.402E+03

Summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\AREA FACTOR\FCS SOIL AF 2 DCGL 0.15 M.RAD

Individual Nuclide Dose Summed Over All Pathways

Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE(j,t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
C-14	C-14	1.000E+00	2.924E-06	2.305E-15	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Co-60	Co-60	1.000E+00	9.019E-01	7.877E-01	6.007E-01	2.326E-01	1.534E-02	9.942E-07	0.000E+00	0.000E+00
Cs-137	Cs-137	1.000E+00	2.206E-01	2.148E-01	2.036E-01	1.687E-01	9.787E-02	1.283E-02	0.000E+00	0.000E+00
Eu-152	Eu-152	7.208E-01	3.062E-01	2.896E-01	2.590E-01	1.751E-01	5.682E-02	9.747E-04	0.000E+00	0.000E+00
Eu-152	Eu-152	2.792E-01	1.186E-01	1.122E-01	1.003E-01	6.782E-02	2.201E-02	3.775E-04	0.000E+00	0.000E+00
Eu-152	ΣDOSE(j)		4.248E-01	4.018E-01	3.593E-01	2.429E-01	7.882E-02	1.352E-03	0.000E+00	0.000E+00
Gd-152	Eu-152	2.792E-01	1.146E-18	3.344E-18	7.345E-18	1.788E-17	3.005E-17	2.139E-17	0.000E+00	2.536E-20
Ni-63	Ni-63	1.000E+00	2.268E-06	2.239E-06	2.183E-06	1.993E-06	1.525E-06	5.159E-07	0.000E+00	0.000E+00
Sr-90	Sr-90	1.000E+00	4.628E-03	4.492E-03	4.232E-03	3.431E-03	1.872E-03	1.973E-04	1.952E-09	0.000E+00

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration

Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
C-14	C-14	1.000E+00	1.000E+00	2.467E-10	1.501E-29	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Co-60	Co-60	1.000E+00	1.000E+00	8.767E-01	6.739E-01	2.683E-01	1.932E-02	1.935E-06	7.241E-18	0.000E+00
Cs-137	Cs-137	1.000E+00	1.000E+00	9.771E-01	9.328E-01	7.931E-01	4.988E-01	9.844E-02	9.540E-04	8.548E-11
Eu-152	Eu-152	7.208E-01	7.208E-01	6.843E-01	6.166E-01	4.284E-01	1.513E-01	3.962E-03	1.197E-07	1.814E-23
Eu-152	Eu-152	2.792E-01	2.792E-01	2.650E-01	2.388E-01	1.659E-01	5.861E-02	1.535E-03	4.636E-08	7.027E-24
Eu-152	ΣS(j):		1.000E+00	9.493E-01	8.555E-01	5.943E-01	2.099E-01	5.496E-03	1.661E-07	2.517E-23
Gd-152	Eu-152	2.792E-01	0.000E+00	1.746E-15	4.975E-15	1.395E-14	2.704E-14	3.334E-14	3.139E-14	2.492E-14
Ni-63	Ni-63	1.000E+00	1.000E+00	9.923E-01	9.771E-01	9.256E-01	7.930E-01	4.615E-01	9.832E-02	4.386E-04
Sr-90	Sr-90	1.000E+00	1.000E+00	9.749E-01	9.266E-01	7.755E-01	4.664E-01	7.869E-02	4.873E-04	9.108E-12

THF(i) is the thread fraction of the parent nuclide.

RESCALC.EXE execution time = 0.84 seconds