

10 CFR PART 35

Please Note: The bracket “[]” around a compatibility category designation means that the Section may have been adopted elsewhere in a State rules and it is not necessary to adopt it again.

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
§35.1	Purpose and scope	30195(a)(1)	D	N/A		
§35.2	Definitions	30195(a)				30195(a) incorporates by reference Part 35, 2021 Edition.
	Address of use	30195(a)	D	N/A		
	Agreement State	30100(b)	[B]			
	Area of use	30195(a)	D	N/A		
	Associate Radiation Safety Officer	30195(a)	B			

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
	Authorized medical physicist	30195(a)	B			
	Authorized nuclear pharmacist	30195(a)	B			
	Authorized user	30195(a)	B			
	Brachytherapy	30195(a)	D	N/A		
	Brachytherapy source	30195(a)	D	N/A		
	Client's address	30195(a)	D	N/A		
	Cyclotron	30195(a)	D	N/A		
	Dedicated check source	30195(a)	D	N/A		
	Dentist	30195(a)(9)	D	N/A		
	High dose-rate remote afterloader	30195(a)	D	N/A		
		30195(a)	D	N/A		

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
	Low dose-rate remote afterloader					
	Management	30195(a)	D	N/A		
	Manual Brachytherapy	30195(a)	D	N/A		
	Medical event	30195(a)	D	N/A		
	Medical institution	30195(a)	D	N/A		
	Medical use	30195(a)	C			
	Medium dose- rate remote afterloader	30195(a)	D	N/A		
	Mobile medical service	30195(a)	D	N/A		
	Ophthalmic Physicist	30195(a)	B			
	Output	30195(a)	D	N/A		
	Patient intervention	30195(a)	D	N/A		
	Pharmacist	30195(a)(10)	D	N/A		

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
	Physician	30195(a)(12)	D	N/A		
	Podiatrist	30195(a)(11)	D	N/A		
	Positron Emission Tomography	30195(a)	H&S			
	Preceptor	30195(a)	D	N/A		
	Prescribed dosage	30195(a)	C			
	Prescribed dose	30195(a)	C			
	Pulsed dose- rate remote afterloader	30195(a)	D	N/A		
	Radiation safety officer	30195(a)	B			
	Sealed source	30100(u)	[B]			
	Sealed source and device registry	30195(a)	D	N/A		
			D	N/A		

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
	Stereotactic radiosurgery	30195(a)				
	Structured educational program	30195(a)	D	N/A		
	Teletherapy	30195(a)	D	N/A		
	Temporary jobsite	30195(a)	D	N/A		
	Therapeutic dosage	30195(a)	D	N/A		
	Therapeutic dose	30195(a)	D	N/A		
	Treatment site	30195(a)	C			
	Type of use	30195(a)	D	N/A		
	Unit dosage	30195(a)	D	N/A		
	Written directive	30195(a)	D	N/A		
§35.5	Maintenance of records	30195(a)(1) & 30293	D	N/A		
§35.6	Provisions for the protection of human research subjects	30195(a)	C			

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
§35.7	FDA, other Federal, and State requirements	30195(a)(1)	D	N/A		
§35.8	Information collection requirements: OMB Approval	30195(a)(1)	D	N/A		
§35.10	Implementation	30195(a)(1)	D	N/A		
§35.11 (a) & (b)	License required	30195(a)	[C]			
§35.11 (c)(1)	License required	30195(a)(1)	NRC			
§35.11 (c)(2)	License required	30195(a)(1)	D	N/A		
§35.12	Application for license, amendment, or renewal	30195(a)(1)	D	N/A		
§35.13 (a)(1)	License amendments	30195(a)(1)	NRC			

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
§35.13 (a)(2), (b), (c), (d), (e), (f), (g), (h) & (i)	License amendments	30195(a)(1)	D	N/A		
§35.14	Notifications	30195(a)(1)	D	N/A		
§35.15	Exemptions regarding Type A specific licenses of broad scope	30195(a)(1)	D	N/A		
§35.18	License issuance	30195(a)(1)	D	N/A		
§35.19	Specific exemptions	30195(a)(1)	D	N/A		
§35.24 (a), (c), (d), (e), (f), & (h)	Authority and responsibilities for the radiation protection program	30195(a)	D	N/A		
§35.24 (b) & (g)	Authority and responsibilities for the radiation protection program	30195(a)	H&S			
§35.26		30195(a)(1)	D	N/A		

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
	Radiation protection program changes					
§35.27	Supervision	30195(a); See note.	H&S			35.27(b)(1): 10 CFR 19.12 = 30255 (30195(a)(13))
§35.40 (a) & (b)	Written directives	30195(a)	H&S			
§35.40 (c) & (d)	Written directives	30195(a)	D	N/A		
§35.41 (a) & (b)	Procedures for administrations requiring a written directive	30195(a)	H&S			
§35.41 (c)	Procedures for administrations requiring a written directive	30195(a)	D	N/A		
§35.49	Suppliers for sealed sources or devices for medical use	30195(a)	[C]			
§35.50	Training for Radiation Safety Officer	30195(a)	B			Due to approval timeframes, revisions under RATS ID 2021-1 will be addressed during a 2 nd comment period.

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
§35.51	Training for an authorized medical physicist	30195(a)	B			
§35.55	Training for an authorized nuclear pharmacist	30195(a)	B			Due to approval timeframes, revisions under RATS ID 2021-1 will be addressed during a 2 nd comment period.
§35.57	Training for experienced Radiation Safety Officer, teletherapy or medical physicist, authorized user, nuclear pharmacist, and authorized nuclear pharmacist	30195(a); see note.	B			For dates, see 30195(a)(14). Due to approval timeframes, revisions under RATS ID 2021-1 will be addressed during a 2 nd comment period.
§35.57 (a)(4)	Training for experienced Radiation Safety Officer, teletherapy or medical physicist, authorized	30195(a)	D	N/A		

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
	user, nuclear pharmacist, and authorized nuclear pharmacist					
§35.59	Recentness of training	30195(a)	B			
§35.60 (a) & (b)	Possession, use, and calibration of instruments to measure the activity of unsealed byproduct material	30195(a)	H&S			
§35.60 (c)	Possession, use, and calibration of instruments to measure the activity of unsealed byproduct material	30195(a)	D	N/A		
§35.61 (a)(1), (a)(2), & (b)	Calibration of survey instruments	30195(a)	H&S			
§35.61		30195(a)	D	N/A		

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
(a)(3) & (c)	Calibration of survey instruments					
§35.63 (a), (b), (c), & (d)	Determination of dosages of unsealed byproduct material for medical use	30195(a)	H&S			
§35.63 (e)	Determination of dosages of unsealed byproduct material for medical use	30195(a)	D	N/A		
§35.65	Authorization for calibration, transmission and reference sources	30195(a)(1)	D	N/A		
§35.67 (a), (b), (c), (e), & (g)	Requirements for possession of sealed sources and brachytherapy sources	30195(a)	H&S			
§35.67 (d) & (f)	Requirements for possession of sealed	30195(a)	D	N/A		

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
	sources and brachytherapy sources					
§35.69	Labeling of vials and syringes	30195(a)	H&S			
§35.70 (a)	Surveys for ambient radiation exposure rate	30195(a)	H&S			
§35.70 (b) & (c)	Surveys for ambient radiation exposure rate	30195(a)	D	N/A		
§35.75 (a) & (b)	Release of individuals containing unsealed byproduct material or implants containing byproduct material	30195(a)	C			
§35.75 (c) & (d)	Release of individuals containing unsealed byproduct	30195(a)	D	N/A		

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
	material or implants containing byproduct material					
§35.80 (a)(2), (a)(3), (a)(4), & (b)	Provision of mobile medical service	30195(a)	H&S- paragraphs for those States which authorize this activity D for States not authorizing this activity			
§35.80 (a)(1) & (c)	Provision of mobile medical service	30195(a)	D	N/A		
§35.92	Decay-in-storage	30195(a)	H&S - for those States that authorize this activity D for States not authorizing this activity			
§35.100	Use of unsealed byproduct material for uptake, dilution, and excretion studies for	30195(a)	H&S			

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
	which a written directive is not required					
§35.190	Training for uptake, dilution and excretion studies	30195(a)	B			
§35.200	Use of unsealed byproduct material for imaging and localization for which a written directive is not required	30195(a)	H&S			
§35.204 (a), (b) & (e)	Permissible molybdenum-99, strontium-82, and strontium-85 concentrations	30195(a)	H&S			
§35.204 (c) & (d)	Permissible molybdenum-99, strontium-82, and strontium-85 concentrations	30195(a)	D	N/A		
§35.290		30195(a)	B			

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
	Training for imaging and localization studies					
§35.300	Use of unsealed byproduct material for which a written directive is required	30195(a)	B			
§35.310 (a)	Safety instruction	30195(a)	H&S			
§35.310 (b)	Safety instruction	30195(a)	D			
§35.315	Safety precautions	30195(a)	H&S			
§35.390	Training for use of unsealed by-product material for which a written directive is required	30195(a)	B			
§35.392	Training for the oral administration of sodium iodide I-131	30195(a)	B			

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
	requiring a written directive in quantities less than or equal to 1.22 Gigabecquerels (33 millicuries)					
§35.394	Training for the oral administration of sodium iodide I-131 requiring a written directive in quantities greater than 1.22 Gigabecquerels (33 millicuries)	30195(a)	B			
§35.396	Training for the parenteral administration of unsealed byproduct material requiring a written directive	30195(a)	B			
§35.400	Use of sealed sources for manual brachytherapy	30195(a)	[C]			

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
§35.404 (a) & (b)	Surveys after source implant and removal	30195(a)	H&S			
§35.404 (c)	Surveys after source implant and removal	30195(a)	D	N/A		
§35.406 (a) & (b)	Brachytherapy sources accountability	30195(a)	H&S			
§35.406 (c)	Brachytherapy sources accountability	30195(a)	D	N/A		
§35.410 (a)	Safety instruction	30195(a)	H&S			
§35.410 (b)	Safety instruction	30195(a)	D	N/A		
§35.415	Safety precautions	30195(a)	H&S			
§35.432 (a), (b), & (c)	Calibration measurements of brachytherapy sources	30195(a)	H&S			
§35.432 (d)	Calibration measurements of	30195(a)	D	N/A		

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
	brachytherapy sources					
§35.433 (a)	Decay of strontium-90 sources for ophthalmic treatments	30195(a)	B			
§35.433 (b), (b)(1), & (b)(2)	Decay of strontium-90 sources for ophthalmic treatments	30195(a)	H&S			
§35.433 (c)	Decay of strontium-90 sources for ophthalmic treatments	30195(a)	D	N/A		
§35.457	Therapy-related computer systems	30195(a)	H&S			
§35.490	Training for use of manual brachytherapy sources	30195(a)	B			
§35.491 ¹		30195(a)	B			

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
	Training for ophthalmic use of strontium-90					
§35.500	Use of sealed sources for diagnosis	30195(a)	C			
§35.590	Training for use of sealed sources for diagnosis	30195(a)	B			
§35.600	Use of a sealed source in a remote afterloader unit, teletherapy unit or gamma stereotactic radiosurgery unit	30195(a)	C			
§35.604 (a)	Surveys of patients and human research subjects treated with a remote afterloader unit	30195(a)	H&S			
§35.604 (b)	Surveys of patients and human	30195(a)	D	N/A		

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
	research subjects treated with a remote afterloader unit					
§35.605 (a), (b), & (c)	Installation, maintenance, adjustment and repair	30195(a)	H&S			
§35.605 (d)	Installation, maintenance, adjustment and repair	30195(a)	D	N/A		
§35.610 (a), (b), (c), (d), (e) & (g)	Safety procedures and instructions for remote afterloader units, teletherapy units, and gamma stereotactic radiosurgery units	30195(a)	H&S			
§35.610 (f)	Safety procedures and instructions for remote afterloader units,	30195(a)	D	N/A		

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
	teletherapy units, and gamma stereotactic radiosurgery units					
§35.615	Safety precautions for remote afterloader units, teletherapy units, and gamma stereotactic radiosurgery units	30195(a)	H&S			
§35.630 (a) & (b)	Dosimetry equipment	30195(a)	H&S			
§35.630 (c)	Dosimetry equipment	30195(a)	D	N/A		
§35.632 (a), (b), (c), (d), (e), & (f)	Full calibration measurements on teletherapy units	30195(a)	H&S			
§35.632 (g)	Full calibration measurements on teletherapy units	30195(a)	D	N/A		

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
§35.633 (a), (b), (c), (d), (e), (f), (g), & (h)	Full calibration measurements on remote afterloader units	30195(a)	H&S			
§35.633 (i)	Full calibration measurements on remote afterloader units	30195(a)	D	N/A		
§35.635 a), (b), (c), (d), (e), & (f)	Full calibration measurements on gamma stereotactic radiosurgery units	30195(a)	H&S			
§35.635 (g)	Full calibration measurements on gamma stereotactic radiosurgery units	30195(a)	D	N/A		
§35.642 (a), (b), (c), (d), & (e)	Periodic spot- checks for Teletherapy units	30195(a)	H&S			
§35.642 (f)	Periodic spot- checks for	30195(a)	D	N/A		

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
	Teletherapy units					
§35.643 (a), (b), (c), (d), & (e)	Periodic spot- checks for remote afterloader units	30195(a)	H&S			
§35.643 (f)	Periodic spot- checks for remote afterloader units	30195(a)	D	N/A		
§35.645 (a), (b), (c), (d), (e), & (f)	Periodic spot- checks for gamma stereotactic radiosurgery units	30195(a)	H&S			
§35.645 (g)	Periodic spot- checks for gamma stereotactic radiosurgery units	30195(a)	D	N/A		
§35.647		30195(a)				

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
(a), (b), (c), & (d)	Additional technical requirements for mobile remote afterloader units		H&S-for those States which authorize this activity, D - for States not authorizing this activity			
§35.647 (e)	Additional technical requirements for mobile remote afterloader units	30195(a)	D	N/A		
§35.652 (a) & (b)	Radiation surveys	30195(a)	H&S			
§35.652 (c)	Radiation surveys	30195(a)	D	N/A		
§35.655 (a) & (b)	Five-year inspection for teletherapy and gamma stereotactic radiosurgery units	30195(a)	H&S			
§35.655 (c)	Five-year inspection for	30195(a)	D	N/A		

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
	teletherapy and gamma stereotactic radiosurgery units					
§35.657	Therapy-related computer systems	30195(a)	H&S			
§35.690	Training for use of remote afterloader units, teletherapy units, and gamma stereotactic radiosurgery units	30195(a)	B			
§35.1000	Other medical uses of byproduct material or radiation from byproduct material	30195(a)	D	N/A		
§35.2024	Records of authority and responsibilities for radiation protection programs	30195(a)	D	N/A		

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
§35.2026	Records of radiation protection program changes	30195(a)	D	N/A		
§35.2040	Records of written directives	30195(a)	D	N/A		
§35.2041	Records for procedures for administrations requiring a written directive	30195(a)	D	N/A		
§35.2060	Records of calibrations of instruments used to measure the activity of unsealed byproduct materials	30195(a)	D	N/A		
§35.2061	Records of radiation survey	30195(a)	D	N/A		

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
	instrument calibrations					
§35.2063	Records of dosage of unsealed byproduct material for medical use	30195(a)	D	N/A		
§35.2067	Records of leak test and inventory of sealed sources and brachytherapy sources	30195(a)	D	N/A		
§35.2070	Records of surveys for ambient radiation exposure rate	30195(a)	D	N/A		
§35.2075	Records of the release of individuals containing unsealed byproduct material or implants containing	30195(a)	D	N/A		

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
	byproduct material					
§35.2080	Records of mobile medical services	30195(a)	D	N/A		
§35.2092	Records of decay-in-storage	30195(a)	D	N/A		
§35.2204	Records of molybdenum-99, strontium-82, and strontium-85 concentrations	30195(a)	D	N/A		
§35.2310	Records of safety instruction	30195(a)	D	N/A		
§35.2404	Records of surveys after source implant and removal	30195(a)	D	N/A		
§35.2406	Records of brachytherapy source accountability	30195(a)	D	N/A		
§35.2432		30195(a)	D	N/A		

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
	Records of calibration measurements of brachytherapy sources					
§35.2433	Records of decay of strontium-90 sources for ophthalmic treatments	30195(a)	D	N/A		
§35.2605	Records of installation, maintenance, adjustment and repair of remote afterloader units, teletherapy units, and gamma stereotactic radiosurgery units	30195(a)	D	N/A		
§35.2610	Records of safety procedures	30195(a)	D	N/A		
§35.2630	Records of dosimetry	30195(a)	D	N/A		

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
	equipment used for remote afterloader units, teletherapy units, and gamma stereotactic radiosurgery units					
§35.2632	Records of teletherapy, remote afterloader, and gamma stereotactic radiosurgery full calibrations	30195(a)	D	N/A		
§35.2642	Records of periodic spot-checks for teletherapy units	30195(a)	D	N/A		
§35.2643	Records of periodic spot-checks for remote afterloader units	30195(a)	D	N/A		
§35.2645		30195(a)	D	N/A		

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
	Records of periodic spot-checks for gamma stereotactic radiosurgery units					
§35.2647	Records of additional technical requirements for mobile remote afterloader units	30195(a)	D	N/A		
§35.2652	Records of surveys of therapeutic treatment units	30195(a)	D	N/A		
§35.2655	Records of 5-year inspection of teletherapy and gamma stereotactic radiosurgery units	30195(a)	D	N/A		
§35.3045	Report and notification of a medical event	30195(a)	C			See RATS ID 2020-2 review sheet.

NRC REGULATION SECTION	SECTION TITLE	STATE SECTION	COMPATIBILITY CATEGORY	DIFFERENCE YES/NO	SIGNIFICANT YES/NO	If Difference, Why or Why Not was a Comment Generated
§35.3047	Report and notification of a dose to an embryo/fetus or a nursing child	30195(a)	C			See RATS ID 2020-2 review sheet.
§35.3067	Report of a leaking source	30195(a)	C			
§35.3204	Report and notification for an eluate exceeding permissible molybdenum-99, strontium-82, and strontium-85	30195(a)	C			
§35.4001	Violations	30195(a)(1)	D	N/A		
§35.4002	Criminal penalties	30195(a)(1)	D	N/A		

¹ See CR-08-01 for additional information