

NRC FORM 591M PART 1  
10 CFR 2.201

U.S. NUCLEAR REGULATORY COMMISSION

## SAFETY INSPECTION REPORT AND COMPLIANCE INSPECTION

## 1. LICENSEE/LOCATIONS INSPECTED:

Municipality of Anchorage  
3630 East Tudor Road and  
worksite near 3041 W 91st Ave  
Anchorage, Alaska

REPORT NO.: 2021-001

## 2. NRC/REGIONAL OFFICE

U.S. Nuclear Regulatory Commission  
Region IV, 1600 East Lamar Blvd  
Arlington, Texas 76011-4511

## 3. DOCKET NUMBER

030-20410

## 4. LICENSE NUMBER

50-15852-02

## 5. DATES OF INSPECTION

August 24 – 25, 2021

## LICENSEE:

The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector. The inspection findings are as follows:

1. Based on the inspection findings, no violations were identified.
2. Previous violations closed.
3. The violation(s), specifically described to you by the inspector as non-cited violations, are not being cited because they were self-identified, non-repetitive, and corrective action was or is being taken, and the remaining criteria in the NRC Enforcement Policy to exercise discretion, were satisfied.
- Non-Cited Violation(s) was/were discussed involving the following requirement(s) and Corrective Action(s):
4. During this inspection certain of your activities, as described below and/or attached, were in violation of NRC requirements and are being cited. This form is a NOTICE OF VIOLATION, which may be subject to posting in accordance with 10 CFR 19.11.

## Licensee's Statement of Corrective Actions for Item 4, above.

I hereby state that, within 30 days, the actions described by me to the inspector will be taken to correct the violations identified. This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201 (corrective steps already taken, corrective steps which will be taken, date when full compliance will be achieved). I understand that no further written response to NRC will be required, unless specifically requested.

Title	Printed Name	Signature	Date
LICENSEE'S REPRESENTATIVE			
NRC INSPECTOR	Jason Dykert	Jason C. Dykert	Digitally signed by Jason C. Dykert Date: 2021.08.31 06:27:52 -07'00'
BRANCH CHIEF	Lizette Roldan-Otero	Lizette Roldan-Otero	Digitally signed by Lizette Roldan-Otero Date: 2021.10.20 05:52:01 -05'00'

**From:** [Dykert, Jason](#)  
**To:** [Hunting, Timothy D.](#)  
**Subject:** NRC inspection report  
**Date:** Tuesday, August 31, 2021 1:10:00 PM  
**Attachments:** [Municipality of Anchorage, 591M 2021-001.pdf](#)

---

Good afternoon Mr. Hunting,

As we discussed during the inspection exit, no violations were identified during the inspection and review of the corrective actions implemented were adequate, so the open violations are now considered closed. I have attached the inspection report.

After my Branch Chief signs this report, I will make it a publicly available safety record for review in the NRC's Agencywide Documents Access and Management System ([ADAMS](#)) online database. You may keep this copy for your records. I would appreciate an email confirming receipt.

Thank you very much,

Jason Dykert  
Health Physicist  
Division of Nuclear Materials Safety  
US NRC Region IV

Phone: 817-200-1427