

DETROIT EDISON - FERMI 2
AUTOMATED RECORD MANAGEMENT
DISTRIBUTION CONTROL LIST
10/14/21

To: 00935

US NRC
DOCUMENT CNTRL DESK
11555 ROCKVILLE PIKE
ROCKVILLE, MD 20852

PAGE 1

Media: 8 1/2 X 11

| DTC | Doc. Serial Number | Page | Rev | Number Copies | Cnt Lvl | Issue Date | Sec | Status |
|-------|--------------------|------|-----|------------------|------------|---------------|-----|--------|
| TMTRM | TRM VOL I | | | 128 | 1 | IR 10/12/21 | | AFC |

Please destroy or mark all revised, superseded, or cancelled documents as such. CONTROLLED stamps must be voided by lining through and initialing.

=====

Detroit Edison EF2, C/O Info Mgmt 140 NOC, 6400 North Dixie Highway,
Newport MI 48166. (734) 586-4338 OR (734) 586-4061 for questions or concerns.

Ref: u18398

ADD 1
NRR

DETROIT EDISON - FERMI 2
AUTOMATED RECORD MANAGEMENT
DISTRIBUTION CONTROL LIST
10/13/21

To: 00935

US NRC
DOCUMENT CNTRL DESK
11555 ROCKVILLE PIKE

PAGE 1

ROCKVILLE, MD 20852

Media: 8 1/2 X 11

| DTC | Doc. Serial Number | Page | Rev | Number Cnt Copies Lvl | Issue Date | Sec Status |
|-------|--------------------|------|-----|--------------------------|---------------|---------------------------|
| TMTRM | TRM VOL I | 127 | 1 | SP | 08/17/21 | SUP VOID_STAMP/DESTROY |

Please destroy or mark all revised, superseded, or cancelled documents
as such. CONTROLLED stamps must be voided by lining through and initialing.

=====

Detroit Edison EF2, C/O Info Mgmt 140 NOC, 6400 North Dixie Highway,
Newport MI 48166. (734) 586-4338 OR (734) 586-4061 for questions or concerns.

Ref: u20061

LICENSING DOCUMENT TRANSMITTAL
FERMI 2 TECHNICAL REQUIREMENTS MANUAL – VOL I
Revision 128 dated 10/12/2021

Immediately, upon receipt of the item(s) below, please insert and/or remove the pages indicated. Destroy the removed pages. Be sure that Revision 127 has been inserted prior to inserting these pages.

| <u>SECTION</u> | <u>REMOVE and DESTROY</u> | <u>INSERT</u> |
|---|---|---|
| In Front of TRM Manual | <u>Title Page Rev 127 08/17/2021</u> | <u>Title Page Rev 128 10/12/2021</u> |
| Immediately following Title Page | <u>List of Effective Pages LEP-1 through LEP-4 Rev 127 08/17/2021</u> | <u>List of Effective Pages LEP-1 through LEP-4 Rev 128 10/12/2021</u> |
| 3.8 Electrical Power Systems | <u>TRM 3.8-4 Rev 113 09/18</u> | <u>TRM 3.8-4 Rev 128 10/21</u> |

**Note: The changes above reflect those justified and described in
LCR# 20-041-TRM.**

END

Fermi 2

Technical Requirements Manual

Volume I

**DTE
Electric**

| <i>ARMS - INFORMATION</i> | | | |
|---------------------------|------------|----------------|----------|
| DTC: TMTRM | File: 1754 | DSN: TRM VOL I | Rev: 128 |
| Date 10/12/2021 | | Recipient | 935 |

FERMI 2 - TECHNICAL REQUIREMENTS MANUAL VOL I

LIST OF EFFECTIVE PAGES

| <u>Page</u> | <u>Revision</u> | <u>Page</u> | <u>Revision</u> |
|-------------|-----------------|-------------|-----------------|
| TRM i | Revision 106 | TRM 3.3-30 | Revision 31 |
| TRM ii | Revision 107 | TRM 3.3-31 | Revision 31 |
| TRM iii | Revision 105 | TRM 3.3-32 | Revision 31 |
| TRM iv | Revision 106 | TRM 3.3-33 | Revision 125 |
| TRM v | Revision 107 | TRM 3.3-34 | Revision 31 |
| TRM vi | Revision 31 | TRM 3.3-34a | Revision 106 |
| TRM 1.0-a | Revision 31 | TRM 3.3-35 | Revision 60 |
| TRM 1.0-1 | Revision 31 | TRM 3.3-36 | Revision 104 |
| TRM 2.0-1 | Revision 31 | TRM 3.3-37 | Revision 72 |
| TRM 3.0-a | Revision 31 | TRM 3.3-38 | Revision 127 |
| TRM 3.0-1 | Revision 63 | TRM 3.3-39 | Revision 31 |
| TRM 3.0-2 | Revision 72 | TRM 3.3-40 | Revision 56 |
| TRM 3.0-3 | Revision 54 | TRM 3.3-41 | Revision 56 |
| TRM 3.0-4 | Revision 72 | TRM 3.3-42 | Revision 45 |
| TRM 3.1-a | Revision 31 | TRM 3.3-43 | Revision 62 |
| TRM 3.1-1 | Revision 31 | TRM 3.3-44 | Revision 72 |
| TRM 3.2-1 | Revision 31 | TRM 3.3-45 | Revision 31 |
| TRM 3.3-a | Revision 31 | TRM 3.3-46 | Revision 31 |
| TRM 3.3-b | Revision 31 | TRM 3.3-47 | Revision 31 |
| TRM 3.3-c | Revision 106 | TRM 3.3-48 | Revision 125 |
| TRM 3.3-d | Revision 31 | TRM 3.3-49 | Revision 31 |
| TRM 3.3-1 | Revision 120 | TRM 3.4-a | Revision 31 |
| TRM 3.3-2 | Revision 116 | TRM 3.4-1 | Revision 36 |
| TRM 3.3-3 | Revision 31 | TRM 3.4-1a | Revision 71 |
| TRM 3.3-4 | Revision 31 | TRM 3.4-1b | Revision 71 |
| TRM 3.3-5 | Revision 31 | TRM 3.4-2 | Revision 125 |
| TRM 3.3-6 | Revision 125 | TRM 3.4-3 | Revision 125 |
| TRM 3.3-7 | Revision 31 | TRM 3.4-4 | Revision 31 |
| TRM 3.3-8 | Revision 106 | TRM 3.4-5 | Revision 31 |
| TRM 3.3-9 | Revision 31 | TRM 3.4-6 | Revision 31 |
| TRM 3.3-10 | Revision 106 | TRM 3.4-7 | Revision 31 |
| TRM 3.3-11 | Revision 31 | TRM 3.4-8 | Revision 31 |
| TRM 3.3-12 | Revision 67 | TRM 3.4-9 | Revision 31 |
| TRM 3.3-13 | Revision 74 | TRM 3.4-10 | Revision 125 |
| TRM 3.3-13a | Revision 125 | TRM 3.5-1 | Revision 31 |
| TRM 3.3-14 | Revision 67 | TRM 3.6-a | Revision 70 |
| TRM 3.3-15 | Revision 31 | TRM 3.6-1 | Revision 125 |
| TRM 3.3-16 | Revision 31 | TRM 3.6-2 | Revision 67 |
| TRM 3.3-17 | Revision 31 | TRM 3.6-3 | Revision 123 |
| TRM 3.3-18 | Revision 100 | TRM 3.6-4 | Revision 123 |
| TRM 3.3-19 | Revision 31 | TRM 3.6-5 | Revision 123 |
| TRM 3.3-20 | Revision 31 | TRM 3.6-6 | Revision 123 |
| TRM 3.3-21 | Revision 124 | TRM 3.6-7 | Revision 123 |
| TRM 3.3-22 | Revision 124 | TRM 3.6-8 | Revision 123 |
| TRM 3.3-23 | Revision 124 | TRM 3.6-9 | Revision 123 |
| TRM 3.3-24 | Revision 31 | TRM 3.6-10 | Revision 123 |
| TRM 3.3-25 | Revision 31 | TRM 3.6-11 | Revision 123 |
| TRM 3.3-26 | Revision 31 | TRM 3.6-12 | Revision 123 |
| TRM 3.3-27 | Revision 125 | TRM 3.6-13 | Revision 123 |
| TRM 3.3-28 | Revision 76 | TRM 3.6-14 | Revision 123 |
| TRM 3.3-29 | Revision 125 | TRM 3.6-14a | Revision 123 |

FERMI 2 - TECHNICAL REQUIREMENTS MANUAL VOL I

LIST OF EFFECTIVE PAGES

| <u>Page</u> | <u>Revision</u> | <u>Page</u> | <u>Revision</u> |
|-------------|-----------------|-------------|-----------------|
| TRM 3.6-15 | Revision 123 | TRM 3.8-9 | Revision 125 |
| TRM 3.6-16 | Revision 123 | TRM 3.8-10 | Revision 125 |
| TRM 3.6-17 | Revision 123 | TRM 3.8-11 | Revision 123 |
| TRM 3.6-18 | Revision 123 | TRM 3.8-12 | Revision 31 |
| TRM 3.6-19 | Revision 123 | TRM 3.8-13 | Revision 61 |
| TRM 3.6-20 | Revision 123 | TRM 3.8-14 | Revision 125 |
| TRM 3.6-21 | Revision 123 | TRM 3.8-15 | Revision 31 |
| TRM 3.6-22 | Revision 123 | TRM 3.8-16 | Revision 31 |
| TRM 3.6-23 | Revision 123 | TRM 3.8-17 | Revision 125 |
| TRM 3.6-24 | Revision 123 | TRM 3.8-18 | Revision 33 |
| TRM 3.6-25 | Revision 31 | TRM 3.9-a | Revision 31 |
| TRM 3.6-26 | Revision 31 | TRM 3.9-1 | Revision 31 |
| TRM 3.6-27 | Revision 31 | TRM 3.9-2 | Revision 65 |
| TRM 3.6-28 | Revision 125 | TRM 3.9-3 | Revision 80 |
| TRM 3.6-29 | Revision 31 | TRM 3.9-4 | Revision 88 |
| TRM 3.6-30 | Revision 31 | TRM 3.9-5 | Revision 31 |
| TRM 3.6-31 | Revision 125 | TRM 3.10-1 | Revision 31 |
| TRM 3.6-32 | Revision 70 | TRM 3.11-a | Revision 31 |
| TRM 3.6-33 | Revision 31 | TRM 3.11-1 | Revision 31 |
| TRM 3.6-34 | Revision 31 | TRM 3.12-a | Revision 31 |
| TRM 3.6-35 | Revision 31 | TRM 3.12-1 | Revision 75 |
| TRM 3.7-a | Revision 107 | TRM 3.12-2 | Revision 31 |
| TRM 3.7-1 | Revision 60 | TRM 3.12-3 | Revision 31 |
| TRM 3.7-2 | Revision 107 | TRM 3.12-4 | Revision 102 |
| TRM 3.7-3 | Revision 70 | TRM 3.12-5 | Revision 108 |
| TRM 3.7-4 | Revision 73 | TRM 3.12-6 | Revision 53 |
| TRM 3.7-5 | Revision 31 | TRM 3.12-7 | Revision 31 |
| TRM 3.7-6 | Revision 31 | TRM 3.12-8 | Revision 127 |
| TRM 3.7-7 | Revision 31 | TRM 3.12-9 | Revision 40 |
| TRM 3.7-8 | Revision 31 | TRM 3.12-10 | Revision 31 |
| TRM 3.7-9 | Revision 31 | TRM 3.12-11 | Revision 127 |
| TRM 3.7-10 | Revision 44 | TRM 3.12-12 | Revision 31 |
| TRM 3.7-11 | Revision 31 | TRM 3.12-13 | Revision 75 |
| TRM 3.7-12 | Revision 72 | TRM 3.12-14 | Revision 127 |
| TRM 3.7-13 | Revision 31 | TRM 3.12-15 | Revision 31 |
| TRM 3.7-14 | Revision 127 | TRM 3.12-16 | Revision 75 |
| TRM 3.7-15 | Revision 115 | TRM 3.12-17 | Revision 31 |
| TRM 3.7-16 | Revision 115 | TRM 3.12-18 | Revision 75 |
| TRM 3.7-17 | Revision 115 | TRM 3.12-19 | Revision 31 |
| TRM 3.7-18 | Revision 120 | TRM 3.12-20 | Revision 75 |
| TRM 3.7-19 | Revision 31 | TRM 3.12-21 | Revision 31 |
| TRM 3.7-20 | Revision 79 | TRM 3.12-22 | Revision 31 |
| TRM 3.8-a | Revision 31 | TRM 3.12-23 | Revision 31 |
| TRM 3.8-1 | Revision 31 | TRM 3.12-24 | Revision 31 |
| TRM 3.8-2 | Revision 31 | TRM 3.12-25 | Revision 31 |
| TRM 3.8-3 | Revision 96 | TRM 3.12-26 | Revision 75 |
| TRM 3.8-4 | Revision 128 | TRM 3.12-27 | Revision 31 |
| TRM 3.8-5 | Revision 125 | TRM 3.12-28 | Revision 31 |
| TRM 3.8-6 | Revision 125 | TRM 3.12-29 | Revision 78 |
| TRM 3.8-7 | Revision 125 | TRM 3.12-30 | Revision 127 |
| TRM 3.8-8 | Revision 125 | TRM 4.0-1 | Revision 31 |

FERMI 2 - TECHNICAL REQUIREMENTS MANUAL VOL I

LIST OF EFFECTIVE PAGES

| <u>Page</u> | <u>Revision</u> | <u>Page</u> | <u>Revision</u> |
|---------------|-----------------|---------------|-----------------|
| TRM 5.0-a | Revision 105 | TRM B3.4.6-1 | Revision 31 |
| TRM 5.0-1 | Revision 119 | TRM B3.4.7-1 | Revision 31 |
| TRM 5.0-2 | Revision 105 | TRM B3.5-1 | Revision 31 |
| TRM B1.0-1 | Revision 31 | TRM B3.6.1-1 | Revision 31 |
| TRM B2.0-1 | Revision 31 | TRM B3.6.2-1 | Revision 67 |
| TRM B3.0-1 | Revision 63 | TRM B3.6.3-1 | Revision 87 |
| TRM B3.0-2 | Revision 63 | TRM B3.6.4-1 | Revision 31 |
| TRM B3.0-2a | Revision 72 | TRM B3.6.5-1 | Revision 31 |
| TRM B3.0-2b | Revision 72 | TRM B3.6.6-1 | Revision 70 |
| TRM B3.0-2c | Revision 72 | TRM B3.6.7-1 | Revision 31 |
| TRM B3.0-3 | Revision 31 | TRM B3.6.8-1 | Revision 31 |
| TRM B3.0-4 | Revision 31 | TRM B3.7.1-1 | Revision 31 |
| TRM B3.0-5 | Revision 54 | TRM B3.7.2-1 | Revision 107 |
| TRM B3.0-6 | Revision 72 | TRM B3.7.3-1 | Revision 73 |
| TRM B3.0-7 | Revision 72 | TRM B3.7.4-1 | Revision 31 |
| TRM B3.1-1 | Revision 31 | TRM B3.7.4-2 | Revision 31 |
| TRM B3.2-1 | Revision 31 | TRM B3.7.5-1 | Revision 31 |
| TRM B3.3.1-1 | Revision 31 | TRM B3.7.6-1 | Revision 31 |
| TRM B3.3.1-2 | Revision 31 | TRM B3.7.7-1 | Revision 99 |
| TRM B3.3.2-1 | Revision 31 | TRM B3.7.8-1 | Revision 31 |
| TRM B3.3.2-2 | Revision 31 | TRM B3.7.9-1 | Revision 79 |
| TRM B3.3.3-1 | Revision 67 | TRM B3.8.1-1 | Revision 31 |
| TRM B3.3.4-1 | Revision 31 | TRM B3.8.2-1 | Revision 31 |
| TRM B3.3.4-2 | Revision 126 | TRM B3.8.3-1 | Revision 96 |
| TRM B3.3.5-1 | Revision 31 | TRM B3.8.4-1 | Revision 31 |
| TRM B3.3.5-2 | Revision 31 | TRM B3.8.5-1 | Revision 31 |
| TRM B3.3.6-1 | Revision 116 | TRM B3.8.6-1 | Revision 125 |
| TRM B3.3.6-2 | Revision 31 | TRM B3.9.1-1 | Revision 31 |
| TRM B3.3.6-3 | Revision 31 | TRM B3.9.2-1 | Revision 65 |
| TRM B3.3.6-4 | Revision 31 | TRM B3.9.3-1 | Revision 31 |
| TRM B3.3.6-5 | Revision 76 | TRM B3.9.4-1 | Revision 31 |
| TRM B3.3.6-6 | Revision 76 | TRM B3.10-1 | Revision 31 |
| TRM B3.3.7-1 | Revision 31 | TRM B3.11.1-1 | Revision 31 |
| TRM B3.3.7-2 | Revision 31 | TRM B3.12.1-1 | Revision 31 |
| TRM B3.3.7-3 | Revision 106 | TRM B3.12.2-1 | Revision 127 |
| TRM B3.3.8-1 | Revision 31 | TRM B3.12.3-1 | Revision 31 |
| TRM B3.3.9-1 | Revision 31 | TRM B3.12.4-1 | Revision 31 |
| TRM B3.3.10-1 | Revision 56 | TRM B3.12.5-1 | Revision 31 |
| TRM B3.3.11-1 | Revision 45 | TRM B3.12.6-1 | Revision 31 |
| TRM B3.3.12-1 | Revision 62 | TRM B3.12.7-1 | Revision 31 |
| TRM B3.3.13-1 | Revision 31 | TRM B3.12.8-1 | Revision 118 |
| TRM B3.3.14-1 | Revision 31 | | |
| TRM B3.4.1-1 | Revision 31 | | |
| TRM B3.4.1-2 | Revision 71 | | |
| TRM B3.4.1-3 | Revision 71 | | |
| TRM B3.4.1-4 | Revision 71 | | |
| TRM B3.4.1-5 | Revision 71 | | |
| TRM B3.4.2-1 | Revision 31 | | |
| TRM B3.4.3-1 | Revision 31 | | |
| TRM B3.4.4-1 | Revision 31 | | |
| TRM B3.4.5-1 | Revision 31 | | |

FERMI 2 - TECHNICAL REQUIREMENTS MANUAL VOL I

LIST OF EFFECTIVE PAGES

CORE OPERATING LIMITS REPORT
COLR 21, Revision 0

Page Revision

Notation Page

| | |
|----|---|
| 1 | 0 |
| 2 | 0 |
| 3 | 0 |
| 4 | 0 |
| 5 | 0 |
| 6 | 0 |
| 7 | 0 |
| 8 | 0 |
| 9 | 0 |
| 10 | 0 |
| 11 | 0 |
| 12 | 0 |
| 13 | 0 |
| 14 | 0 |
| 15 | 0 |
| 16 | 0 |
| 17 | 0 |
| 18 | 0 |
| 19 | 0 |
| 20 | 0 |
| 21 | 0 |
| 22 | 0 |
| 23 | 0 |
| 24 | 0 |
| 25 | 0 |
| 26 | 0 |
| 27 | 0 |
| 28 | 0 |
| 29 | 0 |
| 30 | 0 |
| 31 | 0 |

SURVEILLANCE REQUIREMENTS

| SURVEILLANCE | | FREQUENCY |
|--------------|--|--------------------------|
| TRSR 3.8.3.1 | | DELETED |
| TRSR 3.8.3.2 | <p>Verify that the following diesel generator lockout features prevent diesel generator starting only when required:</p> <ul style="list-style-type: none"> a. 4160-volt ESF bus lockout; b. Differential trip; and c. Shutdown relay trip. | 24 months - Staggered |
| TRSR 3.8.3.3 | <p>Verify that the auto-connected loads to each diesel generator do not exceed the 2000-hour rating of 3100 kW.</p> | 24 months - Staggered |
| TRSR 3.8.3.4 | <p>Drain each fuel oil storage tank, remove the accumulated sediment and clean the tank using sodium hypochlorite solution.</p> | 10 years |