

LICENSEE NAME AND ADDRESS <i>CITY OF FORT WAYNE, TRANSPORTATION ENGINEERING SERVICES 200 EAST BERRY STREET FORT WAYNE, IN. 46802</i>	LICENSE NUMBER <i>13-16526-02</i>	DOCKET NUMBER <i>030-29002</i>
	LICENSE EXPIRATION DATE <i>8-31-21, TIMELY FILED 8-12-21</i>	

A. LICENSE STATUS (Check the appropriate box)

- This license has expired. This license has not yet expired; please terminate it.

B. DISPOSAL OF RADIOACTIVE MATERIAL

(Check the appropriate boxes and complete as necessary. If additional space is needed, provide attachments)

The licensee, or any individual executing this certificate on behalf of the licensee, certifies that:

- 1. No radioactive materials have ever been procured or possessed by the licensee under this license.
- 2. All activities authorized by this license have ceased, and all radioactive materials procured and/or possessed by the licensee under this license number cited above have been disposed of in the following manner.
 - a. Transfer of radioactive materials to the licensee listed below:
*10-19-21, TROXLER ELEC. LABS, REDEATE MESFIN 1-919-485-2227
 NORTH C. GROUND L.L.C. # 032-0182-1*
 - b. Disposal of radioactive materials:
 - 1. Directly by the licensee:
 - 2. By licensed disposal site:
 - 3. By waste contractor:
 - c. All radioactive materials have been removed such that any remaining residual radioactivity is within the limits of 10 CFR Part 20, Subpart E, and is ALARA.

C. SURVEYS PERFORMED AND REPORTED

- 1. A radiation survey was conducted by the licensee. The survey confirms:
 - a. the absence of licensed radioactive materials
 - b. that any remaining residual radioactivity is within the limits of 10 CFR 20, Subpart E, and is ALARA.
- 2. A copy of the radiation survey results:
 - a. is attached; or b. is not attached (Provide explanation); or c. was forwarded to NRC on: _____ Date _____
- 3. A radiation survey is not required as only sealed sources were ever possessed under this license, and
 - a. The results of the latest leak test are attached; and/or
 - b. No leaking sources have ever been identified.

The person to be contacted regarding the information provided on this form:

NAME <i>KYLE GEISE</i>	TITLE <i>MANAGER, RSD</i>	TELEPHONE (include Area Code) <i>260-410-6425</i>	E-MAIL ADDRESS <i>KYLEGEISE@CITYOF FORTWAYNE.ORG</i>
---------------------------	------------------------------	--	---

Mail all future correspondence regarding this license to: *ATTN, KYLE GEISE 200 E. BERRY ST. STE. 210
 FORT WAYNE, IN. 46802*

C. CERTIFYING OFFICIAL
 I CERTIFY UNDER PENALTY OF PERJURY THAT THE FOREGOING IS TRUE AND CORRECT

PRINTED NAME AND TITLE <i>KYLE GEISE, MANAGER TEST LAB</i>	SIGNATURE 	DATE <i>11-3-21</i>
---	---	------------------------

WARNING: FALSE STATEMENTS IN THIS CERTIFICATE MAY BE SUBJECT TO CIVIL AND/OR CRIMINAL PENALTIES. NRC REGULATIONS REQUIRE THAT SUBMISSIONS TO THE NRC BE COMPLETE AND ACCURATE IN ALL MATERIAL RESPECT. 18 U.S.C. SECTION 1001 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.



Troxler Electronic Laboratories, Inc. - Troxler International, Ltd.
3008 Cornwallis Road, P.O. Box 12057, Research Triangle Park, NC 27709 - USA
Telephone: 919/549-8661 Telefax: 919/549/0761

October 19, 2021

City of Fort Wayne
Attn: Kyle Geise
401 E Masterson Avenue
Fort Wayne, IN 46802

Attn: Kyle Geise

This is to acknowledge receipt and transfer of ownership of the nuclear gauge(s) listed below, and the radioactive sources contained therein, to Troxler under North Carolina Radioactive Material License #032-0182-1. You should retain this letter in your files for future reference.

Date Received: 10-13-2021

Job Number	Model	Serial Number
65893/46154	MC3	M351102922
65894/46155	MC3	M390204845

Regards,

Emily Davis

Emily Davis
Service/Repair Department
Troxler Electronics

Cline's Technical Services, Inc.

10883 Cincinnati Zanesville Road - Amanda, Ohio 43102 - Ph: 740.969.2720 Fax: 740.969.2122

Leak Test Report

City of Ft. Wayne
200 Berry St., Ste 210
Ft. Wayne, IN 46802

Model Number: CPN MC 3

Serial Number: M390204845

Isotope: Cs-137 10 mCi
Am-241/Be 50 mCi

Date of test: 04-07-2021

The sample and information above was submitted for leak test analysis.

Analysis date: 04-07-2021

Analysis Number: 6912

Results: Removable Contamination < 1 Becquerel "Bq" or < 2.7027027027027E-05 Ci
(note: < = less than)

Note:

The US Nuclear Regulatory Commission and Agreement States require that the analysis of the wipe from a sealed source be capable of detecting the presence of 185 Becquerel (or 0.005 micro curie) on the sample. { The count on this wipe is below 185 Bq. } The Source is not considered leaking.
This report should be retained for viewing by regulatory agencies.

Signed



Office of Radiation Safety
Ohio Materials License No. 03225230000

Cline's Technical Services, Inc.

10883 Cincinnati Zanesville Road - Amanda, Ohio 43102 - Ph 740.969.2720 Fax 740.969.2122

Leak Test Report

City of Ft. Wayne
200 Berry St., Ste 210
Ft. Wayne, IN 46802

Model Number: CPN MC 3

Serial Number: M351102992

Isotope: Cs-137 10 mCi
Am-241/Be 50 mCi

Date of test: 04-07-2021

The sample and information above was submitted for leak test analysis.

Analysis date: 04-07-2021

Analysis Number: 6913

Results: Removable Contamination < 1 Becquerel "Bq" or < 2.7027027027027E-05 Ci
(note: < = less than)

Note:

The US Nuclear Regulatory Commission and Agreement States require that the analysis of the wipe from a sealed source be capable of detecting the presence of 185 Becquerel (or 0.005 micro curie) on the sample. { The count on this wipe is below 185 Bq. } The Source is not considered leaking.
This report should be retained for viewing by regulatory agencies.

Signed



Office of Radiation Safety
Ohio Materials License No. 03225230000

11-3-21

U.S. Nuclear Regulatory Commission,

To whom it may concern, we (City of Fort Wayne, IN.) have never had any incidents involving leaking, ruptured or lost sealed sources and/or portable gauging devices.

Kyle Geise, Manager Test Lab

200 East Berry Street, Ste.,210

Fort Wayne, IN. 46802

(260)410-6425

From: [Pavon, Martha](#)
To: [Pavon, Sandy](#)
Subject: this one is next - FW: RE: RE: U.S. NRC Materials License No. 13-16526-02
Date: Thursday, November 04, 2021 2:49:13 PM
Attachments: [20211104104419169.pdf](#)

From: Kelly, Jason <Jason.Kelly@nrc.gov>
Sent: Thursday, November 4, 2021 1:47 PM
To: Tomczak, Tammy <Tammy.Tomczak@nrc.gov>
Cc: Pavon, Sandy <Sandy.Pavon@nrc.gov>; Pavon, Martha <Martha.Pavon@nrc.gov>
Subject: FW: RE: RE: U.S. NRC Materials License No. 13-16526-02

Tammy,

Attached is an incoming Termination Request for Materials License No. 13-16526-02 (City of Fort Wayne), Docket No. 03029002. I am currently assigned the license renewal, which is assigned Control No. 628163.

As discussed with Mr. Geise, they are no longer intending to renew the license and would instead like to terminate the license. I am unsure, but I believe that I can continue processing the Termination Request under the existing Control Number. Please advise.

Jason M Kelly, MPH
Health Physicist
U.S. NRC Region III – DNMS MLB
Phone: (630) 829-9737
E-mail: Jason.Kelly@nrc.gov

From: Kyle Geise <Kyle.Geise@cityoffortwayne.org>
Sent: Thursday, November 4, 2021 9:54 AM
To: Kelly, Jason <Jason.Kelly@nrc.gov>
Subject: [External_Sender] RE: RE: U.S. NRC Materials License No. 13-16526-02

Mr. Kelly, Attached is the information you requested. Please let me know if further actions are needed. Thanks,

From: Kelly, Jason <Jason.Kelly@nrc.gov>
Sent: Thursday, October 07, 2021 12:35 PM
To: Kyle Geise <Kyle.Geise@cityoffortwayne.org>
Subject: RE: RE: U.S. NRC Materials License No. 13-16526-02

Mr. Geise:

As discussed, I am attaching a copy of NRC Form 314, "Certificate of Disposition of Radioactive Materials," which I referred to in our conversation. For your convenience, I have also attached a copy of the Timely Filed for Renewal Letter dated August 12, 2021.

Along with completing the above referenced NRC Form 314, please provide:

- Documentation of the Transfer/Disposal of all licensed radioactive materials. Include a copy of the letter provided by the manufacturer/distributor or licensed waste broker confirming receipt of the transferred gauging devices;
- Current Leak Test Reports for all sealed sources and/or portable gauging devices transferred for disposal; and
- Statement confirming that there have not been any incidents involving leaking, ruptured or lost sealed sources and/or portable gauging devices.

You are welcome to submit this information to my attention. If sent by e-mail, please request an e-mail confirmation of its receipt.

Jason M. Kelly, MPH
Health Physicist
Materials Licensing Branch
U.S. Nuclear Regulatory Commission
Region III
2443 Warrenville Road, Suite 210
Lisle, IL 60532-4352
Office: (630) 829-9737
Fax: (630) 515-1078



<http://www.nrc.gov/>

"This year when we contemplate the estate to which the world has been brought by destructive forces, with lawlessness and wanton power ravaging an older civilization, and with our own republic girding itself for the defense of its institutions, we can revitalize our faith and renew our courage by a recollection of the triumph of Columbus after a period of grievous trial." - Franklin D. Roosevelt

From: Kyle Geise <Kyle.Geise@cityoffortwayne.org>

Sent: Thursday, October 7, 2021 9:14 AM
To: Kelly, Jason <Jason.Kelly@nrc.gov>
Subject: [External_Sender] RE: U.S. NRC Materials License No. 13-16526-02

Mr. Kelly, Please give me a call, I have some questions. Thanks, 1-260-410-6425

From: Kelly, Jason <Jason.Kelly@nrc.gov>
Sent: Friday, September 10, 2021 3:15 PM
To: Kyle Geise <Kyle.Geise@cityoffortwayne.org>
Subject: U.S. NRC Materials License No. 13-16526-02

Mr. Geise:

Good afternoon. Attached is a request for additional or clarifying information letter dated September 10, 2021, in reference to your application dated August 12, 2021 for the renewal of U.S. NRC Materials License No. 13-16526-02. I have also attached a fillable form version of Appendix B, "Suggested Format for Providing Information Requested in Items 5 through 11 of U.S. Nuclear Regulatory Commission Form 313," from NUREG-1556, Volume 1, Rev. 2, "Consolidated Guidance About Materials Licenses: Program-Specific Guidance About Portable Gauge Licenses." Please submit your response by October 12, 2021.

It may be helpful to arrange a meeting over Microsoft Teams to review and discuss the request. Please contact me if you would like to arrange for such a meeting.

Due to the ongoing COVID-19 Public Health Emergency, you will not receive a hardcopy of this request for additional information letter. Therefore, please verify that you have received this e-mail and were able to successfully access the attached files. If you have any questions, you may contact me at (630) 829-9737. Thank you.

Jason M. Kelly, MPH
Health Physicist
Materials Licensing Branch
U.S. Nuclear Regulatory Commission
Region III
2443 Warrenville Road, Suite 210
Lisle, IL 60532-4352
Office: (630) 829-9737
Fax: (630) 515-1078



<http://www.nrc.gov/>

"America was not built on fear. America was built on courage, on imagination and an

unbeatable determination to do the job at hand.” - Harry S. Truman

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.