

NRC FORM 591M
10 CFR 2.201

U.S. NUCLEAR REGULATORY COMMISSION

SAFETY INSPECTION REPORT AND COMPLIANCE INSPECTION

1. LICENSEE/LOCATION INSPECTED: Mobridge Regional Hospital and Clinics 1401 10th Avenue West Mobridge, SD 57601 REPORT NO.: 030-13207/2021-001		2. NRC/REGIONAL OFFICE U.S. Nuclear Regulatory Commission Region IV, 1600 East Lamar Blvd. Arlington, Texas 76011-4511	
3. DOCKET NUMBER 030-13207	4. LICENSE NUMBER 40-17711-01	5. DATE(S) OF INSPECTION September 21, 2021	

LICENSEE:

The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector. The inspection findings are as follows:

1. Based on the inspection findings, no violations were identified.
2. Previous violation(s) closed.
3. The violation(s), specifically described to you by the inspector as non-cited violations, are not being cited because they were self-identified, non-repetitive, and corrective action was or is being taken, and the remaining criteria in the NRC Enforcement Policy, to exercise discretion, were satisfied.
- Non-Cited Violation(s) was/were discussed involving the following requirement(s):
4. During this inspection certain of your activities, as described below and/or attached, were in violation of NRC requirements and are being cited in accordance with the NRC Enforcement Policy. This form is a NOTICE OF VIOLATION, which may be subject to posting in accordance with 10 CFR 19.11.

Statement of Corrective Actions

I hereby state that, within 30 days, the actions described by me to the Inspector will be taken to correct the violations identified. This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201 (corrective steps already taken, corrective steps which will be taken, date when full compliance will be achieved). I understand that no further written response to NRC will be required, unless specifically requested.

TITLE	PRINTED NAME	SIGNATURE	DATE
LICENSEE'S REPRESENTATIVE			
NRC INSPECTOR	Luis Nieves	Lizette Roldan-Otero	Digitally signed by Lizette Roldan-Otero Date: 2021.10.20 14:11:55 -05'00'
BRANCH CHIEF	Lizette Roldán-Otero, PhD	Lizette Roldan-Otero	Digitally signed by Lizette Roldan-Otero Date: 2021.10.20 14:12:20 -05'00'

Bischoff, Kyle

From: Casey Huffman ND-Bismarck <casey.huffman@commonspirit.org>
Sent: Wednesday, October 20, 2021 3:44 PM
To: Bischoff, Kyle
Subject: [External_Sender] Re: NRC Inspection of Mobridge Regional Hospital and Clinics

Received, thank you.

On Wed, Oct 20, 2021 at 3:15 PM Bischoff, Kyle <Kyle.Bischoff@nrc.gov> wrote:

USE CAUTION - EXTERNAL EMAIL

Ms. Huffman,

The NRC conducted an inspection of Mobridge Regional Hospital and Clinics on September 21, 2021. As we discussed on October 20, 2021, the inspection did not identify any violations. The enclosed report presents the results of this inspection please review the attached report and maintain a copy for your records.

Please reply to the email acknowledging your receipt.

Also attached is NRC Form 313. If you decide to amend you license to remove the DU possession, please email Carol.Hill@nrc.gov with the completed Form 313.

Thank you,

Kyle Bischoff

Health Physicist

U.S. Nuclear Regulatory Commission

Region IV

Division of Nuclear Materials Safety

Materials Inspection Branch

Office: 817-200-1259

Email: Kyle.Bischoff@nrc.gov

--

Casey Huffman

Director of Diagnostic Imaging

Mobridge Regional Hospital

605-845-8176

Caution: This email is both proprietary and confidential, and not intended for transmission to (or receipt by) any unauthorized person(s). If you believe that you have received this email in error, do not read any attachments. Instead, kindly reply to the sender stating that you have received the message in error. Then destroy it and any attachments. Thank you.