

7 October 2021

Director, Office of Nuclear Safeguards
Attn: Document Control Desk/GLTS
US Nuclear Regulatory Commission
Washington, DC 20555-0001

In fulfillment of the requirements of 10 CFR 31.5 (c) (8), we hereby notify you that on 7 October 2021 we transferred the self-luminous exit signs listed on the attached spreadsheet to Curie Environmental Services, 4020 Vassar Drive NE, Suite D, Albuquerque NM 87107, State of New Mexico Specific License RS500-03.

As required, for each sign listed on the spreadsheet, we include the name of the manufacturer, model number, and serial number.

If you should have any questions, please contact Kelly Sedinger, Store Facilities Technician, Wegmans Food Markets, 370 Orchard Park Rd, West Seneca, NY, 14224.

Sincerely,



Kelly Sedinger

Encl: Tritium (H-3) Exit Sign Inventory

NMSS10
NMSS



General Licensed Exit Signs

TRITIUM (H-3) EXIT SIGN INVENTORY

Generator: Wegmans Customer: Rubicon
 Curie RMA#: Unique ID #:
 Receipt Date: UPS/FedEx #
 Curie Cont. # Box Number: **1 of**

Item #	Manufacturer Name	Mfg. Date	Model #	Serial #	Reference Activity (Ci)	Decayed Activity (Ci) as of October 7, 2021	Comments
1	Isolite Safety Light Corp	12/1/95	2000	ASD1002	7.500	1.75	single-sided
2							
3						0.00	
4						0.00	
5						0.00	
6						0.00	
7						0.00	
8						0.00	
9						0.00	
10						0.00	
11						0.00	
12						0.00	
13						0.00	
14						0.00	
15						0.00	
16						0.00	
17						0.00	
18						0.00	
19						0.00	
20						0.00	
21						0.00	
22						0.00	
23						0.00	
24						0.00	
25						0.00	
26						0.00	
27						0.00	
28						0.00	
29						0.00	
30						0.00	
31						0.00	
Total Package Activity (must be <100 Ci per Curie return kit. Refer to instructions.)						1.75	

NOTES:

For standard architectural exit signs, a maximum of 10 sign faces per box are allowed. Only aircraft articles may be >10 per box.

The customer/generator certifies there are no damaged or compromised exit signs in this container and all Curie packaging procedures have been followed. Additional surcharges will be assessed if undeclared damaged or compromised exit signs are present in the container upon receipt by Curie.