

UNITED STATES COURT OF APPEALS FOR THE TENTH CIRCUIT

Byron White United States Courthouse
1823 Stout Street
Denver, Colorado 80257
(303) 844-3157
Clerk@ca10.uscourts.gov

Christopher M. Wolpert
Clerk of Court

Jane K. Castro
Chief Deputy Clerk

November 30, 2021

Bruce C. Baizel
New Mexico Environment Department
Office of General Counsel
1190 South Saint Francis Drive
P.O. Box 5469
Santa Fe, NM 87502

William Gregory Grantham
Office of the Attorney General for the State of New Mexico
201 Third Street NW, Suite 300
Albuquerque, NM 87102

P. Cholla Khoury
Zachary E. Ogaz
Office of the Attorney General for the State of New Mexico
P.O. Drawer 1508
Santa Fe, NM 87501

**RE: 21-9593, Balderas, et al v. United States Nuclear Regulatory Commission,
et al**
Dist/Ag docket: 72-1050

Dear Appellant:

You have failed to comply with the requirements of the Federal Rules of Appellate Procedure or Tenth Circuit Rules in the following respect:

An entry of appearance has not been filed as required by 10th Cir. R. 46.1.

Please correct the stated deficiency within three days of the date of this notice. Please note that if the document is not filed, it is possible the appeal could be dismissed for failure to prosecute under 10th Cir. R. 42.1.

Please contact this office if you have questions.

Sincerely,

A handwritten signature in black ink, appearing to read 'C. Wolpert', with a long horizontal flourish extending to the right.

Christopher M. Wolpert
Clerk of Court

cc: Andrew Averbach
Justin Heminger
Marian Zobler

CMW/sds