

December 3, 2021

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

BEFORE THE ATOMIC SAFETY AND LICENSING BOARD

In the Matter of

DUKE ENERGY CAROLINAS, LLC

(Oconee Nuclear Station, Units 1, 2, and 3

Docket No. 50-269, 50-270,
and 50-287-SLR

JOINT MOTION FOR CORRECTION OF THE OFFICIAL TRANSCRIPT OF THE ORAL
ARGUMENT HELD ON NOVEMBER 16, 2021

In accordance with 10 C.F.R. §§ 2.323(a) and 2.327(d), the U.S. Nuclear Regulatory Commission (NRC) Staff, Beyond Nuclear, the Sierra Club, and Duke Energy Carolinas, LLC (collectively, the Participants), request that the Board issue an Order correcting the official transcript of the oral argument held on November 16, 2021, as set forth in the “errata” listed in Attachment 1 to this motion. The Participants submit that these corrections are necessary to ensure that the transcript accurately reflects the statements made during the oral argument. Each of the Participants has authorized the Staff to state that they join in this motion.

/Signed (electronically) by/

Mary Frances Woods
Counsel for NRC Staff
Mail Stop: O-14-A44
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001
Telephone: 301-287-3514
E-mail: Mary.Woods@nrc.gov

Dated in Rockville, MD
this 3rd day of December 2021

CONSULTATION CERTIFICATION

Pursuant to 10 C.F.R. § 2.323(b), I hereby certify that the Staff has made a sincere effort to contact the other participants in this proceeding and resolve the issues raised in the above motion and that all participants have joined in this motion.

/Signed (electronically) by/

Mary Frances Woods
Counsel for NRC Staff
Mail Stop: O-14-A44
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001
Telephone: 301-287-3514
E-mail: Mary.Woods@nrc.gov

Dated in Rockville, MD
this 3rd day of December 2021

ATTACHMENT 1
OFFICIAL TRANSCRIPT ERRATA SHEET

In the Matter of Duke Energy Carolinas, LLC (Oconee Nuclear Station, Units 1, 2, and 3)
Docket Nos. 50-269, 50-270 & 50-287-SLR

November 16, 2021 Oral Argument

| Page | Line | Now Reads | Should Read | Speaker |
|------|-------|---|--|----------|
| 2 | 11 | [Blank] | TRACEY M. LEROY, ESQ. of: Duke Energy Corporation 4720 Piedmont Row Drive Charlotte, NC 28210 (704) 382-8317 tracey.leroy@duke-energy.com | N/A |
| 3 | 1-6 | PAUL VERNON GUNTER, ESQ. 7304 Carroll Avenue Suite 182 Takoma Park MD 20912 301-270-2209 paul@beyondnuclear.org | [Blank] | N/A |
| 5 | 9 | Environment | Environmental | BOLLWERK |
| 6 | 7 | 51.53(c)(3)(I) | 51.53(c)(3)(i) | BOLLWERK |
| 6 | 19 | against | again | BOLLWERK |
| 7 | 11 | designed | designated | BOLLWERK |
| 8 | 12 | of Reactor | of the Reactor | CURRAN |
| 8 | 14 | Mittman | Mitman | CURRAN |
| 8 | 23 | Tracy | Tracey | LIGHTY |
| 9 | 1 | Wood | Woods | N/A |
| 9 | 2 | Wood | Woods | WOODS |
| 9 | 12 | Wood | Woods | N/A |
| 13 | 16 | Mittman | Mitman | CURRAN |
| 14 | 6 | 7(b)(8) | 78 | CURRAN |
| 15 | 1 | page | pages | CURRAN |
| 15 | 15-16 | range of values. The Staff | No new paragraph | CURRAN |
| 16 | 13 | safety, | safety | CURRAN |
| 17 | 20 | protection, | protection | CURRAN |
| 18 | 19 | Mittman | Mitman | CURRAN |
| 19 | 13 | Mittman | Mitman | CURRAN |
| 19 | 17 | events in-depth | defense-in-depth | CURRAN |
| 19 | 19 | the Jocassee best-estimate | the best-estimate | CURRAN |
| 19 | 20 | failure, | failure | CURRAN |
| 20 | 1 | Act, | Act | CURRAN |
| 20 | 11 | there is, as Mr. | as Mr. | CURRAN |
| 20 | 11 | Mittman | Mitman | CURRAN |
| 20 | 16 | severe low-likelihood | severe or low-likelihood | CURRAN |
| 20 | 17 | that's generally | that are generally | CURRAN |
| 20 | 20 | COI | CLI | CURRAN |

| | | | | |
|----|----|----------------------|--------------------------------|--------|
| 20 | 24 | regulations, | regulations | CURRAN |
| 22 | 3 | exists | exists | CURRAN |
| 22 | 9 | probability is | probability as | CURRAN |
| 22 | 10 | Mittman | Mitman | CURRAN |
| 22 | 17 | Mittman | Mitman | CURRAN |
| 22 | 18 | Mittman | Mitman | CURRAN |
| 22 | 23 | Mittman | Mitman | CURRAN |
| 23 | 6 | docketing | docketed | CURRAN |
| 23 | 18 | Mittman | Mitman | CURRAN |
| 24 | 6 | Mittman | Mitman | CURRAN |
| 24 | 12 | Mittman | Mitman | CURRAN |
| 25 | 2 | providence | provenance | CURRAN |
| 25 | 17 | Mittman | Mitman | CURRAN |
| 28 | 3 | 5.9(e) | 5.9E | LIGHTY |
| 28 | 13 | Mittman | Mitman | LIGHTY |
| 29 | 15 | 5.9(e) | 5.9E | LIGHTY |
| 29 | 24 | Mittman | Mitman | LIGHTY |
| 30 | 6 | Mittman | Mitman | LIGHTY |
| 30 | 8 | inference | inputs | LIGHTY |
| 31 | 6 | there no | there are no | LIGHTY |
| 31 | 24 | Cal | CAL | LIGHTY |
| 32 | 20 | Dukes | Duke's | LIGHTY |
| 34 | 1 | a NEPA as | NEPA as | LIGHTY |
| 34 | 3 | Mittman | Mitman | LIGHTY |
| 34 | 11 | Petitioners | Petitioners' | LIGHTY |
| 34 | 16 | suggests | suggest | LIGHTY |
| 35 | 13 | Wood | Woods | N/A |
| 35 | 15 | Wood | Woods | WOODS |
| 35 | 22 | it | Duke | WOODS |
| 35 | 24 | ADA | AEA | WOODS |
| 36 | 17 | finding | findings | WOODS |
| 36 | 22 | regulation | regulations | WOODS |
| 37 | 16 | plans | plants | WOODS |
| 38 | 17 | permit | from a | WOODS |
| 39 | 6 | plus the | whereas | WOODS |
| 39 | 7 | also | only | WOODS |
| 39 | 14 | a | are | WOODS |
| 39 | 15 | by class of facility | to a large class of facilities | WOODS |
| 40 | 18 | Contingencies | contentions | WOODS |
| 41 | 1 | provided | provided an | WOODS |
| 41 | 3 | of | of this | WOODS |
| 41 | 8 | issue to | issue material to | WOODS |
| 41 | 9 | there are | they raise | WOODS |
| 41 | 12 | proofed | grouped | WOODS |
| 44 | 13 | licensing-supported | licensee's purported | WOODS |

| | | | | |
|----|----|----------------------|-------------------|-----------|
| 44 | 18 | excluded | exclude it | WOODS |
| 44 | 23 | environment | environmental | WOODS |
| 44 | 25 | recently | reasonably | WOODS |
| 45 | 8 | guide | GEIS | WOODS |
| 45 | 11 | a 2013 guide | the 2013 GEIS | WOODS |
| 45 | 13 | to | through | WOODS |
| 45 | 14 | another | and other | WOODS |
| 45 | 17 | currently | current | WOODS |
| 46 | 16 | appropriate | appropriately | WOODS |
| 46 | 19 | guide | GEIS | WOODS |
| 47 | 14 | (audio interference) | must point | WOODS |
| 47 | 19 | obviously | obvious ways | WOODS |
| 47 | 23 | negative | mitigative | WOODS |
| 48 | 3 | this | this aspect of | WOODS |
| 48 | 15 | argument to | arguments or | WOODS |
| 52 | 10 | SAMA's | SAMA | CURRAN |
| 52 | 11 | cost effective | cost-effective | CURRAN |
| 52 | 12 | cost effective | cost-effective, | CURRAN |
| 52 | 20 | Mittman | Mitman | CURRAN |
| 53 | 6 | The NEPA | NEPA | CURRAN |
| 54 | 18 | Wood | Woods | BOLLWERK |
| 55 | 24 | guidance | GEIS | WOODS |
| 56 | 11 | guide | GEIS | WOODS |
| 57 | 7 | the -- | it's insufficient | LIGHTY |
| 57 | 17 | making | rulemaking | LIGHTY |
| 59 | 9 | Mittman | Mitman | CURRAN |
| 61 | 11 | JUDGE ARNOLD | CHAIRMAN BOLLWERK | N/A |
| 63 | 18 | Wood | Woods | BOLLWERK |
| 72 | 20 | Wood | Woods | BOLLWERK |
| 76 | 25 | Wood | Woods | CURRAN |
| 78 | 7 | 2018 | 2008 | LIGHTY |
| 78 | 9 | that CAL | and the CAL | LIGHTY |
| 79 | 12 | It is avoided | It is avoided, | CURRAN |
| 83 | 6 | (audio interference) | those | LIGHTY |
| 83 | 7 | commitments that are | commitments are | LIGHTY |
| 86 | 14 | no sum determination | a determination | CURRAN |
| 88 | 8 | Mittman | Mitman | TRIKOUROS |
| 90 | 6 | dyke | dike | CURRAN |
| 90 | 22 | (audio interference) | must be used | LIGHTY |
| 91 | 1 | (audio interference) | Mitman | LIGHTY |
| 91 | 6 | Mittman | Mitman | TRIKOUROS |
| 92 | 7 | you guys got | you guys have got | CURRAN |
| 92 | 17 | Wood | Woods | N/A |
| 93 | 3 | Wood | Woods | N/A |
| 93 | 5 | Wood | Woods | N/A |

| | | | | |
|-----|-------|---------------------------------------|---------------------------|-----------|
| 93 | 6 | patient | patience | WOODS |
| 93 | 15 | Wood | Woods | N/A |
| 93 | 22 | Wood | Woods | N/A |
| 94 | 2 | Wood | Woods | N/A |
| 95 | 16 | only then proceeded | only until superseded | LIGHTY |
| 96 | 24 | alternative to complying | alternative for complying | LIGHTY |
| 98 | 10 | G, | GEIS, | CURRAN |
| 98 | 11-12 | Act based | Act-based | CURRAN |
| 98 | 20 | setup | set up | CURRAN |
| 99 | 9 | Mittman | Mitman | CURRAN |
| 99 | 16 | Mittman | Mitman | TRIKOUROS |
| 101 | 5 | Mittman | Mitman | TRIKOUROS |
| 101 | 11 | Mittman | Mitman | CURRAN |
| 101 | 16 | exists | exist | BOLLWERK |
| 101 | 21 | something else? | something else. | CURRAN |
| 102 | 20 | Mittman | Mitman | CURRAN |
| 104 | 1 | Wood | Woods | N/A |
| 104 | 25 | Wood | Woods | N/A |
| 105 | 3 | Wood | Woods | N/A |
| 105 | 25 | Wood | Woods | N/A |
| 107 | 2 | Lights | Lighty | TRIKOUROS |
| 107 | 14 | Mittman | Mitman | LIGHTY |
| 109 | 9 | safety (audio interference) - - it | safety evaluation that | LIGHTY |
| 109 | 10 | and that the | and then the | LIGHTY |
| 109 | 10 | its intents | its intent | LIGHTY |
| 109 | 11 | the perform | perform | LIGHTY |
| 109 | 11 | that issues | that issue | LIGHTY |
| 109 | 14 | Wood | Woods | N/A |
| 109 | 17 | Wood | Woods | N/A |
| 109 | 25 | Wood | Woods | N/A |
| 110 | 4 | Wood | Woods | N/A |
| 110 | 12 | Wood | Woods | N/A |
| 110 | 17 | Wood | Woods | N/A |
| 111 | 2 | Wood | Woods | N/A |
| 111 | 3 | evaluations | evaluation | WOODS |
| 111 | 10 | Wood | Woods | N/A |
| 111 | 24 | Oconee | Oconee, | CURRAN |
| 112 | 5 | or while it | from what it | CURRAN |
| 112 | 23 | Wood | Woods | N/A |
| 113 | 7 | Wood | Woods | N/A |
| 113 | 13 | Mittman | Mitman | ARNOLD |
| 114 | 16 | Mittman | Mitman | ARNOLD |
| 114 | 20 | Mittman | Mitman | ARNOLD |
| 115 | 23 | Mittman | Mitman | LIGHTY |

| | | | | |
|-----|----|-----------------|------------------|--------|
| 116 | 1 | Mittman | Mitman | LIGHTY |
| 118 | 2 | due to position | Duke's position | LIGHTY |
| 121 | 8 | Wood | Woods | N/A |
| 121 | 10 | Wood | Woods | N/A |
| 129 | 14 | detection | Protection | CURRAN |
| 129 | 25 | that the | to find that the | CURRAN |
| 130 | 22 | mergers, | measures, | CURRAN |
| 131 | 8 | Wood | Woods | N/A |
| 131 | 11 | lengths | length | WOODS |
| 131 | 16 | extension of | extensive | WOODS |

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

BEFORE THE ATOMIC SAFETY AND LICENSING BOARD

In the Matter of

DUKE ENERGY CAROLINAS, LLC

(Oconee Nuclear Station, Units 1, 2, and 3

Docket No. 50-269, 50-270,
and 50-287-SLR

Certificate of Service

Pursuant to 10 C.F.R § 2.305, I hereby certify that copies of the foregoing "JOINT MOTION FOR CORRECTION OF THE OFFICIAL TRANSCRIPT OF THE ORAL ARGUMENT HELD ON NOVEMBER 16, 2021," dated December 3, 2021, have been served upon the Electronic Information Exchange (the NRC's E-Filing System), in the captioned proceeding, this 3rd day of December 2021.

/Signed (electronically) by/

Mary Frances Woods
Counsel for NRC Staff
Mail Stop: O-14-A44
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001
Telephone: 301-287-3514
E-mail: Mary.Woods@nrc.gov

Dated in Rockville, MD
this 3rd day of December 2021