NRC FORM 374 PAGE 1 OF 5 PAGES U.S. NUCLEAR REGULATORY COMMISSION Amendment No. 7 MATERIALS LICENSE Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below. Licensee In accordance with letter dated 4. Expiration Date: January 31, 2035 November 09, 2021, 1. M. K. Weeden Construction, Inc. EAK KEG 5. Docket No.: 030-38169 2. Highway 87 West 3. License No.: 25-29366-01 is Reference No.: P.O. Box 1164 amended in its entirety to read as Lewistown, MT 59457 follows: Byproduct, source, 7. Chemical and/or physical form 9. Authorized use 6. 8. Maximum amount that licensee and/or special nuclear may possess at any one time material under this license A. Cesium-137 A. Sealed Sources (AEA A. 9 millicuries per source A. For use in Troxler Electronic and 18 millicuries total Technology/QSA, Inc., Model Laboratories Model 3400 Series CDCW556; Isotope Product portable gauging devices for Laboratories, Model HEG-137) measuring physical properties of materials 44 millicuries per source B. Sealed Neutron Source (AEA B. Americium-241/ Β. B. For use in Troxler Electronic Technology/QSA, Inc., Model and 88 millicuries total Beryllium Laboratories Model 3400 Series AMNV.997; Isotope Product portable gauging devices for Laboratories. Model 3021: measuring physical properties of 3027; Am1.NO2) materials.

IRC FORM 374A	U.S. NUCLEAR REGULATORY	COMMISSION PAGE 2 OF 5 PAGES
MATERIALS LICENSE	License No.: 25-29366-01	Docket or Reference No.: 030-38169
SUPPLEMENTARY SHEET	Amendment No. 7	
	CONDITIONS	
0. Licensed material may be used or sto		at: vay 87 West, Lewistown, Montana, 59457.
		ear Regulatory Commission maintains jurisdiction for regulating
the use of licensed material, inclu	ding areas of exclusive Federal jurisdi	ction within Agreement States.
controlling the job site in question	to determine whether the proposed jo	b site is an area of exclusive Federal jurisdiction. Authorizatio
for use of radioactive materials at appropriate state regulatory agen		er exclusive Federal jurisdiction shall be obtained from the
•	ated September 24, 2019. The license	physical presence of, individuals who have received the e shall maintain records of individuals designated as users for
2. The Radiation Safety Officer (RSO) fo	or this license is Mike Kindzerski.	NOIS
registration issued by the U.S. Nu	clear Regulatory Commission under 1	vals not to exceed the intervals specified in the certificate of 0 CFR 32.210 or by an Agreement State. In the absence of a r contamination at intervals not to exceed 6 months, or at such
of registration issued by the U.S.	Nuclear Regulatory Commission unde	t has been made within the intervals specified in the certificate r 10 CFR 32.210 or by an Agreement State, prior to the into use until tested and the test results received.

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMMISSION		PAGE 3 OF 5 PAGES
MATERIALS LICENSE	License No.: 25-29366-01	Docket or Reference No.: 030-38169	
SUPPLEMENTARY SHEET	Amendment No. 7		
use or transferred to another perso	if they are in storage and are not being u n, and have not been tested within the re- stored for a period of more than 10 years	quired leak test interval, they sh	all be tested before use or

- D. The leak test shall be capable of detecting the presence of 185 becquerels (0.005 microcuries) of radioactive material on the test sample. If the test reveals the presence of 185 becquerels (0.005 microcuries) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- E. Analysis of leak test samples and/or contamination shall be performed by persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services. The licensee is authorized to collect leak test samples but not perform the analysis.
- F. Records of leak test results shall be kept in units of becquerels (microcuries) and shall be maintained for 3 years.
- 14. Sealed sources or source rods containing licensed material shall not be opened or sources removed from source holders or detached from source rods by the licensee, except as specifically authorized.
- 15. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 3 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
- 16. Except for maintaining labeling as required by 10 CFR Part 20, or Part 71, the licensee shall obtain authorization from the U.S. Nuclear Regulatory Commission before making any changes in the sealed source, device, or source-device combination that would alter the description or specifications as indicated in the respective certificate of registration issued either by the U.S. Nuclear Regulatory Commission pursuant to 10 CFR 32.210 or by an Agreement State.

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMMISSION		PAGE 4 OF 5 PAGES
MATERIALS LICENSE SUPPLEMENTARY SHEET	License No.: 25-29366-01	Docket or Reference No.: 030-38169	
	Amendment No. 7		

- 17. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport or storage, or when not under the direct surveillance of an authorized user.
- 18. Any cleaning, maintenance, or repair of the gauge(s) that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- 19. Operating, emergency, and security procedures will be developed, implemented, and maintained and will meet the criteria in section 8.10.6, "Radiation Safety Program Operating, Emergency, and Security Procedures," NUREG-1556, Volume 1, Revision 2, "Consolidated Guidance About Materials Licenses: Program-Specific Guidance About Portable Gauge Licenses." Copies of these procedures will be provided to all gauge users and will be available at each jobsite.



NRC FORM 374A	U.S. NUCLEAR REGULATORY COMMISSION		PAGE 5 OF 5 PAGES
MATERIALS LICENSE	License No.: 25-29366-01	Docket or Reference No.:	
SUPPLEMENTARY SHEET	Amendment No. 7	030-38169	

20. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

EININ YUW

- A. Letter dated January 23, 2010 with enclosed diagram (ML100470445)
- B. Application dated September 24, 2019 (ML19289D616)

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date: December 17, 2021

By	
----	--

Casey Alldredge Region 4