NRC FORM 374

PAGE 1 OF 6 PAGES Amendment No. 6

U.S. NUCLEAR REGULATORY COMMISSION

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

1. 2.	Licen Knik Construction 44482 Frontier Avenue Soldotna, AK 99669	see	In accordance with letter dated October 13, 2021, 3. License No.: 50-35114-01 is amended in its entirety to read as follows:	5. Dock	ration Date: December 31, 2023 tet No.: 030-38694 rence No.:
6.	Byproduct, source, and/or special nuclear material	7. Chemical and/or physical f	form 8. Maximum amount that lice may possess at any one tin under this license		Authorized use
А.	Cesium-137	A. Sealed Sources (AEA Technology/QSA, Inc., N CDCW556; Isotope Pro Laboratories, Model HE	duct		For use in Troxler Electronic Laboratories Model 3400 Series portable gauging devices for measuring physical properties of materials.
В.	Americium-241/ Beryllium	 B. Sealed Neutron Source Technology/QSA, Inc., N AMNV.997; Isotope Pro Laboratories, Model AM 3021, or 3027) 	Model and 440 millicuries total	B.	For use in Troxler Electronic Laboratories Model 3400 Series portable gauging devices for measuring physical properties of materials.
C.	Californium-252	 C. Sealed Neutron Source Technologies, Model CV Capsule Type X.1; Isoto Product Laboratories, M HEG-252) 	/N.1, and 66 microcuries total	ce C.	For use in Troxler Electronic Laboratories Model 3400 Series portable gauging devices for measuring physical properties of materials.

NRC	NRC FORM 374A U.S. NUCLEAR REGULATORY COMMISSION PAGE 2 OF 6 PAGES						
MATERIALS LICENSE SUPPLEMENTARY SHEET		030		Docket or Reference No.: 030-38694		e No.:	
		Amendment No. 6					
6.	Byproduct, source, and/or special nuclear material	7. Chemical and	l/or physical form		ount that licensee at any one time nse	9.	Authorized use
D.	Americium-241/ Beryllium		ron Source Corporation, Model or AMNV.339)	D. 110 millicurie and 550 millio		D.	For use in Troxler Electronic Laboratories Model 3241-C portable gauging devices for measuring physical properties of materials.
E.	Cesium-137	CDC.805; Is	ces (AEA QSA, Inc., Model otope Product , Model HEG-137)	E. 11 millicuries and 22 millicu		E.	For use in Humboldt Scientific, Inc., Model 5001EZ portable gauging devices for measuring physical properties of materials.
F.	Americium-241/ Beryllium	Technology/ AMN.V997;	ron Source (AEA QSA, Inc., Model Isotope Product , Model Am1.NO2)	F. 44 millicuries and 88 millicu		F.	For use in Humboldt Scientific, Inc., Model 5001EZ portable gauging devices for measuring physical properties of materials.
					NOIS		

NRC FORM 374A	U.S. NUCLEAR REGULATORY	ORY COMMISSION PAGE 3 OF 6	
	License No.: 50-35114-01	Docket or Reference No .:	
MATERIALS LICENSE	030-38694		
SUPPLEMENTARY SHEET	Amendment No. 6		

CONDITIONS

- 10. Licensed material may be used or stored at the licensee's facilities located at:
 - A. 1171 Old First Avenue, Bethel, Alaska 99559;
 - B. 44482 Frontier Avenue, Soldotna, Alaska 99669; and
 - D. Licensed material may be used at temporary job sites anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material, including areas of exclusive Federal jurisdiction within Agreement States.

If the jurisdiction status of a Federal facility within an Agreement State is unknown, the licensee should contact the Federal agency controlling the job site in question to determine whether the proposed job site is an area of exclusive Federal jurisdiction. Authorization for use of radioactive materials at job sites in Agreement States not under exclusive Federal jurisdiction shall be obtained from the appropriate state regulatory agency.

- 11. Licensed material shall only be used by, or under the supervision and in the physical presence of, individuals who have received the training described in the e-mail with attachments received November 13, 2013. The licensee shall maintain records of individuals designated as users for 3 years following the last use of licensed material by the individual.
- 12. The Radiation Safety Officer (RSO) for this license is Scott C. Judah, P.E.
- 13. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State. In the absence of a registration certificate, sealed sources shall be tested for leakage and/or contamination at intervals not to exceed 6 months, or at such other intervals as specified.
 - B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.

FORM 374A	U.S. NUCLEAR REGULATORY COMMISSION		PAGE 4 OF 6 PAGES
MATERIALS LICENSE	License No.: 50-35114-01 Docket or Reference 030-38694		
SUPPLEMENTARY SHEET	Amendment No. 6		
C. Sealed sources need not be test	ed if they are in storage and are not be	aing used. However, when they are re	emoved from storage for
	son, and have not been tested within t be stored for a period of more than 10	he required leak test interval, they sh	all be tested before use or
transfer. No sealed source shallD. The leak test shall be capable of sample. If the test reveals the prefiled with the U.S. Nuclear Regul	son, and have not been tested within t	he required leak test interval, they sh years without being tested for leakag rels (0.005 microcuries) of radioactiv ocuries) or more of removable contan 10 CFR 30.50(c)(2), and the source s	hall be tested before use or ge and/or contamination. re material on the test nination, a report shall be shall be removed

- 14. Sealed sources or source rods containing licensed material shall not be opened or sources removed from source holders or detached from source rods by the licensee, except as specifically authorized.
- 15. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 3 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
- 16. Except for maintaining labeling as required by 10 CFR Part 20, or Part 71, the licensee shall obtain authorization from the U.S. Nuclear Regulatory Commission before making any changes in the sealed source, device, or source-device combination that would alter the description or specifications as indicated in the respective certificate of registration issued either by the U.S. Nuclear Regulatory Commission pursuant to 10 CFR 32.210 or by an Agreement State.

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMM	PAGE 5 OF 6 PAGES	
MATERIALS LICENSE	License No.: 50-35114-01	Docket or Reference No.:	
SUPPLEMENTARY SHEET	Amendment No. 6	030-38694	

- 17. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport or storage, or when not under the direct surveillance of an authorized user.
- 18. Any cleaning, maintenance, or repair of the gauge(s) that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.



NRC FORM 374A	U.S. NUCLEAR REGULATORY COMM	PAGE 6 OF 6 PAGES	
	License No.: 50-35114-01	Docket or Reference No .:	
MATERIALS LICENSE		030-38694	
SUPPLEMENTARY SHEET	Amendment No. 6		
		I	

19. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

No XALAY

- A. Application dated July 31, 2013 (ML13281A912)
- B. E-mail with attachments received November 13, 2013 (ML13324A263)
- C. Letter dated November 17, 2013 (ML13352A080)
- D. Letter dated January 16, 2018 (ML18031B164)
- E. E-mail dated March 26, 2018 with attachment (ML18086A500)
- F. Delegation of authority memorandum dated February 18, 2019 (ML19066A144)
- G. Letter dated December 13, 2019 (ML19360A175)

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date: December 20, 2021

By:

Michelle R. Simmons Region 4

ONWWISSI