


MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p>Licensee</p> <p>1. DCS Corporation</p> <p>2. 6525 Center Dr. Sterling Heights, MI 48312</p>		<p>In accordance with letter dated October 26, 2021,</p>	<p>4. Expiration Date: September 30, 2027</p>
		<p>3. License No.: SUB-1603 is amended in its entirety to read as follows:</p>	<p>5. Docket No.: 040-38362 Reference No.:</p>
<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Uranium- depleted in Uranium-235</p>	<p>7. Chemical and/or physical form</p> <p>A. Solid</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. 4000 kilograms total</p>	<p>9. Authorized use</p> <p>A. For possession and storage incident to the receiving of Abrams M1A1/M1A2 tanks with depleted uranium armor.</p>



**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.: SUB-1603

Docket or Reference No.:
040-38362

Amendment No. 9

CONDITIONS

10. Licensed material shall be used or stored at the licensee's facilities located at: 6525 Center Dr., Sterling Heights, Michigan, 48312.
11. The Radiation Safety Officer (RSO) for this license is Michael Nelson.
12. Licensed material shall be possessed under the supervision of Donald Masters.
13. The licensee shall notify the U.S. Nuclear Regulatory Commission, Chief, Materials Licensing Branch, Division of Nuclear Materials Safety, Region III Office, 2443 Warrenville Road, Suite 210, Lisle, IL 60532, in writing, at least 30 days prior to receiving radioactive materials at the location of use listed in Condition 10.
14. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 3 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
 - A. Application dated March 27, 2017 (ML17090A346)
 - B. Letter dated August 2, 2017 (ML17215A208)

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.: SUB-1603

Docket or Reference No.:
040-38362

Amendment No. 9

- C. Letter dated January 24, 2018 (ML18024A452)
- D. Letter dated June 11, 2020 (ML20167A116)
- E. Letter dated May 11, 2021 (ML21131A156)
- F. Letter dated August 2, 2021 (ML21217A167)
- G. Letter dated December 22, 2021 (ML22003A158)
- H. Letter dated January 4, 2022 (ML22004A131)



FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date: January 13, 2022

By: _____

Frank P. D. Tran
Region 3