



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION III  
2443 WARRENVILLE RD. SUITE 210  
LISLE, IL 60532-4352

January 21, 2022

William E. Anderson  
Radiation Safety Officer  
Anderson & Associates Consulting Engineers, LLC  
10990 Greenlefe Dr.  
Rolla, MO 65401

SUBJECT: TERMINATION OF RADIOACTIVE MATERIALS LICENSE FOR ANDERSON & ASSOCIATES CONSULTING ENGINEERS, LLC, NRC LICENSE NO. 24-20371-01

Dear Mr. Anderson,

Enclosed is Amendment No. 9 to your U.S. Nuclear Regulatory Commission (NRC) Material License No. 24-20371-01 for Anderson & Associates Consulting Engineers, LLC in accordance with your request dated November 10, 2021 to terminate the license.

In your requests dated November 10, 2021 and December 2, 2021, you provided information pertaining to the use of radioactive material at 1511 Watts Dr., Rolla, Missouri. You also confirmed that all residual licensed material used at this location of use had been removed – such that any remaining residual radioactivity is within the limits of Title 10 of the *Code of Federal Regulations* (10 CFR) Part 20, Subpart E.

Based on its review of information contained in the requests dated November 10, 2021 and December 2, 2021, the staff has concluded that all licensable radioactive material has been removed from the location of use at 1511 Watts Dr., Rolla, Missouri 65401 and residual radioactive material attributable to licensed activities in this location of use does not exceed current NRC criteria. Based on these conclusions, no further remediation or action with respect to NRC regulated material is required. The location of use at 1511 Watts Dr., Rolla, Missouri is suitable for unrestricted use and NRC License No. 24-20371-01 is hereby terminated.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the NRC Region III office at (630) 829-9887 so that we may provide appropriate corrections and answers.

An environmental assessment for this action is not required because this action is categorically excluded under 10 CFR Section 51.22(c).

W. Anderson

-2-

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice and Procedure," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's ADAMS, accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

Magdalena R. Gryglak  
Health Physicist  
Materials Licensing Branch

License No. 24-20371-01  
Docket No. 030-18311  
Control No. 629168

Enclosure: Amendment No. 9 to NRC License No. 24-20371-01