



Savannah River
National Laboratory®

A U.S. DEPARTMENT OF ENERGY NATIONAL LAB • SAVANNAH RIVER SITE • AIKEN, SC • USA

Results for the September Bimonthly Calendar Year 2021 Tank 50 Salt Solution Sample

C. L. Crawford

January 2022

SRNL-STI-2021-00632, Revision 0

SRNL.DOE.GOV

DISCLAIMER

This work was prepared under an agreement with and funded by the U.S. Government. Neither the U.S. Government or its employees, nor any of its contractors, subcontractors or their employees, makes any express or implied:

1. warranty or assumes any legal liability for the accuracy, completeness, or for the use or results of such use of any information, product, or process disclosed; or
2. representation that such use or results of such use would not infringe privately owned rights; or
3. endorsement or recommendation of any specifically identified commercial product, process, or service.

Any views and opinions of authors expressed in this work do not necessarily state or reflect those of the United States Government, or its contractors, or subcontractors.

Printed in the United States of America

**Prepared for
U.S. Department of Energy**

Keywords: *Tank 50, Waste Acceptance
Criteria, Saltstone*

Retention: *Permanent*

Results for the September Bimonthly Calendar Year 2021 Tank 50 Salt Solution Sample

C. L. Crawford

January 2022

Savannah River National Laboratory is operated by
Battelle Savannah River Alliance for the U.S. Department
of Energy under Contract No. 89303321CEM000080.



REVIEWS AND APPROVALS

AUTHOR:

CHARLES CRAWFORD (Affiliate) Digitally signed by CHARLES CRAWFORD (Affiliate)
Date: 2022.01.03 11:48:35 -05'00'

C. L. Crawford, Author, Applied Materials Research

TECHNICAL REVIEW:

JONATHAN CHRISTIAN (Affiliate) Digitally signed by JONATHAN CHRISTIAN (Affiliate)
Date: 2022.01.03 14:47:28 -05'00'

J. H. Christian, Separation Sciences & Engineering, Reviewed per E7 2.60

APPROVAL:

ALEX COZZI (Affiliate) Digitally signed by ALEX COZZI (Affiliate)
Date: 2022.01.03 14:43:16 -05'00'

A. D. Cozzi, Manager
Applied Materials Research

FRANK PENNEBAKER (Affiliate) Digitally signed by FRANK PENNEBAKER (Affiliate)
Date: 2022.01.03 16:41:49 -05'00'

F. M. Pennebaker, Director
Chemical Processing

THOMAS HUFF (Affiliate) Digitally signed by THOMAS HUFF (Affiliate)
Date: 2022.01.11 09:45:08 -05'00'

T. H. Huff, Manager
DWPF and Saltstone Facility Engineering

RICHARD EDWARDS (Affiliate) Digitally signed by RICHARD EDWARDS (Affiliate)
Date: 2022.01.12 14:06:30 -05'00'

R. E. Edwards, Manager
Nuclear Safety and Engineering Integration

EXECUTIVE SUMMARY

In this Technical Report, the chemical and radionuclide contaminant results from the 2021 September bimonthly sample of Tank 50 salt solution are presented in tabulated form. The information from this characterization will be used by Savannah River Remediation (SRR) for the transfer of aqueous waste from Tank 50 to the Saltstone Production Facility (SPF), where the waste will be treated and disposed in the Saltstone Disposal Facility. This Technical Report compares results, where applicable, to SPF Waste Acceptance Criteria (WAC) Limits and Targets that were established at the time the Tank 50 sample was obtained.¹ The chemical and radionuclide contaminant results from the characterization of the 2021 September bimonthly sampling of Tank 50 were requested by SRR personnel via a Task Technical Request (TTR)² and details of the testing are presented in the Savannah River National Laboratory (SRNL) Task Technical and Quality Assurance Plan (TTQAP).³ This Technical Report is the TTR deliverable relating Salt Solution Analysis from the SRR request.²

The following facts pertaining to the WAC are drawn from the analytical results provided in this report.

- WAC Targets or Limits were met for all analyzed chemical and radioactive contaminants for which the detection limits are below the WAC Targets or Limits.¹
- Measured concentrations of nitrate, nitrite and total mercury are approximately 23%, 11% and 17% of the WAC Limits, respectively.
- Measured concentrations of Tc-99 and I-129 are approximately 18% and 22% of the WAC Limits, respectively.
- All other radionuclide concentrations are at 3% or less of the WAC Limits and Targets.

TABLE OF CONTENTS

LIST OF TABLES	vii
LIST OF ABBREVIATIONS	viii
1.0 Introduction	1
2.0 Experimental	1
2.1 Technical	1
2.2 Quality Assurance	2
3.0 Results and Discussion	2
4.0 Conclusions	4
5.0 References	5

LIST OF TABLES

Table 3-1. Chemical Contaminants from Bimonthly September CY21 Tank 50 Samples and SPF WAC, Attachment 8.1 Limits	3
Table 3-2. Radionuclide Contaminants from September Bimonthly CY21 Tank 50 Samples and SPF WAC, Attachment 8.3 Limits	3
Table 3-3. Radionuclide Contaminants from September Bimonthly CY21 Tank 50 Samples and SPF WAC, Attachment 8.4 Targets.....	3

LIST OF ABBREVIATIONS

DMA	Direct Mercury Analyzer
HDPE	high-density polyethylene
IC	Ion Chromatography
ICP-MS	Inductively Coupled Plasma Mass Spectrometry
LSC	Liquid Scintillation Counting
MRL	Minimum Reporting Limit
Pu alpha PHA	Plutonium alpha Pulse Height Analysis
SaM	Sensing & Metrology
SDI	Salt Disposition Integration
SDU	Saltstone Disposal Unit
SPF	Saltstone Production Facility
SRNL	Savannah River National Laboratory
SRR	Savannah River Remediation
TTQAP	Task Technical and Quality Assurance Plan
TTR	Technical Task Request
WAC	Waste Acceptance Criteria

1.0 Introduction

Tank 50 aqueous waste is analyzed on a bimonthly basis and the results are compared to the Waste Acceptance Criteria (WAC) of the Z-Area Saltstone Production Facility (SPF).^{1,2} This bimonthly analysis is in addition to the full suite analyses conducted semiannually per X-TTR-Z-00025.⁴ The information from this characterization will be used by Savannah River Remediation (SRR) for the transfer of aqueous waste from Tank 50 to SPF, where the waste will be treated and disposed in the Saltstone Disposal Facility. This Technical Report compares results, where applicable, to SPF WAC Limits and Targets.¹ Chemical and radionuclide analyses of salt solution are required to demonstrate that the composition of feed received into Z Area is in compliance with the Saltstone Performance Assessment.⁵

2.0 Experimental

2.1 Technical

The September bimonthly CY21 Tank 50 sample [a 200-mL sample obtained 6” below the surface (HTF-50-21-63)] was obtained and received at Savannah River National Laboratory (SRNL) on September 20, 2021.⁶

The Tank 50 sample was received into the SRNL Shielded Cells Facility and then transferred into a radiochemical hood for handling. The contents of the 200-mL slurry in the steel sampler were initially mixed by swirling the container before opening. After initial mixing, an aliquot of the Tank 50 sample was poured into a 30-mL Teflon vial with near zero headspace. This sample was used for Hg analysis. The zero-headspace vial for Hg testing was transferred to storage in a refrigerator.⁷ Aliquots of slurry samples were promptly collected with slurry pipettes to minimize settling effects and placed into High-Density Polyethylene (HDPE) bottles.

Unless otherwise stated, all concentrations presented in the tables (except upper limits) are averages based on analyses of triplicate aliquots of the September bimonthly CY21 Tank 50 sample. The 1-sigma standard deviation of each average is also presented. Several of the contaminants were either not detected in the slurry samples or detected at values below the method reporting limit (MRL). For contaminants not detected or detected below the MRL, the result is preceded by a “<”, which indicates the result is an upper limit based on the sensitivity of the method used to analyze the individual analyte. If only one value out of the triplicate analysis is above the detection limit, then that single value is reported and noted in the tables. Also, if only two values out of the triplicate analyses are above the detection limit, then the average of those two values is reported and noted in the tables.

Data reported for inductively coupled plasma mass spectrometry (ICP-MS) are derived from the digested Tank 50 slurry (1 mL supernate diluted to 50 mL total volume) by the aqua regia method.⁸ The aqua regia method heats the Tank 50 supernate mixed with a 1:3 mixture of nitric acid/hydrochloric acid for 2 hours in sealed Teflon containers in an oven at 115 °C. Anion analyses are determined from Ion Chromatography (IC) analysis of the as-submitted Tank 50 slurry. Approximately 150 mL of the sample were used to determine all the measured radionuclide concentrations in triplicate. Radionuclides reported using the ICP-MS method are converted from a reported mass per volume basis to activity per volume units using the specific activities (Ci/g) reported from the Department of Energy 1996 Integrated Data Base Report.⁹ The Cs-137 radionuclide is determined from gamma spectroscopy. Plutonium isotopes (Pu-238, Pu-239 and Pu-240) are determined from a Plutonium alpha Pulse Height Analysis (Pu alpha PHA) method

Mercury analyses performed at SRNL by Sensing and Metrology (SaM) included Total mercury using the Direct Mercury Analyzer (DMA) method.¹⁰ As discussed above, the Tank 50 sample for mercury analysis was obtained in a near zero-headspace container that was immediately refrigerated after removal from the radiochemical hood on the same day of preparation.⁷

2.2 Quality Assurance

Quality Assurance requirements for performing reviews of technical reports and the extent of review are established in manual E7 2.60.¹¹ SRNL documents the extent and type of review using the SRNL Technical Report Design Checklist contained in WSRC-IM-2002-00011, Rev. 2.¹² The customer requested that a Functional Classification of Safety Significant apply to this work.² Data collection and analysis methods used in this work comply with this requirement as detailed in the TTQAP.³

3.0 Results and Discussion

Analyzed nonradionuclide chemical concentrations, their 1-sigma standard deviations and their corresponding WAC Limits¹ are shown in Table 3-1 that correspond to the Attachment 8.1 Limits in the WAC.¹ Per the WAC, the Limits shown shall not be exceeded after accounting for the analytical uncertainty in each measured concentration.¹ Comparison of the average analyzed detectable values shown in Table 3-1 to the WAC Limits indicates that nitrate and nitrite anions and total mercury are present relative to the WAC Limits at 23%, 11% and 17%, respectively. These data for this bimonthly surface sample nitrate and total mercury relative to the WAC Limits are similar to the previous reported data for the 3Q21 Tank 50 WAC variable depth sample (obtained in July of 2021) of 20% and 19%, respectively.¹³

Analyzed radionuclide concentrations and the respective radiochemical analysis methods, their standard deviations and their corresponding WAC¹ Limits and Targets are shown in Table 3-2 and Table 3-3, respectively. Per the WAC, the Targets shown shall not be exceeded after accounting for the analytical uncertainty in each measured concentration.¹ The Limits refer to a type of acceptance criteria that, if not satisfied, will have an adverse impact on repository requirements, whereas the Targets refer to a type of acceptance criteria that is set as a guideline to protect a Limit.¹ For the chemical contaminants and the radionuclides given in tables below, an analytical uncertainty of 2 sigma (2σ) shall be accounted for in sample analyses used to determine the analytical uncertainty vs. either the Limit or Target.¹ The standard deviations given in tables for this WAC report are taken as 1 sigma (1σ) values that are calculated from the normal 'standard deviation' function for either duplicate or triplicate values from within Excel[®] spreadsheets.

Comparison of the average analyzed detectable values to the WAC Limits¹ (Table 3-2) indicates that Tc-99 and I-129 are the highest analytes relative to the WAC Limits at 18% and 22%, respectively. Comparison of the average analyzed detectable values to the WAC Targets (Table 3-3) indicates that none of the radionuclides are higher than 3% of the WAC Targets.¹

Table 3-1. Chemical Contaminants from Bimonthly September CY21 Tank 50 Samples and SPF WAC, Attachment 8.1 Limits

<u>Chemical Name (Formula)</u>	<u>Method</u>	<u>Average Concentration (mg/L)</u>	<u>Std. Dev.</u>	<u>WAC Limit (mg/L)</u>
Nitrate (NO ₃ ⁻)	IC	1.00E+05	7.21E+02	4.37E+05
Nitrite (NO ₂ ⁻)	IC	2.31E+04	2.65E+02	2.14E+05
Total Mercury (Hg)	DMA	5.61E+01	1.30E+00	3.25E+02

Table 3-2. Radionuclide Contaminants from September Bimonthly CY21 Tank 50 Samples and SPF WAC, Attachment 8.3 Limits

<u>Radionuclide</u>	<u>Method</u>	<u>Average Concentration (pCi/mL)</u>	<u>Std. Dev.</u>	<u>WAC Limit (pCi/mL)</u>
Carbon-14 (¹⁴ C)	C-14 Liquid Scintillation	5.14E+02	2.34E+01	1.13E+05
Strontium-90 (⁹⁰ Sr)	Sr-90 Liquid Scintillation	8.45E+03	7.49E+02	2.62E+06
Technetium-99 (⁹⁹ Tc)	Tc-99 Liquid Scintillation	3.77E+04	2.69E+03	2.11E+05
Iodine-129 (¹²⁹ I)	I-129 (w/ separation) Liquid Scintillation	2.18E+01	2.91E+00	1.00E+02
Cesium-137 (¹³⁷ Cs)	Gamma Scan	4.36E+04	6.90E+02	1.29E+06
Plutonium-241 (²⁴¹ Pu)	Pu238/241 Liquid Scintillation	2.94E+03	9.31E+02	8.38E+05

Table 3-3. Radionuclide Contaminants from September Bimonthly CY21 Tank 50 Samples and SPF WAC, Attachment 8.4 Targets

<u>Radionuclide</u>	<u>Method</u>	<u>Average Concentration (pCi/mL)</u>	<u>Std. Dev.</u>	<u>WAC Target (pCi/mL)</u>
Yttrium-90 (⁹⁰ Y)	Secular Equilibrium w/ 100% of Sr-90	8.45E+03	7.49E+02	2.62E+06
Cesium-135 (¹³⁵ Cs)	Cs-135	2.42E-01	4.56E-02	2.50E+02
Barium-137m (^{137m} Ba)	Calculation (Secular Equilibrium w/ 94.6% of Cs-137)	4.12E+04	6.52E+02	1.22E+06
Thorium-230 (²³⁰ Th)	Th-229/230	<7.75E-02	NA	6.26E+03
Uranium-234 (²³⁴ U)	ICP-MS	7.03E+01	2.21E+00	3.12E+03
Uranium-238 (²³⁸ U)	ICP-MS	1.65E+00	1.30E-02	3.12E+03
Plutonium-238 (²³⁸ Pu)	Pu238/241 Pu alpha PHA	1.55E+03	4.77E+01	6.67E+04
Plutonium-239 (²³⁹ Pu)	Pu238/241 Pu alpha PHA	5.77E+01	7.68E+00	6.67E+04
Plutonium-242 (²⁴² Pu)	ICP-MS	<1.15E+01	NA	6.67E+04
Americium-241 (²⁴¹ Am)	Am/Cm	<3.13E+00	NA	6.67E+04
Americium-242m (^{242m} Am)	Am/Cm	<1.35E-01	NA	4.50E+05
Americium-243 (²⁴³ Am)	Am/Cm	<4.15E-01	NA	6.67E+04

4.0 Conclusions

The following conclusions pertaining to the WAC are drawn from the analytical results provided in this report.

- WAC Targets or Limits were met for all analyzed chemical and radioactive contaminants for which the detection limits are below the WAC Targets or Limits.¹
- Measured concentrations of nitrate, nitrite and total mercury are approximately 23%, 11% and 17% of the WAC Limits, respectively.
- Measured concentrations of Tc-99 and I-129 are approximately 18% and 22% of the WAC Limits, respectively.
- All other radionuclide concentrations are at 3% or less of the WAC Limits and Targets.

5.0 References

- ¹ Harrington, S. J., "Waste Acceptance Criteria for Transfers to the Z-Area Saltstone Production Facility During Salt Disposition Integration (SDI) (U)", Savannah River Remediation, X-SD-Z-00004, Rev. 4, March 2021.
- ² Brown, M., "Bimonthly Saltstone Support for Salt Solution PA Analyses", X-TTR-Z-00026, Rev. 0, August 2021.
- ³ Crawford, C. L., Hill, K. A., "Task Technical and Quality Assurance Plan for Bimonthly Saltstone Support for Salt Solution Performance Assessment Analyses", Savannah River National Laboratory, SRNL-RP-2021-04577, Rev. 0, September 2021.
- ⁴ Brown, M., "Routine Saltstone Support for Salt Solution and Grout Analyses", X-TTR-Z-00025, Rev. 0, August 2021.
- ⁵ "Performance Assessment for the Saltstone Disposal Facility at the Savannah River Site", SRR-CWDA-2019-00001, Revision 0, Savannah River Remediation, Aiken, SC, March 2020.
- ⁶ Crawford, C. L., "September Bimonthly Calendar Year 2002 Tk 50 Analysis", B9108-00327-17, SRNL E-Notebook (Production), Savannah River National Laboratory, September 2021.
- ⁷ McCabe, D. J., Crawford, C. L., Bannochie, C. J., Boggess, A. J. and Bishop, S. G., "Best Handling Practices for Elemental Mercury, Organo-Mercury Compounds, and Inorganic Mercury Compounds", SRNL-TR-2019-00243, Rev. 1, June 2020.
- ⁸ "Aqua Regia Dissolution of Sludge for Elemental Analysis"; Savannah River National Laboratory, Manual L16.1, Procedure ADS-2226, Rev. 10, July 2013.
- ⁹ "Integrated Data Base Report – 1996: U.S. Spent Nuclear Fuel and Radioactive Waste Inventories, Projections, and Characteristics", Oak Ridge National Laboratory, DOE/RW-0006, Rev. 13, December 1997. <https://www.nrc.gov/docs/ML1028/ML102850100.pdf> (accessed July 9, 2021).
- ¹⁰ White, T. L., Brown, L. W., Looney, B. B and Jones, M. A., "Total Mercury Analysis Comparison Deployment of Analytical Method for the Savannah River Site Liquid Waste System", Savannah River National Laboratory, SRNL-STI-2019-00056, Rev. 0, July 2019.
- ¹¹ "Technical Reviews", Savannah River Site, Manual E7, Procedure 2.60, Latest Revision.
- ¹² "Savannah River National Laboratory Technical Report Design Check Guidelines", Westinghouse Savannah River Company, WSRC-IM-2002-00011, Rev. 2, August 2004.
- ¹³ Crawford, C. L., "Results for the Third Quarter Calendar Year 2021 Tank 50 Salt Solution Sample", SRNL-STI-2021-00536, Revision 0, January 2022.

Distribution:

Name:	
F. L. Armstead	D. E. Kucab
J. P. Arnold	C. A. Langton
M. J. Barnes	J. D. Ledbetter
E. P. Barrowclough	B. Lee
J. M. Benedict	K. R. Liner
M. N. Borders	K. S. Lott
J. M. Bricker	J. Manna
M. A. Broome	K. B. Martin
K. M. Brotherton	D. J. McCabe
N. F. Chapman	G. A. Morgan
J. H. Christian	P. W. Norris
W. A. Condon	J. E. Occhipinti
J. M. Conley	F. M. Pennebaker
A. D. Cozzi	M. M. Potvin
C. L. Crawford	J. D. Rahming
W. B. Dean	W. G. Ramsey
D. P. Diprete	J. W. Ray
K. D. Dixon	C. Ridgeway
R. E. Edwards	L. B. Romanowski
C. M. Gregory	K. H. Rosenberger
S. J. Harrington	C. Swanek
E. W. Harrison	A. Samadi-Dezfouli
C. C. Herman	F. M. Smith
K. A. Hill	A. V. Staub
P. J. Hill	M. E. Stone
A. T. Hooker	K. R. Wells
T. H. Huff	B. J. Wiedenman
H. M. Hunter	T. L. White
J. F. Iaukea	M. L. Whitehead
V. Jain	A. W. Wiggins
R. C. Jolly	Records Administration (EDWS)
A. W. Jung	