

March 7, 2022

Director, Office of Nuclear Safeguards
Attn: Document Control Desk/GLTS
US Nuclear Regulatory Commission
Washington, DC 20555-0001

In fulfillment of the requirements of 10 CFR 31.5 (c) (8), we hereby notify you that on March 7, 2022 we transferred the self-luminous exit signs listed on the attached spreadsheet to Curie Environmental Services, 4020 Vassar Drive NE, Suite D, Albuquerque, NM 87107, State of New Mexico Specific License RS500-05.

As required, for each sign listed on the spreadsheet, we include the name of the manufacturer, model number, and serial number.

If you should have any questions, please contact Graphic Packaging at 610-935-4018.

Sincerely,

Greg Dalton

Name

Shipping Lead

Title

Graphic Packaging International, Inc.
1035 Longford Road
Phoenixville, PA 19460

NMSS10
NMSS

Encl.



General Licensed Exit Signs

TRITIUM (H-3) EXIT SIGN INVENTORY

Generator: Graphic Packaging International, Inc
 Curie RMA#: A220160
 Receipt Date:
 Curie Cont. #

Customer: Neuber Environmental Services, Inc
 Unique ID #: 21044 GPI Ramboll Phoenixville, PA
 UPS/FedEx #: 1Z V29 9A6 90 9616 1679
 Box Number: 1 of 1

Item #	Manufacturer Name	Mfg. Date	Model #	Serial #	Reference Activity (Ci)	Decayed Activity (Ci) as of March 4, 2022	Comments
1	Isolite Corporation	4/3/14	SLX-60	H22263	7.595	4.87	0.281 TBq Tritium, single face
2	Isolite Corporation	3/7/14	SLX-60	H19946	7.595	4.85	0.281 TBq Tritium, single face
3	Isolite Corporation	1/4/15	SLX-60	H32063	7.595	5.08	0.281 TBq Tritium, single face
4	Isolite Corporation	1/4/15	SLX-60	H32062	7.595	5.08	0.281 TBq Tritium, single face
5	Isolite Corporation	3/7/14	SLX-60	H19948	7.595	4.85	0.281 TBq Tritium, single face
6						0.00	
7						0.00	
8						0.00	
9						0.00	
10						0.00	
11						0.00	
12						0.00	
13						0.00	
14						0.00	
15						0.00	
16						0.00	
17						0.00	
18						0.00	
19						0.00	
20						0.00	
21						0.00	
22						0.00	
23						0.00	
24						0.00	
25						0.00	
26						0.00	
27						0.00	
28						0.00	
29						0.00	
30						0.00	
31						0.00	
Total Package Activity (must be <100 Ci per Curie return kit. Refer to instructions.)						24.71	

NOTES:

For standard architectural exit signs, a maximum of 10 sign faces per box are allowed. Only aircraft articles may be >10 per box.

The customer/generator certifies there are no damaged or compromised exit signs in this container and all Curie packaging procedures have been followed. Additional surcharges will be assessed if undeclared damaged or compromised exit signs are present in the container upon receipt by Curie.