

Facility: <u>Palisades</u>		Date of Examination: <u>8/7/2017</u>
Examination Level: RO <input type="checkbox"/> SRO <input checked="" type="checkbox"/>		Operating Test Number: 2017 Remediation Admin
Administrative Topic (see Note)	Type Code*	Describe activity to be performed
Conduct of Operations	M	K/A 2.1.20: Ability to interpret and execute procedure steps Topic: Review PCS Leak rate
Conduct of Operations	N	K/A 2.1.40: Knowledge of refueling administrative requirements Topic: Authorize Fuel Move
Equipment Control	D	K/A 2.2.14: Knowledge of the process for controlling equipment status Topic: Approve Heavy Loads
Radiation Control	N	K/A 2.3.7: Ability to comply with radiation work permit requirements during normal or emergency conditions Topic: Comply with RWP
Emergency Plan	N	K/A 2.4.38: Ability to take actions called for in the facility emergency plan. Including supporting or acting as emergency coordinator if required Topic: Verify EAL and PAR
NOTE: All items (five total) are required for SROs. RO applicants require only four items unless they are retaking only the administrative topics (which would require all five items).		
* Type Codes & Criteria: (C)ontrol room, (S)imulator, or Class(R)oom (D)irect from bank (≤ 3 for ROs; ≤ 4 for SROs & RO retakes) (N)ew or (M)odified from bank (≥ 1) (P)revious 2 exams (≤ 1 ; randomly selected)		