

On March 25, 2022, Williams College at 880 Main St in Williamstown, MA sent 199 tritium exit signs for disposal to:

SRB Technologies
2580 Landmark Drive
Winston-Salem, NC 27103


Attached, please find a copy of the paperwork and an inventory of the signs associated with that transfer.

If you have any questions related to this transfer, please direct them to:

Norman Bell, RSO
15 Morley Drive
Williamstown, MA 01267

Email: nbell@williams.edu
Phone: 413 597 4829

Thank you.

A handwritten signature in black ink, appearing to be 'NB', written in a cursive style.



SHIP TO:
 SRB TECHNOLOGIES
 2580 Landmark Drive
 Winston-Salem, NC 27103
 Tel: (336)-659-2610
 Fax: (336)-768-7720
 Email: mellissa@srbtechnologies.com

RGA# 999570
 No Shipment will be accepted without a proper RGA number and UN2911 written on outside of package.

Date Issued: _____

Expiration date: _____

Returned Goods Authorization Form-Disposals

- 1.) All packages must be marked on the top and at least one side with the assigned RGA Number, UN2911 and the appropriate box numbers. Failing to do so will result in service fees.
- 2.) A copy of the the Box and Inventory Worksheet must be placed inside each corresponding box.
- 3.) An RGA is valid for only one shipment and for the number of signs listed on your inventory.
- 4.) Under NRC regulations it is your responsibility to notify state regulators and the USNRC of the transfer of these signs. See the procedure forms for additional information regarding reporting.
- 5.) Please refer to the full policy on the subsequent pages to insure your shipment is prepared properly.

*** Include Certificate of Disposal (\$35) *** YES NO
(If neither box is checked SRBT will assume a COD has not been requested)

Bill To: Norman Bell

Phone: 413 597 4829

Contact Name: _____

Fax: _____

Address: 15 Morley Drive

Email: NBELL@Williams.edu

City: Williamstown St: MA Zip: 01267

INSTALLATION ADDRESS

Company Name: Williams College

Address: . 880 Main St.

City: Williamstown State: MA Zip: 01267

I have read and agree to all terms and conditions:

Signature: [Signature]

Replacement Signs Ordered?: Y/N

Date ordered: _____

PO#: _____

Do not write below this line - This space reserved for SRBT use only - Do not write below this line

Returned for Disposal: Y/N

Replaced under Warranty: Y/N

Payment Method: _____

Payment Date: _____

Disposal Fee: _____

Date Returned: _____

Date received: _____

Checked in by: _____

199

SRB Technologies (USA), Inc.

Invoice

2580 Landmark Drive
 Winston-Salem, NC, 27103-6716
 USA
 Phone: (336) 659-2610
 Fax: (336) 768-7720

Date	Page
Mar 21, 2022	1
Invoice Number IN00094528	

Sold To:
 WILLIAMS COLLEGE
 880 MAIN ST
 WILLIAMSTOWN, MA 01267
 US

Ship To:
 SRBT

Order No. SO00083766	Order Date Mar 21, 2022	Customer No. MISCEL	Salesperson DISPOSAL	PO Number CREDITCARD	Ship Via UPSGND	Terms VISAMC
-------------------------	----------------------------	------------------------	-------------------------	-------------------------	--------------------	-----------------

Qty. Ord.	Qty. Shp.	Qty. B/O	Item Number	Description	Unit Price	UOM	Extended Price
199	199	0	DI-DISPOSA	DISPOSAL OF TRITIUM EXIT SIGNS	110.00	EACH	21,890.00
				<u>Due Date</u>	<u>Amount Due</u>	<u>Discount Date</u>	<u>Disc. Amount</u>
				Mar 21, 2022	21,890.00	Mar 21, 2022	0.00

Comments: Title: Contact: End User: Address 1: City:	Tax summary:	Subtotal Total sales tax	21,890.00 0.00
		Total amount Less payment Less pmt. disc	21,890.00 0.00 0.00
		Amount due	21,890.00

RECEIPT

03/21/2022

Thank You for Your Purchase - SRBT Transaction Receipt

336-659-2610

melissa@srbtechnologies.com

Return Codes

Request ID	6478890099706799604268
Result Code	SOK - Request was processed successfully.
Authorization Code	036186

Order Information

Transaction Type	Sale
Transaction Source	MOTO - Mail/Phone Order

Total Amount : 21890.00 USD

Customer Information

Name	Norman Bell
Credit Card Type	Mastercard
Credit Card Number	XXXX XXXX XXXX 6200
Billing Address	Norman Bell 15 Marley Dr Williamstown , MA 01267 us

Level II Fields

Level II Purchase Order Number	EXIT SIGN DISPOSAL
--------------------------------	--------------------

Tracking information

Status Completed	Carrier XPO	Location 2580 Landmark Dr Winston Salem NC, US 27103-6716	Last update 03/31/2022 02:34 PM
----------------------------	-----------------------	--	---

		Status	Location	
Shipped	◀ Friday 03/25/2022	At origin Albany, NY as of 03/25/2022	Albany,NY	▼
	◀ Saturday 03/26/2022	Arrived at interim At 06:19 AM On 03/26/2022		▼
	◀ Sunday 03/27/2022			
	◀ Monday 03/28/2022	Arrived at interim Greencastle, PA At 10:46 PM On 03/28/2022	Greencastle,PA	▼
	◀ Tuesday 03/29/2022	At interim Chester, VA Last update as of 11:23 PM On 03/29/2022	Chester,VA	▼
Out for delivery	◀ Wednesday 03/30/2022	Appointment required at destination Kernersville, NC as of 03/30/2022	Kernersville,NC	▼
Delivered	◀ Thursday 03/31/2022	Delivered by Kernersville, NC	Winston Salem,NC	▼

Manufacturer	Model	Serial #	DOM	single / double sided	Curies at DOM
Self-Powered Lighting	CFI-700	2165	Aug-80	1	72.5
Isolite	2040	13551	May-01	1	11.5
Isolite	2040	13552	May-01	1	11.5
Isolite	2040	13553	May-01	1	11.5
Isolite	2040	13554	May-01	1	11.5
Isolite	2040	13556	May-01	1	11.5
Isolite	2040	13557	May-01	1	11.5
Isolite	2040	13559	May-01	1	11.5
Isolite	2040	13560	May-01	1	11.5
Isolite	2040	13561	May-01	2	23
Isolite	2040	13562	May-01	2	23
Isolite	2040	13564	May-01	2	23
Isolite	2040	13565	May-01	2	23
Isolite	2040	13566	May-01	2	23
Isolite	2040	13567	May-01	2	23
Isolite	2040	13568	May-01	2	23
Isolite	2040	13569	May-01	2	23
Isolite	2040	13570	May-01	2	23
Isolite	2040	13571	May-01	2	23
Isolite	2040	13572	May-01	2	23
Isolite	2040	13573	May-01	2	23
Isolite	2040	13574	May-01	2	23
Isolite	2040	13575	May-01	2	23
Isolite	2040	13576	May-01	2	23
Isolite	2040	13577	May-01	2	23
Isolite	2040	13578	May-01	2	23
Isolite	2040	13579	May-01	2	23
Isolite	2040	13580	May-01	2	23
Isolite	2040	13581	May-01	2	23
Isolite	2040	13582	May-01	2	23
Isolite	2040	13583	May-01	2	23
Isolite	2040	13584	May-01	2	23
Isolite	2040	13585	May-01	2	23

Isolite	2040	13586	May-01	2	23
Isolite	2040	13587	May-01	2	23
Isolite	2040	13588	May-01	2	23
Isolite	2040	13589	May-01	2	23
Isolite	2040	13590	May-01	2	23
Isolite	2040	13591	May-01	2	23
Isolite	2040	13592	May-01	2	23
Isolite	2040	13593	May-01	2	23
Isolite	2040	13594	May-01	2	23
Isolite	2040	13595	May-01	2	23
Isolite	2040	13596	May-01	2	23
Isolite	2040	13598	May-01	2	23
Isolite	2040	13599	May-01	2	23
Isolite	2040	13600	May-01	2	23
Isolite	2040	13850	May-01	1	11.5
Isolite	2040	13851	May-01	1	11.5
SRBT	Safety sign	79097	Apr-98	1	10
SRBT	Safety sign	145441	Apr-91	1	20
SRBT	Safety sign	145442	Apr-91	1	20
SRBT	Safety Sign	145443	Apr-91	1	20
SRBT	Safety Sign	145448	Apr-91	1	20
SRBT	Safety sign	145449	Apr-91	1	20
SRBT	Safety Sign	145450	Apr-91	1	20
SRBT	Safety Sign	145451	Apr-91	1	20
Isolite	2040	A052084	May-00	2	23
Isolite	2040	A052085	May-00	2	23
Isolite	2040	A052086	May-00	2	23
Isolite	2040	A052087	May-00	2	23
Isolite	2040	A052088	May-00	2	23
Isolite	2040	A052090	May-00	2	23
Isolite	2040	A052091	May-00	2	23
Isolite	2040	A052097	May-00	2	23
Isolite	2040	A052099	May-00	2	23
Isolite	2040	A052100	May-00	2	23

Isolite	2040	A052101	May-00	2	23
Isolite	2040	A052103	May-00	2	23
Isolite	2040	A052104	May-00	2	23
Isolite	2040	A052105	May-00	2	23
Isolite	2040	A052106	May-00	2	23
Isolite	2040	A052107	May-00	2	23
Isolite	2040	A052110	May-00	2	23
Isolite	2040	A052111	May-00	2	23
Isolite	2040	A052112	May-00	2	23
Isolite	2040	A052112	May-01	2	23
Isolite	2040	A052114	May-00	2	23
Isolite	2040	A052115	May-00	2	23
Isolite	2040	A052116	May-00	2	23
Isolite	2040	A052117	May-00	2	23
Isolite	2040	A052118	May-00	2	23
Isolite	2040	A052119	May-00	2	23
Isolite	2040	A052120	May-00	2	23
Isolite	2040	A052123	May-00	2	23
Isolite	2040	A07887	Jul-00	1	11.5
Isolite	2040	A07888	Jul-00	1	11.5
Isolite	2040	A07892	Jul-00	1	11.5
Isolite	2040	A07893	Jul-00	1	11.5
Isolite	2040	A07894	Jul-00	1	11.5
Isolite	2040	A07896	Jul-00	1	11.5
Isolite	2040	A07897	Jul-00	1	11.5
Isolite	2040	A07898	Jul-00	1	11.5
Isolite	2040	A07899	Jul-00	1	11.5
Isolite	2040	A07900	Jul-00	1	11.5
Isolite	2040	A07901	Jul-00	1	11.5
Isolite	2040	A07903	Jul-00	1	11.5
Isolite	2040	A07905	Jul-00	1	11.5
Isolite	2040	A07908	Jul-00	1	11.5
Isolite	2040	A07909	Jul-00	1	11.5
Isolite	2040	A07910	Jul-00	1	11.5