



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**
REGION I
475 ALLENDALE ROAD – SUITE 102
KING OF PRUSSIA, PA 19406-1415

June 2, 2022

Evelyn Patino-Ortiz, Administrator
C.T. Radiology Complex & MRI Institute
P.O. Box 2727
Bayamon, Puerto Rico 00960-2727

SUBJECT: C.T. RADIOLOGY COMPLEX & MRI INSTITUTE, CORRECTED COPY OF
LICENSE, MAIL CONTROL NO. 624170

Dear Ms. Patino-Ortiz:

Enclosed is the Corrected Copy of Amendment No. 29 for License No. 52-14932-01. We recently learned that the zip code for the physical location of use was incorrect. Condition No. 10 has been changed to Edificio Santa Rita, State Road #2, Bayamon, Puerto Rico, 00959.

We apologize for any inconvenience this error may have caused.

Sincerely,

Anne DeFrancisco, Chief
Medical and Licensing Assistance Branch
Division of Radiological Safety and Security
Region I

License No. 52-14931-01
Docket No. 03008264
Mail Control No. 624170

Enclosure:
Corrected Copy of Amendment No. 29

cc: David Rhoe, Radiation Safety Officer

C.T. RADIOLOGY COMPLEX & MRI INSTITUTE, CORRECTED COPY OF LICENSE, MAIL CONTROL NO. 624170 DATED June 2, 2022

DOCUMENT NAME: [G:\WBL Documents\WBL License Cover Letter\L52-14931-01.624170.CorrCopy.docx

SUNSI Review Complete: RGallagher

After declaring this document "An Official Agency Record" it will be released to the Public.

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/end "E" = Copy w/ attach/end "N" = No copy

OFFICE	RI:DRSS	N					
NAME	RGallagher (RLG)						
DATE	6/2/2022						

OFFICIAL RECORD COPY