Fac	Facility: Date of Exam: Exam Level		RO ⊠ SRO ⊠		
Item Description			Initials		
		а	b	С	
1.	Clean answer sheets copied before grading	PL	MP	Ray	
2.	Proposed answer key changes and question deletions justified and documented (facility reviewer initials not required (N/R) if NO post-examination comments are submitted)	FC	N/R	RUB	
3.	Applicants' scores checked for addition errors		MP	>2	
	(reviewers spot check > 25% of examinations)	FC	PFI	₹23	
4.	Grading for all borderline cases (80% ±2% overall and 70% or 80%, as applicable, ±4% on the SRO-only exam) reviewed in detail	N/A	NLA	NJA	
5.	All other failing examinations checked to ensure that grades are justified	NIA	NIA	MA	
6.	Performance on missed questions checked for training deficiencies and wording problems; evaluate validity of questions missed by one-half or more of the applicants & NIR	FE	MP	700	
	Printed Name/Signature/		Date		
а. (er <u>SA COLLINS</u> 9/24/18		₹		
b. F	Facility Reviewer(*) MICHAEL PETERSEN	2	9/24/18		
c. NRC Chief Examiner (*) PANDAL DEAN BAVER CUI O Polito 10					
d. 1	d. NRC Supervisor (*) Robert J. Orl: Kowski MMm/h 2 Oct 15/2018				
(*) The facility reviewer's signature is not applicable for examinations graded by the NRC; two independent NRC reviews are required.					