NRC FORM 374 PAGE 1 OF 4 PAGES U.S. NUCLEAR REGULATORY COMMISSION Amendment No. 15 MATERIALS LICENSE Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below. Licensee In accordance with the letter 4. Expiration Date: March 31, 2023 dated April 06, 2022, 1. GZA GeoEnvironmental, Inc. EAK KEG 5. Docket No.: 030-30105 2. 95 Glastonbury Boulevard 3. License No.: 06-28068-01 is Reference No.: Glastonbury, CT 06033 amended in its entirety to read as follows: Byproduct, source, 7. Chemical and/or physical form 9. Authorized use 6. 8. Maximum amount that licensee and/or special nuclear may possess at any one time material under this license A. Cesium-137 A. Sealed Sources (AEA A. 9 millicuries per source A. For use in Troxler Electronic Technology/QSA, Inc., Model and 54 millicuries total Laboratories Model 3400 Series CDCW556; Isotope Product portable gauging devices for Laboratories, Model HEG-137) measuring physical properties of materials 44 millicuries per source B. Sealed Neutron Source (AEA B. Americium-241/ Β. B. For use in Troxler Electronic Technology/QSA, Inc., Model and 264 millicuries total Beryllium Laboratories Model 3400 Series AMN.V997; Isotope Product portable gauging devices for Laboratories, Model AM1.NO2 measuring physical properties of 3021 or 3027) materials.

NRC FORM 374A	U.S. NUCLEAR REGULATORY	COMMISSION	PAGE 2 OF 4 PAGES
	License No.: 06-28068-01	Docket or Reference No.: 030-30105	
MATERIALS LICENSE SUPPLEMENTARY SHEET	Amendment No. 15		
	CONDITIONS	3	
U.S. Nuclear Regulatory Commission jurisdiction within Agreement States. If the jurisdiction status of a Federal t controlling the job site in question to	ored at the licensee's facilities located a cut. Licensed material may be used a maintains jurisdiction for regulating th acility within an Agreement State is unl determine whether the proposed job sit es in Agreement States not under exclu	temporary job sites anywhere in e use of licensed material, includi known, the licensee should contac e is an area of exclusive Federal	the United States where the ng areas of exclusive Federal at the Federal agency jurisdiction. Authorization for
 Licensed material shall only be used training described in the application of years following the last use of license 	lated February 27, 2013. The licensee		
12. The Radiation Safety Officer (RSO) f	or this license is Bryan N. Sassaman.		
•	or leakage and/or contamination at inte uclear Regulatory Comm <mark>is</mark> sion und <mark>er</mark> 1	0 CFR 32.210 or by an Agreemen	
registration certificate, sealed so other intervals as specified.	urces shall be tested for leakage and/o	r contamination at intervals not to	

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMMISSION		PAGE 3 OF 4 PAGES			
MATERIALS LICENSE	License No.: 06-28068-01	Docket or Reference No.: 030-30105				
SUPPLEMENTARY SHEET	Amendment No. 15					
C. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or						

D. The leak test shall be capable of detecting the presence of 185 becquerels (0.005 microcuries) of radioactive material on the test sample. If the test reveals the presence of 185 becquerels (0.005 microcuries) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.

transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.

- E. Analysis of leak test samples and/or contamination shall be performed by persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services. The licensee is authorized to collect leak test samples but not perform the analysis.
- F. Records of leak test results shall be kept in units of becquerels (microcuries) and shall be maintained for 3 years.
- 14. Sealed sources or source rods containing licensed material shall not be opened or sources removed from source holders or detached from source rods by the licensee, except as specifically authorized.
- 15. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 3 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
- 16. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport or storage, or when not under the direct surveillance of an authorized user.

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMMISSION		PAGE 4 OF 4 PAGES
	License No.: 06-28068-01	Docket or Reference No .:	
MATERIALS LICENSE		030-30105	
SUPPLEMENTARY SHEET	Amendment No. 15		

- 17. Any cleaning, maintenance, or repair of the gauge(s) that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- 18. Except for maintaining labeling as required by 10 CFR Part 20, or Part 71, the licensee shall obtain authorization from the U.S. Nuclear Regulatory Commission before making any changes in the sealed source, device, or source-device combination that would alter the description or specifications as indicated in the respective certificate of registration issued either by the U.S. Nuclear Regulatory Commission pursuant to 10 CFR 32.210 or by an Agreement State.
- 19. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

A. Application dated February 27, 2013 (ML13071A421)

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date: May 20, 2022

By:

Jason vonEhr Region 1