

April 13, 2022

Report to:
Kent Applegate
Rio Algom Mining Company
P.O. Box 218
Grants, NM 87020

Bill to:
Accounts Payable
Rio Algom Mining Company
P.O. Box 218
Grants, NM 87020

cc: Michaella Gorospe, jcarroll, Jeremy Scott Collyard, Marcus Powell, Sharon Clouse, Drew Werth, Casandra Woodward, Shubhangi Agarwal, Anupama Subbakrishna, Revathi Ekambaram, Clark Short, Angela Pe

Project ID: 4512060294
ACZ Project ID: L71515

Kent Applegate:

Enclosed are the analytical results for sample(s) submitted to ACZ Laboratories, Inc. (ACZ) on February 17, 2022. This project has been assigned to ACZ's project number, L71515. Please reference this number in all future inquiries.

All analyses were performed according to ACZ's Quality Assurance Plan. The enclosed results relate only to the samples received under L71515. Each section of this report has been reviewed and approved by the appropriate Laboratory Supervisor, or a qualified substitute.

Except as noted, the test results for the methods and parameters listed on ACZ's current NELAC certificate letter (#ACZ) meet all requirements of NELAC.

This report shall be used or copied only in its entirety. ACZ is not responsible for the consequences arising from the use of a partial report.

All samples and sub-samples associated with this project will be disposed of after May 13, 2022. If the samples are determined to be hazardous, additional charges apply for disposal (typically \$11/sample). If you would like the samples to be held longer than ACZ's stated policy or to be returned, please contact your Project Manager or Customer Service Representative for further details and associated costs. ACZ retains analytical raw data reports for ten years.

If you have any questions or other needs, please contact your Project Manager.



Mark McNeal has reviewed
and approved this report.



Rio Algom Mining Company

April 13, 2022

Project ID: 4512060294

ACZ Project ID: L71515

Sample Receipt

ACZ Laboratories, Inc. (ACZ) received 1 groundwater sample from Rio Algom Mining Company on February 17, 2022. The sample was received in good condition. Upon receipt, the sample custodian removed the sample from the cooler, inspected the contents, and logged the sample into ACZ's computerized Laboratory Information Management System (LIMS). The sample was assigned ACZ LIMS project number L71515. The custodian verified the sample information entered into the computer against the chain of custody (COC) forms and sample bottle labels.

Holding Times

Any analyses not performed within EPA recommended holding times have been qualified with an "H" flag.

Sample Analysis

This sample was analyzed for inorganic, radiochemistry parameters. The individual methods are referenced on both, the ACZ invoice and the analytical reports. The extended qualifier reports may contain footnotes qualifying specific elements due to QC failures. In addition the following has been noted with this specific project:

1. Cation-Anion balance has been accepted at greater than 10%. Suspect analytes were reanalyzed for verification.
2. Qualifier: (H1) Applies to: L71515-01 TOTAL DISSOLVED SOLIDS

Sample received on hold date. Logged in and ran after hold date.

3. Qualifier: (N1) Applies to: L71515-01 TOTAL DISSOLVED SOLIDS

Oven range is 80 C to 91 C. Over the weekend, the oven had a minor high temperature out of range. When the oven temperature was checked on Monday 2/21/22, the max temp read at 92.0' C. The WG was removed from the oven on 2/21/22 when the oven was back in range.

The WG was examined and there was no splattering of samples.

4. Qualifier: (N1) Applies to: L71515-01 CYANIDE

Failing ICV = high biased calibration. All undetect values for sxs past hold date accepted with case narrative.

Prior analyses performed while troubleshooting instrument. Reanalysis after resolving issue is likely more representative of true values and should be favored over prior data.

5. Qualifier: (N1A) Applies to: L71515-01 THORIUM 230

Associated sample duplicate tracer recovery fails low due to sample loss during filtration.

The below is from WG538651

Qualifier: N1

Applies to: L71515-01/THORIUM 230

PBW (Th-230) fails high by 0.2pCi/L. Due to elevated blank activity, unable to rule out possible contamination in samples where the activity is 0.2pCi/L higher than 2X LLD.

Rio Algom Mining Company

Project ID: 4512060294

Sample ID: 36-06 KD-02102022

ACZ Sample ID: **L71515-01**

Date Sampled: 02/10/22 13:30

Date Received: 02/17/22

Sample Matrix: Groundwater

Metals Analysis

Parameter	EPA Method	Dilution	Result	Qual	XQ	Units	MDL	PQL	Date	Analyst
Antimony, dissolved	M200.8 ICP-MS	5	<0.002	U		mg/L	0.002	0.01	02/28/22 17:18	mfm
Arsenic, dissolved	M200.8 ICP-MS	5	0.0172			mg/L	0.001	0.005	02/28/22 17:18	mfm
Barium, dissolved	M200.7 ICP	5	<0.035	U		mg/L	0.035	0.175	03/02/22 14:06	jlw
Beryllium, dissolved	M200.8 ICP-MS	5	0.0170			mg/L	0.0004	0.00125	02/28/22 17:18	mfm
Cadmium, dissolved	M200.8 ICP-MS	5	0.00725			mg/L	0.00025	0.00125	02/28/22 17:18	mfm
Calcium, dissolved	M200.7 ICP	5	517		*	mg/L	0.5	2.5	04/13/22 11:13	jlw
Iron, dissolved	M200.7 ICP	5	44.5			mg/L	0.3	0.75	04/13/22 11:13	jlw
Lead, dissolved	M200.8 ICP-MS	5	0.00063	B		mg/L	0.0005	0.0025	02/28/22 17:18	mfm
Magnesium, dissolved	M200.7 ICP	5	380			mg/L	1	5	04/13/22 11:13	jlw
Molybdenum, dissolved	M200.8 ICP-MS	5	<0.001	U		mg/L	0.001	0.0025	02/28/22 17:18	mfm
Nickel, dissolved	M200.8 ICP-MS	5	0.173			mg/L	0.002	0.005	02/28/22 17:18	mfm
Potassium, dissolved	M200.7 ICP	5	11.6			mg/L	1	5	03/02/22 14:06	jlw
Selenium, dissolved	SM 3114 B, AA-Hydride	1	0.0028	B		mg/L	0.002	0.005	02/24/22 9:43	mlh
Sodium, dissolved	M200.7 ICP	5	593			mg/L	1	5	04/13/22 11:13	jlw
Uranium, dissolved	M200.8 ICP-MS	5	0.704			mg/L	0.0005	0.0025	02/28/22 17:18	mfm

Wet Chemistry

Parameter	EPA Method	Dilution	Result	Qual	XQ	Units	MDL	PQL	Date	Analyst
Alkalinity as CaCO3	SM2320B - Titration									
Bicarbonate as CaCO3		1	<2	U		mg/L	2	20	02/23/22 0:00	eep
Carbonate as CaCO3		1	<2	U		mg/L	2	20	02/23/22 0:00	eep
Hydroxide as CaCO3		1	<2	U		mg/L	2	20	02/23/22 0:00	eep
Total Alkalinity		1	<2	U		mg/L	2	20	02/23/22 0:00	eep
Cation-Anion Balance	Calculation									
Cation-Anion Balance			-14.9			%			04/13/22 0:00	calc
Sum of Anions			116			meq/L			04/13/22 0:00	calc
Sum of Cations			86			meq/L			04/13/22 0:00	calc
Chloride	SM4500Cl-E	25	1200		*	mg/L	12.5	50	03/02/22 15:55	mjj1
Conductivity @25C	SM2510B	1	7970			umhos/cm	1	10	02/23/22 7:00	eep
Cyanide, Total	D7511-09	1	<0.003	UH	*	mg/L	0.003	0.01	03/04/22 15:40	md
Nitrate/Nitrite as N	M353.2 - H2SO4 preserved	1	0.025	B	*	mg/L	0.02	0.1	03/05/22 3:34	pjb
Residue, Filterable (TDS) @180C	SM2540C	5	7380	H	*	mg/L	100	200	02/18/22 14:21	anc
Sulfate	D516-02/-07/-11 - TURBIDIMETRIC	125	3930		*	mg/L	125	625	03/10/22 18:28	mjj1
TDS (calculated)	Calculation		6680			mg/L			04/13/22 0:00	calc
TDS (ratio - measured/calculated)	Calculation		1.10						04/13/22 0:00	calc

Report Header Explanations

<i>Batch</i>	A distinct set of samples analyzed at a specific time
<i>Found</i>	Value of the QC Type of interest
<i>Limit</i>	Upper limit for RPD, in %.
<i>Lower</i>	Lower Recovery Limit, in % (except for LCSS, mg/Kg)
<i>MDL</i>	Method Detection Limit. Same as Minimum Reporting Limit unless omitted or equal to the PQL (see comment #5). Allows for instrument and annual fluctuations.
<i>PCN/SCN</i>	A number assigned to reagents/standards to trace to the manufacturer's certificate of analysis
<i>PQL</i>	Practical Quantitation Limit. Synonymous with the EPA term "minimum level".
<i>QC</i>	True Value of the Control Sample or the amount added to the Spike
<i>Rec</i>	Recovered amount of the true value or spike added, in % (except for LCSS, mg/Kg)
<i>RPD</i>	Relative Percent Difference, calculation used for Duplicate QC Types
<i>Upper</i>	Upper Recovery Limit, in % (except for LCSS, mg/Kg)
<i>Sample</i>	Value of the Sample of interest

QC Sample Types

<i>AS</i>	Analytical Spike (Post Digestion)	<i>LCSWD</i>	Laboratory Control Sample - Water Duplicate
<i>ASD</i>	Analytical Spike (Post Digestion) Duplicate	<i>LFB</i>	Laboratory Fortified Blank
<i>CCB</i>	Continuing Calibration Blank	<i>LFM</i>	Laboratory Fortified Matrix
<i>CCV</i>	Continuing Calibration Verification standard	<i>LFMD</i>	Laboratory Fortified Matrix Duplicate
<i>DUP</i>	Sample Duplicate	<i>LRB</i>	Laboratory Reagent Blank
<i>ICB</i>	Initial Calibration Blank	<i>MS</i>	Matrix Spike
<i>ICV</i>	Initial Calibration Verification standard	<i>MSD</i>	Matrix Spike Duplicate
<i>ICSAB</i>	Inter-element Correction Standard - A plus B solutions	<i>PBS</i>	Prep Blank - Soil
<i>LCSS</i>	Laboratory Control Sample - Soil	<i>PBW</i>	Prep Blank - Water
<i>LCSSD</i>	Laboratory Control Sample - Soil Duplicate	<i>PQV</i>	Practical Quantitation Verification standard
<i>LCSW</i>	Laboratory Control Sample - Water	<i>SDL</i>	Serial Dilution

QC Sample Type Explanations

Blanks	Verifies that there is no or minimal contamination in the prep method or calibration procedure.
Control Samples	Verifies the accuracy of the method, including the prep procedure.
Duplicates	Verifies the precision of the instrument and/or method.
Spikes/Fortified Matrix	Determines sample matrix interferences, if any.
Standard	Verifies the validity of the calibration.

ACZ Qualifiers (Qual)

B	Analyte concentration detected at a value between MDL and PQL. The associated value is an estimated quantity.
H	Analysis exceeded method hold time. pH is a field test with an immediate hold time.
L	Target analyte response was below the laboratory defined negative threshold.
U	The material was analyzed for, but was not detected above the level of the associated value. The associated value is either the sample quantitation limit or the sample detection limit.

Method References

- (1) EPA 600/4-83-020. Methods for Chemical Analysis of Water and Wastes, March 1983.
- (2) EPA 600/R-93-100. Methods for the Determination of Inorganic Substances in Environmental Samples, August 1993.
- (3) EPA 600/R-94-111. Methods for the Determination of Metals in Environmental Samples - Supplement I, May 1994.
- (4) EPA SW-846. Test Methods for Evaluating Solid Waste.
- (5) Standard Methods for the Examination of Water and Wastewater.

Comments

- (1) QC results calculated from raw data. Results may vary slightly if the rounded values are used in the calculations.
- (2) Soil, Sludge, and Plant matrices for Inorganic analyses are reported on a dry weight basis.
- (3) Animal matrices for Inorganic analyses are reported on an "as received" basis.
- (4) An asterisk in the "XQ" column indicates there is an extended qualifier and/or certification qualifier associated with the result.
- (5) If the MDL equals the PQL or the MDL column is omitted, the PQL is the reporting limit.

For a complete list of ACZ's Extended Qualifiers, please click:

<https://acz.com/wp-content/uploads/2019/04/Ext-Qual-List.pdf>

QUIVIRA

ACZ Project ID: **L71515**

NOTE: If the Rec% column is null, the high/low limits are in the same units as the result. If the Rec% column is not null, then the high/low limits are in % Rec.

Alkalinity as CaCO3 SM2320B - Titration

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
WG537192													
WG537192PBW1	PBW	02/22/22 20:14				2.4	mg/L		-20	20			
WG537192LCSW3	LCSW	02/22/22 20:32	WC220202-3	820.0001		809.5	mg/L	99	90	110			
WG537192LCSW6	LCSW	02/22/22 22:57	WC220202-3	820.0001		826	mg/L	101	90	110			
WG537192PBW2	PBW	02/22/22 23:03				5.5	mg/L		-20	20			
WG537192LCSW9	LCSW	02/23/22 1:32	WC220202-3	820.0001		827.4	mg/L	101	90	110			
WG537192PBW3	PBW	02/23/22 1:39				6.2	mg/L		-20	20			
WG537192LCSW12	LCSW	02/23/22 5:08	WC220202-3	820.0001		817.7	mg/L	100	90	110			
WG537192PBW4	PBW	02/23/22 5:15				5.6	mg/L		-20	20			
L71548-01DUP	DUP	02/23/22 8:19			142	141	mg/L				1	20	
WG537192LCSW15	LCSW	02/23/22 8:38	WC220202-3	820.0001		840.8	mg/L	103	90	110			

Antimony, dissolved M200.8 ICP-MS

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
WG537483													
WG537483ICV	ICV	02/28/22 17:05	MS220125-1	.0201		.02005	mg/L	100	90	110			
WG537483ICB	ICB	02/28/22 17:07				.00053	mg/L		-0.00088	0.00088			
WG537483LFB	LFB	02/28/22 17:09	MS220228-9	.01		.00867	mg/L	87	85	115			
L71516-01AS	AS	02/28/22 17:22	MS220228-9	.01	U	.00832	mg/L	83	70	130			
L71516-01ASD	ASD	02/28/22 17:24	MS220228-9	.01	U	.00854	mg/L	85	70	130	3	20	

Arsenic, dissolved M200.8 ICP-MS

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
WG537483													
WG537483ICV	ICV	02/28/22 17:05	MS220125-1	.05		.05133	mg/L	103	90	110			
WG537483ICB	ICB	02/28/22 17:07				U	mg/L		-0.00044	0.00044			
WG537483LFB	LFB	02/28/22 17:09	MS220228-9	.05005		.04671	mg/L	93	85	115			
L71516-01AS	AS	02/28/22 17:22	MS220228-9	.05005	.00046	.05124	mg/L	101	70	130			
L71516-01ASD	ASD	02/28/22 17:24	MS220228-9	.05005	.00046	.04907	mg/L	97	70	130	4	20	

Barium, dissolved M200.7 ICP

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
WG537522													
WG537522ICV	ICV	03/02/22 13:21	II220215-3	2		2.0128	mg/L	101	95	105			
WG537522ICB	ICB	03/02/22 13:27				U	mg/L		-0.021	0.021			
WG537522LFB	LFB	03/02/22 13:40	II220215-2	.5		.5283	mg/L	106	85	115			
L71510-02AS	AS	03/02/22 13:53	II220215-2	2.5	U	2.5025	mg/L	100	85	115			
L71510-02ASD	ASD	03/02/22 13:56	II220215-2	2.5	U	2.476	mg/L	99	85	115	1	20	

Beryllium, dissolved M200.8 ICP-MS

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
WG537483													
WG537483ICV	ICV	02/28/22 17:05	MS220125-1	.05		.05184	mg/L	104	90	110			
WG537483ICB	ICB	02/28/22 17:07				U	mg/L		-0.000176	0.000176			
WG537483LFB	LFB	02/28/22 17:09	MS220228-9	.05005		.046275	mg/L	92	85	115			
L71516-01AS	AS	02/28/22 17:22	MS220228-9	.05005	U	.049954	mg/L	100	70	130			
L71516-01ASD	ASD	02/28/22 17:24	MS220228-9	.05005	U	.047731	mg/L	95	70	130	5	20	

QUIVIRA

ACZ Project ID: **L71515**

NOTE: If the Rec% column is null, the high/low limits are in the same units as the result. If the Rec% column is not null, then the high/low limits are in % Rec.

Cadmium, dissolved

M200.8 ICP-MS

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
WG537483													
WG537483ICV	ICV	02/28/22 17:05	MS220125-1	.05		.051809	mg/L	104	90	110			
WG537483ICB	ICB	02/28/22 17:07				U	mg/L		-0.00011	0.00011			
WG537483LFB	LFB	02/28/22 17:09	MS220228-9	.05005		.047041	mg/L	94	85	115			
L71516-01AS	AS	02/28/22 17:22	MS220228-9	.05005	U	.051197	mg/L	102	70	130			
L71516-01ASD	ASD	02/28/22 17:24	MS220228-9	.05005	U	.04861	mg/L	97	70	130	5	20	

Calcium, dissolved

M200.7 ICP

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
WG537522													
WG537522ICV	ICV	03/02/22 13:21	II220215-3	100		100.39	mg/L	100	95	105			
WG537522ICB	ICB	03/02/22 13:27				U	mg/L		-0.3	0.3			
WG537522LFB	LFB	03/02/22 13:40	II220215-2	67.99026		68.51	mg/L	101	85	115			
L71510-02AS	AS	03/02/22 13:53	II220215-2	339.9513	529	859.5	mg/L	97	85	115			
L71510-02ASD	ASD	03/02/22 13:56	II220215-2	339.9513	529	852.5	mg/L	95	85	115	1	20	

Chloride

SM4500Cl-E

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
WG537562													
WG537562ICB	ICB	03/02/22 12:02				U	mg/L		-1.5	1.5			
WG537562ICV	ICV	03/02/22 12:02	WI210503-1	54.89		58.06	mg/L	106	90	110			
WG537562LFB1	LFB	03/02/22 15:17	WI210908-11	29.97		32.69	mg/L	109	90	110			
WG537562LFB2	LFB	03/02/22 15:21	WI210908-11	29.97		31.86	mg/L	106	90	110			
L71510-01DUP	DUP	03/02/22 15:55			367	370.61	mg/L				1	20	
L71510-02AS	AS	03/02/22 15:55	10XCL	30	481	498.78	mg/L	59	90	110			M3

Conductivity @25C

SM2510B

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
WG537192													
WG537192LCSW2	LCSW	02/22/22 20:21	PCN65017	1408		1405	umhos/cm	100	90	110			
WG537192LCSW5	LCSW	02/22/22 22:44	PCN65017	1408		1400	umhos/cm	99	90	110			
WG537192LCSW8	LCSW	02/23/22 1:20	PCN65017	1408		1394	umhos/cm	99	90	110			
WG537192LCSW11	LCSW	02/23/22 4:57	PCN65017	1408		1385	umhos/cm	98	90	110			
L71548-01DUP	DUP	02/23/22 8:19			2330	2350	umhos/cm				1	20	
WG537192LCSW14	LCSW	02/23/22 8:25	PCN65017	1408		1379	umhos/cm	98	90	110			

Cyanide, Total

D7511-09

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
WG537617													
WG537617ICV	ICV	03/04/22 15:00	WI220218-7	.3003		.3332	mg/L	111	90	110			N1
WG537617ICB	ICB	03/04/22 15:02				U	mg/L		-0.003	0.003			
WG537617LFB	LFB	03/04/22 15:08	WI220218-5	.1		.115	mg/L	115	84	116			
L71515-01AS	AS	03/04/22 15:42	WI220218-5	.1	U	.1003	mg/L	100	84	116			
L71515-01ASD	ASD	03/04/22 15:44	WI220218-5	.1	U	.1057	mg/L	106	84	116	5	20	

QUIVIRA

ACZ Project ID: **L71515**

NOTE: If the Rec% column is null, the high/low limits are in the same units as the result. If the Rec% column is not null, then the high/low limits are in % Rec.

Iron, dissolved

M200.7 ICP

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
WG537522													
WG537522ICV	ICV	03/02/22 13:21	II220215-3	2		1.988	mg/L	99	95	105			
WG537522ICB	ICB	03/02/22 13:27				U	mg/L		-0.18	0.18			
WG537522LFB	LFB	03/02/22 13:40	II220215-2	1.0001		1.081	mg/L	108	85	115			
L71510-02AS	AS	03/02/22 13:53	II220215-2	5.0005	U	5	mg/L	100	85	115			
L71510-02ASD	ASD	03/02/22 13:56	II220215-2	5.0005	U	4.96	mg/L	99	85	115	1	20	

Lead, dissolved

M200.8 ICP-MS

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
WG537483													
WG537483ICV	ICV	02/28/22 17:05	MS220125-1	.05		.05306	mg/L	106	90	110			
WG537483ICB	ICB	02/28/22 17:07				U	mg/L		-0.00022	0.00022			
WG537483LFB	LFB	02/28/22 17:09	MS220228-9	.0501		.04834	mg/L	96	85	115			
L71516-01AS	AS	02/28/22 17:22	MS220228-9	.0501	U	.0523	mg/L	104	70	130			
L71516-01ASD	ASD	02/28/22 17:24	MS220228-9	.0501	U	.05011	mg/L	100	70	130	4	20	

Magnesium, dissolved

M200.7 ICP

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
WG537522													
WG537522ICV	ICV	03/02/22 13:21	II220215-3	100		96.27	mg/L	96	95	105			
WG537522ICB	ICB	03/02/22 13:27				U	mg/L		-0.6	0.6			
WG537522LFB	LFB	03/02/22 13:40	II220215-2	49.99828		52.12	mg/L	104	85	115			
L71510-02AS	AS	03/02/22 13:53	II220215-2	249.9914	257	509	mg/L	101	85	115			
L71510-02ASD	ASD	03/02/22 13:56	II220215-2	249.9914	257	504	mg/L	99	85	115	1	20	

Molybdenum, dissolved

M200.8 ICP-MS

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
WG537483													
WG537483ICV	ICV	02/28/22 17:05	MS220125-1	.02		.01996	mg/L	100	90	110			
WG537483ICB	ICB	02/28/22 17:07				U	mg/L		-0.00044	0.00044			
WG537483LFB	LFB	02/28/22 17:09	MS220228-9	.05005		.04607	mg/L	92	85	115			
L71516-01AS	AS	02/28/22 17:22	MS220228-9	.05005	.256	.30979	mg/L	107	70	130			
L71516-01ASD	ASD	02/28/22 17:24	MS220228-9	.05005	.256	.31067	mg/L	109	70	130	0	20	

Nickel, dissolved

M200.8 ICP-MS

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
WG537483													
WG537483ICV	ICV	02/28/22 17:05	MS220125-1	.05		.05208	mg/L	104	90	110			
WG537483ICB	ICB	02/28/22 17:07				U	mg/L		-0.00088	0.00088			
WG537483LFB	LFB	02/28/22 17:09	MS220228-9	.05		.04623	mg/L	92	85	115			
L71516-01AS	AS	02/28/22 17:22	MS220228-9	.05	.00111	.04698	mg/L	92	70	130			
L71516-01ASD	ASD	02/28/22 17:24	MS220228-9	.05	.00111	.04488	mg/L	88	70	130	5	20	

QUIVIRA

ACZ Project ID: **L71515**

NOTE: If the Rec% column is null, the high/low limits are in the same units as the result. If the Rec% column is not null, then the high/low limits are in % Rec.

Nitrate/Nitrite as N

M353.2 - H2SO4 preserved

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
WG537754													
WG537754ICV	ICV	03/05/22 0:06	WI220301-7	2.4161		2.34	mg/L	97	90	110			
WG537754ICB	ICB	03/05/22 0:07				U	mg/L		-0.02	0.02			
WG537759													
WG537759LFB	LFB	03/05/22 3:23	WI211001-5	2		1.999	mg/L	100	90	110			
L71498-01AS	AS	03/05/22 3:25	WI211001-5	2	U	2.146	mg/L	107	90	110			
L71498-02DUP	DUP	03/05/22 3:28			U	U	mg/L				0	20	RA

Potassium, dissolved

M200.7 ICP

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
WG537522													
WG537522ICV	ICV	03/02/22 13:21	II220215-3	20		20.03	mg/L	100	95	105			
WG537522ICB	ICB	03/02/22 13:27				U	mg/L		-0.6	0.6			
WG537522LFB	LFB	03/02/22 13:40	II220215-2	99.95169		106.7	mg/L	107	85	115			
L71510-02AS	AS	03/02/22 13:53	II220215-2	499.75845	23.7	534	mg/L	102	85	115			
L71510-02ASD	ASD	03/02/22 13:56	II220215-2	499.75845	23.7	528.5	mg/L	101	85	115	1	20	

Residue, Filterable (TDS) @180C

SM2540C

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
WG536977													
WG536977PBW	PBW	02/18/22 13:53				U	mg/L		-20	20			
WG536977LCSW	LCSW	02/18/22 13:55	PCN64724	1000		992	mg/L	99	80	120			
L71515-01DUP	DUP	02/18/22 14:24			7380	7350	mg/L				0	10	

Selenium, dissolved

SM 3114 B, AA-Hydride

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
WG537130													
WG537130ICV	ICV	02/24/22 9:02	SE220124-2	.025		.0259	mg/L	104	90	110			
WG537130ICB	ICB	02/24/22 9:04				U	mg/L		-0.006	0.006			
WG537130LRB	LRB	02/24/22 9:06				U	mg/L		-0.006	0.006			
WG537130LFB	LFB	02/24/22 9:08	SE220124-4	.0225		.0224	mg/L	100	85	115			
L71507-01LFM	LFM	02/24/22 9:12	SE5XPREP	.1112	U	.1005	mg/L	90	85	115			
L71507-01LFMD	LFMD	02/24/22 9:14	SE5XPREP	.1112	U	.0994	mg/L	89	85	115	1	20	

Sodium, dissolved

M200.7 ICP

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
WG537522													
WG537522ICV	ICV	03/02/22 13:21	II220215-3	100		100.09	mg/L	100	95	105			
WG537522ICB	ICB	03/02/22 13:27				U	mg/L		-0.6	0.6			
WG537522LFB	LFB	03/02/22 13:40	II220215-2	100.0039		107	mg/L	107	85	115			
L71510-02AS	AS	03/02/22 13:53	II220215-2	500.0195	442	958	mg/L	103	85	115			
L71510-02ASD	ASD	03/02/22 13:56	II220215-2	500.0195	442	936.5	mg/L	99	85	115	2	20	

QUIVIRA

ACZ Project ID: **L71515**

NOTE: If the Rec% column is null, the high/low limits are in the same units as the result. If the Rec% column is not null, then the high/low limits are in % Rec.

Sulfate

D516-02/-07/-11 - TURBIDIMETRIC

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
WG538032													
WG538032ICB	ICB	03/10/22 17:43				U	mg/L		-3	3			
WG538032ICV	ICV	03/10/22 17:44	WI220302-3	20.46		18.7	mg/L	91	90	110			
WG538032LFB	LFB	03/10/22 18:05	WI211230-5	9.95		9.2	mg/L	92	90	110			
L71516-01AS	AS	03/10/22 18:26	SO4TURB25X	10	299	307	mg/L	80	90	110			M3
L71513-01DUP	DUP	03/10/22 18:28			17500	17453	mg/L				0	20	

Uranium, dissolved

M200.8 ICP-MS

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
WG537483													
WG537483ICV	ICV	02/28/22 17:05	MS220125-1	.05		.05341	mg/L	107	90	110			
WG537483ICB	ICB	02/28/22 17:07				U	mg/L		-0.00022	0.00022			
WG537483LFB	LFB	02/28/22 17:09	MS220228-9	.05		.04815	mg/L	96	85	115			
L71516-01AS	AS	02/28/22 17:22	MS220228-9	.05	.00021	.05613	mg/L	112	70	130			
L71516-01ASD	ASD	02/28/22 17:24	MS220228-9	.05	.00021	.05285	mg/L	105	70	130	6	20	

Rio Algom Mining Company

ACZ Project ID: **L71515**

ACZ ID	WORKNUM	PARAMETER	METHOD	QUAL	DESCRIPTION
L71515-01	WG540218	Calcium, dissolved	M200.7 ICP	M3	The spike recovery value is unusable since the analyte concentration in the sample is disproportionate to the spike level. The recovery of the associated control sample (LCS or LFB) was acceptable.
	WG537562	Chloride	SM4500CI-E	M3	The spike recovery value is unusable since the analyte concentration in the sample is disproportionate to the spike level. The recovery of the associated control sample (LCS or LFB) was acceptable.
	WG537617	Cyanide, Total	D7511-09	BF	Target analyte in prep / method blank at or above the acceptance criteria. Target analyte was not detected in the sample [$<$ MDL].
				HC	Initial analysis within holding time. Reanalysis was past holding time, which was required due to a QC failure during the initial analysis.
				N1	See Case Narrative.
				VC	CCV recovery was above the acceptance limits. Target analyte was not detected in the sample [$<$ MDL].
	WG537759	Nitrate/Nitrite as N	M353.2 - H2SO4 preserved	RA	Relative Percent Difference (RPD) was not used for data validation because the concentration of the duplicated sample is too low for accurate evaluation ($<$ 10x MDL).
	WG536977	Residue, Filterable (TDS) @180C	SM2540C	H1	Sample prep or analysis performed past holding time. See case narrative.
				HE	Analysis performed past holding time. Method holding time is less than or equal to 7 days and sample was received with less than half of the holding time remaining (refer to item C5 of ACZ's Terms & Conditions).
				N1	See Case Narrative.
WG538032	Sulfate	D516-02/-07/-11 - TURBIDIMETRIC	M3	The spike recovery value is unusable since the analyte concentration in the sample is disproportionate to the spike level. The recovery of the associated control sample (LCS or LFB) was acceptable.	

Rio Algom Mining Company

Project ID: 4512060294
 Sample ID: 36-06 KD-02102022
 Locator:

ACZ Sample ID: **L71515-01**
 Date Sampled: 02/10/22 13:30
 Date Received: 02/17/22
 Sample Matrix: Groundwater

Lead 210, dissolved
 EICHROM, OTW01

Prep Method:

Parameter	Measure Date	Prep Date	Result	Error(+/-)	LLD	Units	XQ	Analyst
Lead 210, dissolved	04/06/22 9:36		3.2	25	69	pCi/L	*	fdw

Polonium 210, dissolved
 HASL Po-01-RC

Prep Method:

Parameter	Measure Date	Prep Date	Result	Error(+/-)	LLD	Units	XQ	Analyst
Polonium 210, dissolved	04/04/22 17:01		-0.459	2.2	3	pCi/L	*	slc

Radium 226, dissolved
 M903.1

Prep Method:

Parameter	Measure Date	Prep Date	Result	Error(+/-)	LLD	Units	XQ	Analyst
Radium 226, dissolved	04/11/22 0:11		6.5	0.35	0.63	pCi/L	*	fdw

Radium 228, dissolved
 M9320

Prep Method:

Parameter	Measure Date	Prep Date	Result	Error(+/-)	LLD	Units	XQ	Analyst
Radium 228, dissolved	03/29/22 18:03		11	2	3.8	pCi/L	*	msm

Thorium 230, dissolved
 ESM 4506

Prep Method:

Parameter	Measure Date	Prep Date	Result	Error(+/-)	LLD	Units	XQ	Analyst
Thorium 230, dissolved	03/28/22 20:41		26	3.8	0.77	pCi/L	*	amk

Report Header Explanations

<i>Batch</i>	A distinct set of samples analyzed at a specific time
<i>Error(+/-)</i>	Calculated sample specific uncertainty
<i>Found</i>	Value of the QC Type of interest
<i>Limit</i>	Upper limit for RPD, in %.
<i>LCL</i>	Lower Control Limit, in % (except for LCSS, mg/Kg)
<i>LLD</i>	Calculated sample specific Lower Limit of Detection
<i>PCN/SCN</i>	A number assigned to reagents/standards to trace to the manufacturer's certificate of analysis
<i>PQL</i>	Practical Quantitation Limit
<i>QC</i>	True Value of the Control Sample or the amount added to the Spike
<i>Rec</i>	Amount of the true value or spike added recovered, in % (except for LCSS, mg/Kg)
<i>REr</i>	Relative Error Ratio, calculation used for Dup. QC taking into account the error factor.
<i>RPD</i>	Relative Percent Difference, calculation used for Duplicate QC Types
<i>UCL</i>	Upper Control Limit, in % (except for LCSS, mg/Kg)
<i>Sample</i>	Value of the Sample of interest

QC Sample Types

<i>DUP</i>	Sample Duplicate	<i>MS/MSD</i>	Matrix Spike/Matrix Spike Duplicate
<i>LCSS</i>	Laboratory Control Sample - Soil	<i>PBS</i>	Prep Blank - Soil
<i>LCSW</i>	Laboratory Control Sample - Water	<i>PBW</i>	Prep Blank - Water

QC Sample Type Explanations

Blanks	Verifies that there is no or minimal contamination in the prep method procedure.
Control Samples	Verifies the accuracy of the method, including the prep procedure.
Duplicates	Verifies the precision of the instrument and/or method.
Matrix Spikes	Determines sample matrix interferences, if any.

ACZ Qualifiers (Qual)

H	Analysis exceeded method hold time.
---	-------------------------------------

Method Prefix Reference

M	EPA methodology, including those under SDWA, CWA, and RCRA
SM	Standard Methods for the Examination of Water and Wastewater.
D	ASTM
RP	DOE
ESM	DOE/ESM

Comments

- (1) Solid matrices are reported on a dry weight basis.
- (2) Preparation method: "Method" indicates preparation defined in analytical method.
- (3) QC results calculated from raw data. Results may vary slightly if the rounded values are used in the calculations.
- (4) An asterisk in the "XQ" column indicates there is an extended qualifier and/or certification qualifier associated with the result.

For a complete list of ACZ's Extended Qualifiers, please click:

<https://acz.com/wp-content/uploads/2019/04/Ext-Qual-List.pdf>

QUIVIRA

ACZ Project ID: **L71515**

NOTE: If the Rec% column is null, the high/low limits are in the same units as the result. If the Rec% column is not null, then the high/low limits are in % Rec.

Lead 210, dissolved

EICHROM, OTW01

Units: pCi/L

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Error	LLD	Found	Error	LLD	Rec%	Lower	Upper	RPD/RER	Limit	Qual
WG539097																
WG539097LCSW	LCSW	04/05/22	PCN64364	98.31				99	4.5	6.7	101	55	121			
WG539097PBW	PBW	04/05/22						-2.6	2.3	6.9			13.8			
L71280-01DUP	DUP-RPD	04/05/22			6.9	19	54	7.1	12	35				3	20	
L72132-01MS	MS	04/06/22	PCN64364	983	4.8	14	37	830	34	43	84	55	121			
L72132-02DUP	DUP-RER	04/06/22			-34	25	70	7.7	16	43				1.4	2	
L72132-02DUP	DUP-RPD	04/06/22			-34	25	70	7.7	16	43				317	20	RG

Polonium 210, dissolved

HASL Po-01-RC

Units: pCi/L

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Error	LLD	Found	Error	LLD	Rec%	Lower	Upper	RPD/RER	Limit	Qual
WG539259																
WG539259PBW	PBW	04/04/22						.171	2.5	3.1			6.2			
L71515-01MS	MS	04/04/22	PCN64364	500	-0.459	2.2	3	519	120	3.7	104	51	128			
WG539259LCSW	LCSW	04/04/22	PCN64364	500				501	110	3.7	100	51	128			
L72132-01DUP	DUP-RPD	04/05/22			-0.167	2.5	3.3	-0.729	4.2	5.3				78	20	RG
L72132-01DUP	DUP-RER	04/05/22			-0.167	2.5	3.3	-0.729	4.2	5.3				0.02	2	

Radium 226, dissolved

M903.1

Units: pCi/L

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Error	LLD	Found	Error	LLD	Rec%	Lower	Upper	RPD/RER	Limit	Qual
WG538652																
WG538652LCSW	LCSW	04/11/22	PCN64374	20				14	0.5	0.53	70	43	148			
WG538652PBW	PBW	04/11/22						.14	0.15	0.45			0.9			
L71509-01DUP	DUP-RPD	04/11/22			0.36	0.13	0.52	.8	0.32	1.5				76	20	RG
L71509-01DUP	DUP-RER	04/11/22			0.36	0.13	0.52	.8	0.32	1.5				1.27	2	
L71661-01DUP	DUP-RPD	04/11/22			33	0.72	0.31	30	0.75	0.4				10	20	
L71662-01MS	MS	04/11/22	PCN64374	20	210	1.8	0.4	290	2.1	0.29	400	43	148			M1

QUIVIRA

ACZ Project ID: **L71515**

NOTE: If the Rec% column is null, the high/low limits are in the same units as the result. If the Rec% column is not null, then the high/low limits are in % Rec.

Radium 228, dissolved

M9320

Units: pCi/L

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Error	LLD	Found	Error	LLD	Rec%	Lower	Upper	RPD/RER	Limit	Qual
WG538415																
WG538415LCSW	LCSW	03/29/22	PCN64684	9.46				11	1.3	2.2	116	47	123			
WG538415PBW	PBW	03/29/22						-0.2	0.75	1.9			3.8			RG
L71498-01DUP	DUP-RPD	03/29/22			2.4	2.3	5.7	-1.2	1.6	3.8				600	20	RG
L71498-01DUP	DUP-RER	03/29/22			2.4	2.3	5.7	-1.2	1.6	3.8				1.28	2	
L71559-02DUP	DUP-RER	03/29/22			0.82	2.1	5.2	.54	2.3	5.2				0.09	2	
L71559-02DUP	DUP-RPD	03/29/22			0.82	2.1	5.2	.54	2.3	5.2				41	20	RG
L71515-01MS	MS	03/29/22	PCN64684	18.92	11	2	3.8	26	2.7	4.3	79	47	123			

Thorium 230, dissolved

ESM 4506

Units: pCi/L

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Error	LLD	Found	Error	LLD	Rec%	Lower	Upper	RPD/RER	Limit	Qual
WG538651																
WG538651LCSW	LCSW	03/25/22	PCN63437	200				205	26	0.31	103	91	126			
L71282-01DUP	DUP-RER	03/25/22			0.081	0.43	0.79	.738	1	1.8				0.6	2	
L71282-01DUP	DUP-RPD	03/25/22			0.081	0.43	0.79	.738	1	1.8				160	20	RG
WG538651PBW	PBW	03/28/22						1.2	0.45	0.5			1			N1
L71379-01MS	MS	03/28/22	PCN63437	200	0.641	0.36	0.48	190	24	0.38	95	91	126			
L71943-06DUP	DUP-RPD	03/29/22			0.736	0.44	0.62	1.03	0.91	1.4				33	20	RG
L71943-06DUP	DUP-RER	03/29/22			0.736	0.44	0.62	1.03	0.91	1.4				0.29	2	

Rio Algom Mining Company

ACZ Project ID: **L71515**

ACZ ID	WORKNUM	PARAMETER	METHOD	QUAL	DESCRIPTION
L71515-01	WG539097	Lead 210, dissolved	EICHROM, OTW01	D1	Sample required dilution due to matrix.
			EICHROM, OTW01	RG	Sample concentration is less than 5x LLD; RPD was not used for data validation. Replicate Error Ratio (RER) is less than 2. Precision judged to be in control.
	WG539259	Polonium 210, dissolved	HASL Po-01-RC	RG	Sample concentration is less than 5x LLD; RPD was not used for data validation. Replicate Error Ratio (RER) is less than 2. Precision judged to be in control.
WG538652	Radium 226, dissolved		M903.1	M1	Matrix spike recovery was high, the recovery of the associated control sample (LCS or LFB) was acceptable.
			M903.1	RG	Sample concentration is less than 5x LLD; RPD was not used for data validation. Replicate Error Ratio (RER) is less than 2. Precision judged to be in control.
WG538415	Radium 228, dissolved		M9320	D1	Sample required dilution due to matrix.
			M9320	RG	Sample concentration is less than 5x LLD; RPD was not used for data validation. Replicate Error Ratio (RER) is less than 2. Precision judged to be in control.
WG538651	Thorium 230, dissolved		ESM 4506	N1	See Case Narrative.
			ESM 4506	N1A	See Case Narrative.
			ESM 4506	RG	Sample concentration is less than 5x LLD; RPD was not used for data validation. Replicate Error Ratio (RER) is less than 2. Precision judged to be in control.

Rio Algom Mining Company

ACZ Project ID: **L71515**

Radiochemistry

The following parameters are not offered for certification or are not covered by NELAC certificate #ACZ.

Lead 210, dissolved	EICHROM, OTW01
Polonium 210, dissolved	HASL Po-01-RC
Thorium 230, dissolved	ESM 4506

Rio Algom Mining Company
 4512060294

ACZ Project ID: L71515
 Date Received: 02/17/2022 11:49
 Received By:
 Date Printed: 2/18/2022

Receipt Verification

	YES	NO	NA
1) Is a foreign soil permit included for applicable samples?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2) Is the Chain of Custody form or other directive shipping papers present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3) Does this project require special handling procedures such as CLP protocol?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4) Are any samples NRC licensable material?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5) If samples are received past hold time, proceed with requested short hold time analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6) Is the Chain of Custody form complete and accurate?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7) Were any changes made to the Chain of Custody form prior to ACZ receiving the samples?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Samples/Containers

	YES	NO	NA
8) Are all containers intact and with no leaks?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9) Are all labels on containers and are they intact and legible?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10) Do the sample labels and Chain of Custody form match for Sample ID, Date, and Time?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11) For preserved bottle types, was the pH checked and within limits? ¹	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12) Is there sufficient sample volume to perform all requested work?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13) Is the custody seal intact on all containers?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
14) Are samples that require zero headspace acceptable?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
15) Are all sample containers appropriate for analytical requirements?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
16) Is there an Hg-1631 trip blank present?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
17) Is there a VOA trip blank present?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
18) Were all samples received within hold time?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

NA indicates Not Applicable

Chain of Custody Related Remarks

Client Contact Remarks

Shipping Containers

Cooler Id	Temp (°C)	Temp Criteria (°C)	Rad (µR/Hr)	Custody Seal Intact?
7057	5.4	<=6.0	15	N/A

Was ice present in the shipment container(s)?

Yes - Wet ice was present in the shipment container(s).

Client must contact an ACZ Project Manager if analysis should not proceed for samples received outside of their thermal preservation acceptance criteria.

Rio Algom Mining Company
4512060294

ACZ Project ID: L71515
Date Received: 02/17/2022 11:49
Received By:
Date Printed: 2/18/2022

¹ The preservation of the following bottle types is not checked at sample receipt: Orange (oil and grease), Purple (total cyanide), Pink (dissolved cyanide), Brown (arsenic speciation), Sterile (fecal coliform), EDTA (sulfite), HCl preserved vial (organics), Na₂S₂O₃ preserved vial (organics), and HG-1631 (total/dissolved mercury by method 1631).



Accredited Environmental Testing

2773 Downhill Drive Steamboat Springs, CO 80487 (970) 879-6590

L71515

CHAIN of CUSTODY

Report to:

Name: Kent Applegate
Company: Rio Algom Mining LLC
E-mail: Kent.Applegate@bhp.com

Address: 201 C Sante Fe Avenue
Grants NM 87020
Telephone: 505-801-1761

Copy of Report to:

Name: See Remarks
Company:

E-mail: See Remarks
Telephone:

Invoice to:

Name: Kent Applegate
Company: Rio Algom Mining LLC
E-mail: Kent.Applegate@bhp.com

Address: 201 C Sante Fe Avenue
Grants NM 87020
Telephone: 505-801-1761

Copy of Invoice to:

Name: See Remarks
Company:
E-mail: See Remarks

Address:
Telephone:

If sample(s) received past holding time (HT), or if insufficient HT remains to complete analysis before expiration, shall ACZ proceed with requested short HT analyses? YES [checked] NO []

Are samples for SDWA Compliance Monitoring? Yes [] No [checked]

Sampler's Name: Kelly Hoehn
Sampler's Site Information
State NM Zip code 87020 Time Zone MST

PROJECT INFORMATION
Quote #: BO48856
PO#: 4512060294
Reporting state for compliance testing:
Check box if samples include NRC licensed material? [checked]

Table with columns: SAMPLE IDENTIFICATION, DATE:TIME, Matrix, # of Containers, ANALYSES REQUESTED. Row 1: 36-06 KD-02102022, 2/10/2022 13:30, GW, 6, NRC-KD

REMARKS
Please CC Report to email list.

RELINQUISHED BY: JOE SARR 2/10 1710
RECEIVED BY:
DATE:TIME

L71515 Chain of Custody