

Facility: DRESDEN		Date of Examination: April 2021		Operating Test Number: 20-1	
1. General Criteria		Initials			
		a	b*	c#	
a.	The operating test conforms to the previously approved outline; changes are consistent with sampling requirements (e.g., 10 CFR 55.45, operational importance, safety function distribution).	JR/ LR	N/A	<i>CDZ</i>	
b.	There is no day-to-day repetition between this and other operating tests to be administered during this examination.	JR/ LR	N/A	<i>CDZ</i>	
c.	The operating test shall not duplicate items from the applicants' audit test(s) (see Section D.1.a.).	JR/ LR	N/A	<i>CDZ</i>	
d.	Overlap with the written examination and between different parts of the operating test is within acceptable limits.	JR/ LR	N/A	<i>CDZ</i>	
e.	It appears that the operating test will differentiate between competent and less-than-competent applicants at the designated license level.	JR/ LR	N/A	<i>CDZ</i>	
2. Walkthrough Criteria		--	--	--	
a.	Each JPM includes the following, as applicable: <ul style="list-style-type: none"> <li>• initial conditions</li> <li>• initiating cues</li> <li>• references and tools, including associated procedures</li> <li>• reasonable and validated time limits (average time allowed for completion) and specific designation if deemed to be time critical by the facility licensee</li> <li>• operationally important specific performance criteria that include— <ul style="list-style-type: none"> <li>– detailed expected actions with exact criteria and nomenclature</li> <li>– system response and other examiner cues</li> <li>– statements describing important observations to be made by the applicant</li> <li>– criteria for successful completion of the task</li> <li>– identification of critical steps and their associated performance standards</li> <li>– restrictions on the sequence of steps, if applicable</li> </ul> </li> </ul>	JR/ LR	N/A	<i>CDZ</i>	
b.	Ensure that any changes from the previously approved systems and administrative walkthrough outlines (Forms ES-301-1 and ES-301-2) have not caused the test to deviate from any of the acceptance criteria (e.g., item distribution, bank use, repetition from the last two NRC examinations) specified on those forms and Form ES-201-2.	JR/ LR	N/A	<i>CDZ</i>	
3. Simulator Criteria		--	--	--	
The associated simulator operating tests (scenario sets) have been reviewed in accordance with Form ES-301-4, and a copy is attached.		JR/ LR	N/A	<i>CDZ</i>	
		Printed Name/Signature		Date	
a.	Author	<u>John Robbins/Lionel Rodriguez</u>		_____	
b.	Facility Reviewer (*)	<u>NOT APPLICABLE – NRC Prepared Exam</u>		_____	
c.	NRC Chief Examiner (#) <i>CDZ</i> <u>C. Zoia</u>	_____		_____	
d.	NRC Supervisor <i>PJP</i> <u>P. Pelke</u>	_____		_____	
<p>* The facility licensee signature is not applicable for NRC-developed tests.                  # The independent NRC reviewer initials items in column "c"; the chief examiner concurrence is required.</p>					