



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION III  
2443 WARRENVILLE ROAD, SUITE 210  
LISLE, ILLINOIS 60532-4352

August 19, 2022

Kelly J. Ferneau  
Site Vice President  
Indiana Michigan Power Company  
Nuclear Generation Group  
One Cook Place  
Bridgman, MI 49106

SUBJECT: DONALD C. COOK NUCLEAR PLANT  
LICENSED OPERATOR POSITIVE FITNESS-FOR-DUTY TEST

Dear Kelly Ferneau:

On August 16, 2022, your facility reported to the U.S. Nuclear Regulatory Commission (NRC) via Title 10 of the *Code of Federal Regulations* (CFR) 26.719 that an NRC-licensed operator tested positive following a fitness-for-duty test administered under 10 CFR 26.31(c) on August 16, 2022, (Event Report 56046). Although we have obtained preliminary information, this letter is a formal request for information pertaining to this occurrence. Within 30 days of the date of this letter, please provide responses to the questions listed in the enclosure. In addition, please provide other records and information on this operator's fitness-for-duty that are relevant to this occurrence. If you are unable to meet this deadline, please notify us no later than 15 days from the date of this letter, with the reasons for the delay and a proposed date of submittal.

We request that any personal privacy, proprietary, or safeguards information in your response be contained in a separate enclosure and appropriately marked. The affidavit required by 10 CFR 2.390(b) must accompany your response, where applicable.

You should determine whether the operator meets the requirements of 10 CFR 55.33(a)(1). You should ensure that: (1) the operator meets the general health requirements of ANSI/ANS-3.4-1983; (2) the operator does not have a disqualifying condition under Section 5.3 of that standard; and (3) documentation describing the designated physician's conclusion that the operator meets the requirements of ANSI/ANS-3.4-1983 is available for review by the NRC. If a conditional license is requested per 10 CFR 55.25, that condition should be documented on NRC Form 396, "Certification of Medical Examination by Facility Licensee," and sent to the U.S. Nuclear Regulatory Commission, ATTN: Regional Administrator, Region III Office, 2443 Warrenville Road, Suite 210, Lisle, IL 60532-4352.

If you determine that the operator no longer meets the medical qualifications described in 10 CFR 55.33(a)(1), then, in accordance with 10 CFR 55.25, you must notify the NRC, in writing, of the operator's permanent incapacitation. For example, you must notify the NRC if you determine, based on your employee assistance program in consultation with your designated physician, that the operator can no longer meet the medical criteria of ANSI/ANS-3.4-1983.

The NRC will evaluate the information in your reply to this letter to determine if further action is warranted pursuant to 10 CFR Part 50 or Part 55. The information supplied will be maintained in NRC Privacy Systems of Records-16 and will be subject to the Privacy Act.

Please provide a copy of this letter, as well as your response to this letter, to the operator. If you are unwilling to provide this information to the operator for any reason, the NRC will provide the information to the operator when it is available as part of the operator's docket file.

If you have any questions concerning this matter, please contact Patricia J. Pelke, Chief, Operations Branch, 630-829-9868. The requested information should be sent to the attention of Patricia J. Pelke at the NRC Region III Office, 2443 Warrenville Road, Suite 210, Lisle, IL 60532-4352. Your cooperation is appreciated.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). ADAMS is accessible from the NRC Website at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

Sincerely,



Signed by Atack, Sabrina  
on 08/19/22

Sabrina Atack, Acting Director  
Division of Reactor Safety

Docket Nos. 50-315; 50-316  
License Nos. DPR-58; DPR-74

Enclosure:  
Fitness-for-Duty Request for  
Additional Information

cc: Distribution w/encl via ListServ®  
D. Emery, Training Manager

Letter to Kelly Ferneau from Sabrina Atack dated August 19, 2022.

SUBJECT: DONALD C. COOK NUCLEAR PLANT  
LICENSED OPERATOR POSITIVE FITNESS-FOR-DUTY TEST

Distribution w/encl:

- John Giessner
- Mohammed Shuaibi
- Sabrina Atack
- Jamie Heisserer
- Jason Kozal
- Diana Betancourt-Roldan
- Kenneth Lambert
- Laura Kozak
- Lauren Nist
- Patricia Pelke
- Randal Baker
- Colleen Schmidt

ADAMS Accession Number: ML22230A436

OFFICE	RIII/DRS	RIII/DRS	RIII/DRP	RIII/EICS	RIII/DRS
NAME	RBaker:jw	PPelke	LKozak	DBetancourt-Roldan	SAtack
DATE	08/18/22	08/18/22	08/18/22	08/19/22	08/19/22

**OFFICIAL RECORD COPY**

### **Fitness-for-Duty Request for Additional Information**

Donald C. Cook Nuclear Plant is requested to provide the following information concerning the fitness-for-duty occurrence (Title 10 of the *Code of Federal Regulations* (10 CFR) Part 26.719) reported on August 16, 2022, regarding the involved licensed operator:

1. Name, Docket Number, and responsibilities of the operator.
2. A summary of the operator's entire fitness-for-duty testing history. Please include the dates and times the operator was tested, the reasons for the tests (i.e., random, for-cause, or follow-up), the results of the tests, including quantification, and the dates that any tests were confirmed positive.
3. Whether the operator used, sold, or possessed illegal drugs. If so, please provide the details of the circumstances surrounding such use, sale, or possession.

OR

Whether the operator consumed alcoholic beverages within the protected area. If so, please provide the details of the circumstances surrounding such consumption.

4. Whether the operator was at the controls or supervising licensed activities while under the influence of illegal drugs or alcohol. If so, please provide the details of the operator's performance of licensed duties while under the influence.
5. Whether the operator fulfilled a position that was required to meet minimum licensed operating staffing requirements (fire brigade, emergency plan operations, etc.) while under the influence.
6. Whether the operator was involved in procedural errors related to this occurrence. If so, please provide the details of the procedural errors and the consequences of the errors.
7. The extent to which you reviewed the operator's past work history, both on the day of the occurrence and prior to August 16, 2022.
8. Your intentions with regard to the operator's resumption of duties under the 10 CFR Part 50 and Part 55 licenses, including your plans for follow-up testing.

Enclosure