

**From:** James Kim  
**Sent:** Thursday, September 22, 2022 6:18 AM  
**To:** Thomas, Brian J.  
**Cc:** Montgomery, Richard; Hipo Gonzalez  
**Subject:** Acceptance Review - Salem 1 and 2 - Relocate TS Requirements for Reactor Head Vents to TRM (EPID: L-2022-LLA-0133)

Mr. Thomas,

By letter dated August 31, 2022 (Agencywide Documents Access and Management System (ADAMS) Accession No. ML22249A228), PSEG Nuclear LCC (PSEG, the licensee) submitted a license amendment to relocate Technical Specification (TS) 3/4.4.12 limiting condition for operation, associated Action Statements and Surveillance Requirements for the Reactor Coolant System Head Vents from the TS to the Technical Requirements Manual for the Salem Nuclear Generating Station Unit 1 and Unit 2.

The NRC staff has reviewed your application and concluded that it does provide technical information in sufficient detail to enable the NRC staff to complete its detailed technical review and make an independent assessment regarding the acceptability of the proposed amendment in terms of regulatory requirements and the protection of public health and safety and the environment. Given the lesser scope and depth of the acceptance review as compared to the detailed technical review, there may be instances in which issues that impact the NRC staff's ability to complete the detailed technical review are identified despite completion of an adequate acceptance review. If additional information is needed, you will be advised by separate correspondence.

The NRC staff has estimated that this licensing request will take approximately 230 hours to complete. The NRC staff expect to complete this review by March 27, 2023 as requested in the application to support Spring 2023 Refueling Outage for Salem Unit 2. If there are emergent complexities or challenges in our review that would cause changes to the initial forecasted completion date or significant changes in the forecasted hours, the reasons for the changes, along with the new estimates, will be communicated during the routine interactions with the assigned project manager.

These estimates are based on the NRC staff's initial review of the application and they could change, due to several factors including requests for additional information, unanticipated addition of scope to the review, and review by NRC advisory committees or hearing-related activities. Additional delay may occur if the submittal is provided to the NRC in advance or in parallel with industry program initiatives or pilot applications.

If you have any question, please contact me, James Kim, at [James.Kim@nrc.gov](mailto:James.Kim@nrc.gov) or 301-415-4125.

James Kim, Project Manager  
Branch 1, Division of Operating Reactor Licensing  
Office of Nuclear Reactor Regulation  
U.S. Nuclear Regulatory Commission

**Hearing Identifier:** NRR\_DRMA  
**Email Number:** 1786

**Mail Envelope Properties** (DM6PR09MB4711C9A5EAC0347821A62C1CE44E9)

**Subject:** Acceptance Review - Salem 1 and 2 - Relocate TS Requirements for Reactor  
Head Vents to TRM (EPID: L-2022-LLA-0133)  
**Sent Date:** 9/22/2022 6:18:10 AM  
**Received Date:** 9/22/2022 6:18:00 AM  
**From:** James Kim

**Created By:** James.Kim@nrc.gov

**Recipients:**  
"Montgomery, Richard" <Richard.Montgomery@pseg.com>  
Tracking Status: None  
"Hipo Gonzalez" <Hipolito.Gonzalez@nrc.gov>  
Tracking Status: None  
"Thomas, Brian J." <Brian.Thomas@pseg.com>  
Tracking Status: None

**Post Office:** DM6PR09MB4711.namprd09.prod.outlook.com

<b>Files</b>	<b>Size</b>	<b>Date &amp; Time</b>
MESSAGE	2569	9/22/2022 6:18:00 AM

**Options**  
**Priority:** Normal  
**Return Notification:** No  
**Reply Requested:** No  
**Sensitivity:** Normal  
**Expiration Date:**