NRC FORM 250	NRC LICENSE NO.: PXB11b.15-R			
United States of America Nuclear Regulatory Commiss Washington, D.C. 20555	Page 1 of 3			
Nuclear Regulatory Commiss	on NRC DOCKET NO.: 11006092			
Washington, D.C. 20555	LICENSE EXPIRES: November 30, 2024			
Pursuant to the Atomic Energy Act of 1954, as amended, and the regulations issued by the Nuclear Regulatory Commission (NRC) pursuant thereto, and in reliance on statements and representations heretofore made by the applicant/licensee, this license is hereby issued authorizing the licensee to export of the byproduct materials listed below, subject to the terms and conditions herein. This license is only valid if the licensee or 'Other Party (ies) to Export' maintain the requisite NRC or Agreement State domestic license(s).				
LICENSEE	ULTIMATE CONSIGNEE(S) IN FOREIGN COUNTRY(IES)			
QSA Global, Inc. 40 North Avenue Burlington, MA 01803	Consignees located in ultimate destinations, specified on this license, who possess the necessary authorization to receive and possess the exported radioactive material.			
Attn: Mary Flanigan				
INTERMEDIATE CONSIGNEE(S) IN FOREIGN COUNTRY(IES) None	OTHER U.S. PARTY(IES) TO EXPORT None			
APPLICANT'S REFERENCE: PXB11b-2021	ULTIMATE DESTINATIONS: See following page.			
DESCRIPTION OF 10 CFR PART 110, APPENDIX P, BYPRODUCT MATERIALS TO BE EXPORTED, INCLUDING CONDITIONS AND NOTES (NOTE: SEE PAGE 2 FOR DEFINITIONS OF CATEGORY 1 AND CATEGORY 2)				
TO BE EXPORTED, INCLUDIN	IG CONDITIONS AND NOTES			
TO BE EXPORTED, INCLUDIN	G CONDITIONS AND NOTES OF CATEGORY 1 AND CATEGORY 2) -60, Ir-192, and Se-75, contained in sealed sources for use in			
<b>TO BE EXPORTED, INCLUDIN</b> (NOTE: SEE PAGE 2 FOR DEFINITIONS Export of Category 2 quantities of Am-241, Am-241/Be, Cs-137, Co industrial radiography, oil well logging, gauging, brachytherapy and	IG CONDITIONS AND NOTES OF CATEGORY 1 AND CATEGORY 2) -60, Ir-192, and Se-75, contained in sealed sources for use in calibration, to countries listed under 'Country(ies) of Ultimate			
<b>TO BE EXPORTED, INCLUDIN</b> (NOTE: SEE PAGE 2 FOR DEFINITIONS Export of Category 2 quantities of Am-241, Am-241/Be, Cs-137, Co industrial radiography, oil well logging, gauging, brachytherapy and Destination,' is authorized. Licensee is responsible for compliance with all applicable export, ar	IG CONDITIONS AND NOTES OF CATEGORY 1 AND CATEGORY 2) -60, Ir-192, and Se-75, contained in sealed sources for use in calibration, to countries listed under 'Country(ies) of Ultimate Ind other domestic regulatory requirements, including all t information required by 10 CFR §110.32(d) and pertinent			
<b>TO BE EXPORTED, INCLUDIN</b> (NOTE: SEE PAGE 2 FOR DEFINITIONS Export of Category 2 quantities of Am-241, Am-241/Be, Cs-137, Co industrial radiography, oil well logging, gauging, brachytherapy and Destination,' is authorized. Licensee is responsible for compliance with all applicable export, ar terms and conditions of domestic material possession licenses. Licensee, if not already submitted with your application, must subm	AG CONDITIONS AND NOTES OF CATEGORY 1 AND CATEGORY 2) -60, Ir-192, and Se-75, contained in sealed sources for use in calibration, to countries listed under 'Country(ies) of Ultimate ad other domestic regulatory requirements, including all t information required by 10 CFR §110.32(d) and pertinent for to shipment. See Page 3 for Mandatory Advanced Notifications. ort of all americium shipments (under this license or under a FR § 110.54(b). The report must include: (1) A description of the			
<b>TO BE EXPORTED, INCLUDIM</b> (NOTE: SEE PAGE 2 FOR DEFINITIONS Export of Category 2 quantities of Am-241, Am-241/Be, Cs-137, Co industrial radiography, oil well logging, gauging, brachytherapy and Destination,' is authorized. Licensee is responsible for compliance with all applicable export, ar terms and conditions of domestic material possession licenses. Licensee, if not already submitted with your application, must subm documentation required by 10 CFR § 110.32(g) at least 24 hours pr Licensee shall submit by February 1 of each year one copy of a rep general license) during the previous calendar year required by 10 C material, including quantity; (2) Approximate shipment dates; and (3	AG CONDITIONS AND NOTES OF CATEGORY 1 AND CATEGORY 2) -60, Ir-192, and Se-75, contained in sealed sources for use in calibration, to countries listed under 'Country(ies) of Ultimate ad other domestic regulatory requirements, including all t information required by 10 CFR §110.32(d) and pertinent for to shipment. See Page 3 for Mandatory Advanced Notifications. ort of all americium shipments (under this license or under a FR § 110.54(b). The report must include: (1) A description of the b) A list of recipient countries, end users, and intended use keyed			
<b>TO BE EXPORTED, INCLUDIM</b> (NOTE: SEE PAGE 2 FOR DEFINITIONS Export of Category 2 quantities of Am-241, Am-241/Be, Cs-137, Co industrial radiography, oil well logging, gauging, brachytherapy and Destination,' is authorized. Licensee is responsible for compliance with all applicable export, ar terms and conditions of domestic material possession licenses. Licensee, if not already submitted with your application, must subm documentation required by 10 CFR § 110.32(g) at least 24 hours pr Licensee shall submit by February 1 of each year one copy of a rep general license) during the previous calendar year required by 10 C material, including quantity; (2) Approximate shipment dates; and (3 to the items shipped. This license replaces PXB11b.15 and amends its authority by: 1) re	AG CONDITIONS AND NOTES OF CATEGORY 1 AND CATEGORY 2) -60, Ir-192, and Se-75, contained in sealed sources for use in calibration, to countries listed under 'Country(ies) of Ultimate ad other domestic regulatory requirements, including all t information required by 10 CFR §110.32(d) and pertinent for to shipment. See Page 3 for Mandatory Advanced Notifications. ort of all americium shipments (under this license or under a FR § 110.54(b). The report must include: (1) A description of the b) A list of recipient countries, end users, and intended use keyed			
<b>TO BE EXPORTED, INCLUDIM</b> (NOTE: SEE PAGE 2 FOR DEFINITIONS Export of Category 2 quantities of Am-241, Am-241/Be, Cs-137, Co industrial radiography, oil well logging, gauging, brachytherapy and Destination,' is authorized. Licensee is responsible for compliance with all applicable export, ar terms and conditions of domestic material possession licenses. Licensee, if not already submitted with your application, must subm documentation required by 10 CFR § 110.32(g) at least 24 hours pr Licensee shall submit by February 1 of each year one copy of a rep general license) during the previous calendar year required by 10 C material, including quantity; (2) Approximate shipment dates; and (3 to the items shipped. This license replaces PXB11b.15 and amends its authority by: 1) re 2) reissuing as PXB11b.15-R.	AG CONDITIONS AND NOTES OF CATEGORY 1 AND CATEGORY 2) -60, Ir-192, and Se-75, contained in sealed sources for use in calibration, to countries listed under 'Country(ies) of Ultimate ad other domestic regulatory requirements, including all t information required by 10 CFR §110.32(d) and pertinent for to shipment. See Page 3 for Mandatory Advanced Notifications. ort of all americium shipments (under this license or under a FR § 110.54(b). The report must include: (1) A description of the b) A list of recipient countries, end users, and intended use keyed vising the list of Countries of Ultimate Destination(s); and THIS LICENSE IS INVALID UNLESS SIGNED BELOW			

## ULTIMATE DESTINATION(S):

Algeria, Armenia, Azerbaijan, Bahamas, Bahrain, Brunei, Colombia, Costa Rica, Côte d' Ivoire, Dominican Republic, Ecuador, El Salvador, Equatorial Guinea, Gabon, Ghana, Guatemala, Guyana, Haiti, Holy See, Honduras, India, Israel, Jamaica, Jordan, Kenya, Kuwait, Malaysia, Mauritania, Mongolia, Morocco, Mozambique, Niger, Nigeria, Oman, Panama, Paraguay, Saint Lucia, Saudi Arabia, Senegal, Suriname, Trinidad and Tobago, Tunisia, Turkmenistan, Uganda, Ukraine, Uruguay, and Zambia.

## MANDATORY ADVANCED NOTIFICATIONS PER 10 CFR PART 110.50(c)

The following Advanced Notifications must be made to both the NRC and, in case of exports, the government of the importing country in advance of each shipment:

Mandatory Advanced Notifications to the NRC are to be emailed to <u>hoo.hoc@nrc.gov</u> (preferred method) or faxed to the NRC at 301-816-5151. In the subject line of the email or on the fax cover page include: "10 CFR 110.50(c) Notification." For technical assistance, use the same e-mail address or call 301-287-9056.

Mandatory Advanced Notifications to the government of the importing country must be emailed or faxed to the appropriate foreign government authorities. To locate the point-of-contact for international Advanced Notifications see: <u>http://www-ns.iaea.org/downloads/rw/imp-export/import-export-contact-points.pdf</u>. In the subject line of the email or on the fax cover page include: "NOTIFICATION TO THE IMPORTING STATE PRIOR TO SHIPMENT OF CATEGORY 1 OR 2 RADIOACTIVE SOURCES." For technical assistance or for countries not listed, contact the Office of International Programs' export/import staff at 301-287-9056.

## Table 1: Appendix P to Part 110 Category 1 and Category 2 Radioactive Material Threshold Limits

Radioactive Material	Category 1		Category 2	
	Terabequerels (TBq)	Curies (Ci) <sup>1</sup>	Terabequerels (TBq)	Curies(Ci) <sup>1</sup>
Americium-241 (Am-241)	60	1,600	0.6	16
Americium-241/Beryllium (Am- 241/Be)	60	1,600	0.6	16
Californium-252 (Cf-252)	20	540	0.2	5.4
Curium-244 (Cm-244)	50	1,400	0.5	14
Cobalt-60 (Co-60)	30	810	0.3	8.1
Cesium-137 (Cs-137)	100	2,700	1.0	27
Gadolinium-153 (Gd-153)	1,000	27,000	10.0	270
Iridium-192 (Ir-192)	80	2,200	0.8	22
Plutonium-238 <sup>2</sup> (Pu-238)	60	1,600	0.6	16
Plutonium-239/Beryllium <sup>2</sup> (Pu-239/Be)	60	1,600	0.6	16
Promethium-147 (Pm-147)	40,000	1,100,000	400	11,000
Radium-226 <sup>3</sup> (Ra-226)	40	1,100	0.4	11
Selenium-75 (Se-75)	200	5,400	2.0	54
Strontium-90 (Y-90)	1,000	27,000	10.0	270
Thulium-170 (Tm-170)	20,000	540,000	200	5,400
Ytterbium-169 (Yb-169)	300	8,100	3.0	81

Calculation of Shipments Containing Multiple Sources or Radionuclides:

The "sum of fractions" methodology for evaluating combinations of radionuclides being transported is to be used when import or export shipments contain multiple sources or multiple radionuclides. The threshold limit values used in a sum of the fractions calculation must be the metric values (i.e., TBq).

I. If multiple sources and/or multiple radionuclides are present in an import or export shipment, the sum of the fractions of the activity of each radionuclide must be determined to verify the shipment is less than the Category 1 or 2 limits of Table 1, as appropriate. If the calculated sum of the fractions ratio, using the following equation, is greater than or equal to 1.0, then the import or export shipment exceeds the threshold limits of Table 1 and the applicable security provisions of this part apply.

II. Use the equation below to calculate the sum of the fractions ratio by inserting the actual activity of the applicable radionuclides or of the individual sources (of the same radionuclides) in the numerator of the equation and the corresponding threshold activity limit from the Table 1 in the denominator of the equation. Ensure the numerator and denominator values are in the same units and all calculations must be performed using the TBq (i.e., metric) values of Table 1.

R1 = activity for radionuclides or source number 1 R2 = activity for radionuclides or source number 2 RN = activity for radionuclides or source number n AR1 = activity limit for radionuclides or source number 1 AR2 = activity limit for radionuclides or source number 2 ARN = activity limit for radionuclides or source number n

$$\sum_{1}^{n} \left[ \frac{\mathbf{R}_{1}}{\mathbf{A}\mathbf{R}_{1}} + \frac{\mathbf{R}_{2}}{\mathbf{A}\mathbf{R}_{2}} + \frac{\mathbf{R}_{n}}{\mathbf{A}\mathbf{R}_{n}} \right] \ge 1$$

<sup>&</sup>lt;sup>1</sup> The values to be used to determine whether a license is required are given in TBq. Curie (Ci) values are provided for practical usefulness only and are rounded after conversion.

<sup>&</sup>lt;sup>2</sup> The limits for exports of Pu-238 and Pu-239/Be can be found in § 110.21.

<sup>&</sup>lt;sup>3</sup> Discrete sources of Radium-226.