



September 28, 2022

U.S. Nuclear Regulatory Commission  
Director of Nuclear Material Safety & Safeguards  
ATTN: GLTS  
Washington, DC 20555-0001

To whom it may concern,

In fulfillment of the requirements of 10 CFR 31.5 (c) 8, we hereby notify you that on *September 27, 2022* we transferred the self-luminous exit signs listed on the attached spreadsheet to SRBT, 320 Boundary Rd., Suite 140, Pembroke, Ontario, K8A 6W5, Canada with CNSC License #NSPFOL-13.00/2022. As required, for each sign listed on the spreadsheet, we include the name of the manufacturer, model number, and serial number.

If you should have any questions, please contact me at 907-581-7373 or [Emily.Gibson@unisea.com](mailto:Emily.Gibson@unisea.com)

Sincerely,  
On behalf of UniSea, Inc.,

A handwritten signature in cursive script that reads 'Emily Gibson'.

Emily Gibson  
Environmental Compliance Manager

Encl.



## Serial Number Spreadsheet

Company Name	UniSea, Inc.	Contact Name	Emily Gibson
Address 1	88 Salmon Way	Contact Phone	907-581-7373
Address 2	PO Box 920008	Contact Fax	907-581-7228
City/State	Dutch Harbor, Alaska	Contact Email	emily.gibson@unisea.com
Zip Code	99692-0008	Today's Date	June 15, 2022

*\*Please completely fill out the above fields*

Line	Manufacturer Name	Manufacturer Date	Model Number	Serial Number	Original Activity (Ci or Tbq)
1	Isolite	11-91	2000	AIN1697	7.0 Ci
2	Isolite	04-92	2000	A24505	7.5 Ci
3	Isolite	08-90	2000	AO82180	7.0 Ci
4	Isolite	11-91	2000	AIN1696	7.0 Ci
5	Isolite	8-90	2000	AO82178	7.0 Ci
6	Isolite	8-90	2000	AO82174	7.0 Ci
7	Isolite	8-90	2000	AO82200	7.0 Ci
8	Isolite	8-90	2000	AO82197	7.0 Ci
9	Isolite	7-92	2000	A271532	7.5 Ci
10	Isolite	4-92	2000	A24502	7.5 Ci
11	Isolite	8-90	2000	AO82183	7.0 Ci
12	Isolite	8-90	2000	AO82185	7.0 Ci
13	Isolite	8-90	2000	AO82166	7.0 Ci
14	Isolite	11-91	2000	AIN1695	7.0 Ci
15	Isolite	3-96	2000	A63523	7.5 Ci
16	Isolite	3-96	2008	A63530	7.5 Ci
17	Isolite	3-96	2008	A63531	7.5 Ci
18	Isolite	3-96	2000	A63520	7.5 Ci
19	Isolite	1-02	2040	A211249	11.5 Ci
20	Isolite	7-01	2040	A172123	11.5 Ci
21	Isolite	7-01	2040	A172119	11.5 Ci
22	Isolite	8-01	2040	A183821	11.5 Ci
23	Isolite	8-01	2040	A183819	11.5 Ci
24	Isolite	12-96	2040	A6D322	9.5 Ci
25	Isolite	12-92	2040	A2D701	7.5 Ci

*\*The above information should be on the signs labels. If any information on the sign is missing please fill in the fields with "missing" or "illegible", etc. Please print clearly. A double sign is counted as "TWO" signs, not "ONE" Please make note of this. The company & address information, should belong to the End-User (location the signs have physically been removed from).*



## Serial Number Spreadsheet

Company Name	UniSea, Inc.	Contact Name	Emily Gibson
Address 1	88 Salmon Way	Contact Phone	907-581-7373
Address 2	PO Box 920008	Contact Fax	907-581-7228
City/State	Dutch Harbor, Alaska	Contact Email	emily.gibson@unisea.com
Zip Code	99692-0008	Today's Date	June 15, 2022

\*Please completely fill out the above fields

Line	Manufacturer Name	Manufacturer Date	Model Number	Serial Number	Original Activity (Ci or Tbq)
26	Isolite	3-92	2040	A23602	7.0 Ci
27	Isolite	8-92	2040	A28402	7.5 Ci
28	Isolite	01-02	2040	A211247	11.5 Ci
29	Isolite	12-96	2040	A6D887	9.5 Ci
30	Isolite	3-92	2040	A23593	7.0 Ci
31	Isolite	8-92	2040	A28401	7.5 Ci
32	Isolite	8-92	2040	A28403	7.5 Ci
33	Isolite	7-01	2040	A172128	11.5 Ci
34	Isolite	7-01	2040	A172117	11.5 Ci
35	Isolite	11-92	2040	A2N979	7.5 Ci
36	Isolite	2-97	2040	A72021	9.5 Ci
37	Isolite	8-97	2040	A78001	9.5 Ci
38	Isolite	01-02	2040	A211248	11.5 Ci
39	Isolite	6-01	2040	A161969	11.5 Ci
40	Isolite	2-97	2040	A72018	9.5 Ci
41	Isolite	6-01	2040	A16470	11.5 Ci
42	Isolite	8-01	2040	A183820	11.5 Ci
43	Isolite	6-01	2040	A161967	11.5 Ci
44	Isolite	8-90	2000	AO82176	7.0 Ci
45	Isolite	8-01	2040	A183818	11.5 Ci
46	Isolite	12-96	2040	A6D323	9.5 Ci
47	Isolite	6-01	2040	A161968	11.5 Ci
48	Isolite	7-03	2040	231252	11.5 Ci
49	Isolite	Missing	SLX-60	H16062	0.281 TBq
50	Isolite	Missing	2000	H66141	0.465 TBq

\*The above information should be on the signs labels. If any information on the sign is missing please fill in the fields with "missing" or "illegible", etc. Please print clearly. **A double sign is counted as "TWO" signs, not "ONE"** Please make note of this. The company & address information, should belong to the End-User (location the signs have physically been removed from).

