



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION IV
1600 EAST LAMAR BOULEVARD
ARLINGTON, TEXAS 76011-4511

November 29, 2022

Bryce Luke Jolley, P.E.
Harper-Leavitt Engineering, Inc.
800 West Judicial Street
Blackfoot, ID 83221

SUBJECT: RESPONSE TO NRC INSPECTION REPORT 030-32220/2022-001; AND NOTICE OF VIOLATION

Dear Bryce Luke Jolley:

On November 17, 2022, the U.S. Nuclear Regulatory Commission (NRC) cited Harper-Leavitt Engineering, Inc. for three violations involving the failures to: (1) conduct physical inventories at the required 6-month intervals; (2) block and brace a Class 7 (radioactive) material package during transport; and, (3) use a minimum of two independent physical controls to secure portable nuclear gauges when not under the constant surveillance of the licensee. NRC Inspection Report 030-32220/2022-001 with enclosed Notice of Violation (Notice) required you to reply in writing in 30 days (NRC Agencywide Documents Access and Management System (ADAMS) Accession No. [ML22321A042](#)). In a letter dated November 17, 2022, you provided your reply to the Notice (ADAMS Accession No. [ML22321A312](#)).

After reviewing the information provided in your replies to the Notice, we have concluded that your completed and proposed corrective actions appear to adequately address the regulatory non-compliance described in the Notice. We will review your implementation of these corrective actions during a future inspection to determine whether full compliance has been restored and whether compliance will be maintained.

In accordance with 10 CFR 2.390 of the NRC's "Agency Rules of Practice and Procedures," a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's ADAMS, accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

A handwritten signature in cursive script that reads "Lizette Roldán-Otero".

Signed by Roldan-Otero, Lizette
on 11/29/22

Lizette Roldán-Otero, Ph.D., Chief
Materials Inspection Branch
Division of Radiological Safety and Security

Docket No. 030-32220
License No. 11-27395-01

RESPONSE TO NRC INSPECTION REPORT 030-32220/2022-001 AND NOTICE OF VIOLATION DATED—NOVEMBER 29, 2022

DISTRIBUTION:

SMorris, RA
JMonninger, DRA
MMuessle, D/DRSS
GMiller, DD/DRSS
RAlexander, ORA
R4-DRSS-MIB

Document:

ADAMS ACCESSION NUMBER: **ML22333A926**

SUNSI Review: ADAMS: Non-Publicly Available and Sensitive
By: MHK Yes No Publicly Available and non-sensitive

OFFICE	HP:MIB	HP:MIB	C:MIB			
NAME	MHKawasmi	JLThompson	LRoldánOtero			
SIGNATURE	<i>MHK</i>	<i>JLT</i>	LRO			
DATE	11/17/2022	11/28/2022	11/29/2022			

OFFICAL RECORD COPY