NRC FORM 374 PAGE 1 OF 4 PAGES U.S. NUCLEAR REGULATORY COMMISSION Amendment No. 3 MATERIALS LICENSE Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below. Licensee In accordance with other dated 4. Expiration Date: November 30, 2033 November 29, 2022, 1. Advanced Soil Engineering EAR REG 5. Docket No.: 030-34756 2. P.O. BOX 1286 3. License No.: 52-25436-01 is Reference No.: amended in its entirety to read as Isabela, PR 00662 follows: Byproduct, source, 7. Chemical and/or physical form 6. 8. Maximum amount that licensee 9. Authorized use and/or special nuclear may possess at any one time material under this license A. Cesium-137 A. Sealed Sources (CPN Α. 10 millicuries per source A. For use in CPN International Inc., Model MC Series PORTAPROBE® International Inc., Model and 70 millicuries total CPN-131) portable gauging devices for measuring physical properties of materials. B. Sealed Sources (CPN 50 millicuries per source B. Americium-241

and 350 millicuries total

International Inc., Model

CPN-131)

B. For use in CPN International Inc., Model MC Series PORTAPROBE® portable gauging devices for measuring physical properties of materials.

NRC FORM 374A	U.S. NUCLEAR REGULATORY	COMMISSION	PAGE 2 OF 4 PAGES	
MATERIALS LICENSE	License No.: 52-25436-01	Docket or Reference No.: 030-34756		
SUPPLEMENTARY SHEET	Amendment No. 3			
	CONDITIONS			
 Licensed material may be used or stor Licensed material may be used at tem maintains jurisdiction for regulating the If the jurisdiction status of a Federal fa controlling the job site in question to d use of radioactive materials at job site state regulatory agency. 	porary job sites anywhere in the Unite e use of licensed material, including ar acility within an Agreement State is unl etermine whether the proposed job sit	d States where the U.S. Nuclear Re eas of exclusive Federal jurisdiction mown, the licensee should contact the e is an area of exclusive Federal juri	gulatory Commission within Agreement States. he Federal agency isdiction. Authorization for	
 Licensed material shall only be used be training described in the application da years following the last use of licensed 	ated August 29, 2018. The licensee sh			
12. The Radiation Safety Officer (RSO) fo	r this license is Nelson Muñoz Gonzál	Z		
A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State. In the absence of a registration certificate, sealed sources shall be tested for leakage and/or contamination at intervals not to exceed 6 months, or at such other intervals as specified.				
v i	n a transferor indicating that a leak tes Nuclear Regulatory Commission unde I from another person shall not be put	10 CFR 32.210 or by an Agreemen	t State, prior to the	

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMMISSION		PAGE 3 OF 4 PAGES			
MATERIALS LICENSE	License No.: 52-25436-01	Docket or Reference No.: 030-34756				
SUPPLEMENTARY SHEET	Amendment No. 3					
C. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.						

- D. The leak test shall be capable of detecting the presence of 185 becquerels (0.005 microcuries) of radioactive material on the test sample. If the test reveals the presence of 185 becquerels (0.005 microcuries) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- E. Analysis of leak test samples and/or contamination shall be performed by persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services. The licensee is authorized to collect leak test samples but not perform the analysis.
- F. Records of leak test results shall be kept in units of becquerels (microcuries) and shall be maintained for 3 years.
- 14. Sealed sources or source rods containing licensed material shall not be opened or sources removed from source holders or detached from source rods by the licensee, except as specifically authorized.
- 15. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 3 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
- 16. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport or storage, or when not under the direct surveillance of an authorized user.

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMM	PAGE 4 OF 4 PAGES	
MATERIALS LICENSE	License No.: 52-25436-01	Docket or Reference No.: 030-34756	
SUPPLEMENTARY SHEET	Amendment No. 3		

17. Any cleaning, maintenance, or repair of the gauges that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.

18. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

A. Application dated August 29, 2018 (ML18249A349)

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date: December 6, 2022

By:

Juan Ayala Region 1