

PUBLIC SUBMISSION

As of: 3/10/23, 11:36 AM Received: March 09, 2023 Status: Pending_Post Tracking No. lf1-n074-3xnk Comments Due: March 15, 2023 Submission Type: Web
--

Docket: NRC-2022-0109

List of Approved Spent Fuel Storage Casks: Holtec International HI-STORM 100 Cask System, Certificate of Compliance No. 1014, Renewal of Initial Certificate and Amendment Nos. 1 through 15

Comment On: NRC-2022-0109-0002

List of Approved Spent Fuel Storage Casks: Holtec International HI-STORM 100 Cask System, Certificate of Compliance No. 1014, Renewal of Initial Certificate and Amendment Nos. 1 through 15

Document: NRC-2022-0109-DRAFT-0003

Comment on FR Doc # 2023-03003

Submitter Information

Name: Michael Ford

Address:

Amarillo, TX, 79109

Email: michael@healthphysics.com

Phone: 8064599979

General Comment

Since this rulemaking asks for one of the first 40-year renewals for SNF storage systems, the NRC should give a longer review time than usual.

The docket contains a total of 93 documents spanning 12,804 pages, with the NRC seeking comments on sixty-eight (68) documents totaling 3,373 pages.

It would seem that past NRC practice would allow a 90-day comment period, especially given the automatic conversion to a final rule as proposed by the NRC.

I am officially requesting that the comment period for this document be changed to 90 days.

Thank you.

Attachments

ML22279B025 Proposed Rule DOCUMENTS

	PAGES	#DOCS
TOTAL ISSUED UNDER ML22279B025 DOCKET NRC-2022-0109	12,804	93
NRC Proposed Certificates of Compliance and Proposed Technical Specifications	3,373	68
1. Proposed Renewed Certificate of Compliance No. 1014 (Amendment No. 0) — ML22098A235	4	
1.1. Appendix A: Technical Specifications for the HI-STORM 100 Cask System Amendment No. 0 — ML22098A236	39	
1.2. Appendix B: Technical Specifications for the HI-STORM 100 Cask System Amendment No. 0 — ML22098A237	46	
2. Proposed Renewed Certificate of Compliance No. 1014, Amendment No. 1 — ML22098A238	5	
2.1. Appendix A: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 1 — ML22098A239	44	
2.2. Appendix B: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 1 — ML22098A240	77	
3. Proposed Renewed Certificate of Compliance No. 1014, Amendment No. 2 — ML22098A241	6	
3.1. Appendix A: Technical Specifications for the HI-STORM 100 Cask System Amendment No. 2 — ML22098A242	43	
3.2. Appendix B: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 2 — ML22098A243	112	
4. Proposed Renewed Certificate of Compliance No. 1014, Amendment No. 3 — ML22098A244	6	
4.1. Appendix A: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 3 — ML22098A245	44	
4.2. Appendix B: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 3 — ML22098A246	113	
5. Proposed Renewed Certificate of Compliance No. 1014, Amendment No. 4 — ML22098A247	6	
5.1. Appendix A: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 4 — ML22098A248	44	
5.2. Appendix B: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 4 — ML22098A249	112	
6. Proposed Renewed Certificate of Compliance No. 1014, Amendment No. 5 — ML22098A250	6	
6.1. Appendix A: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 5 — ML22098A251	48	
6.2. Appendix B: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 5 — ML22098A252	95	
7. Proposed Renewed Certificate of Compliance No. 1014, Amendment No. 6 — ML22098A253	6	
7.1. Appendix A: Technical Specifications for the HI-STORM 100 Cask System Amendment No. 6 — ML22098A254	48	
7.2. Appendix B: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 6 — ML22098A255	95	
8. Proposed Renewed Certificate of Compliance No. 1014, Amendment No. 7 — ML22098A256	6	
8.1. Appendix A: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 7 — ML22098A257	45	
8.2. Appendix B: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 7 — ML22098A258	93	
8.3. Appendix A-100U: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 7 — ML22098A259	32	
8.4. Appendix B-100U: Technical Specifications for the HI-STORM 100 Cask System Amendment No. 7 — ML22098A260	66	
9. Proposed Renewed Certificate of Compliance No. 1014, Amendment No. 8, Revision 1 — ML22098A261	6	
9.1. Appendix A: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 8, Revision 1 — ML22098A262	46	
9.2. Appendix B: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 8, Revision 1 — ML22098A263	100	
9.3. Appendix A-100U: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 8, Revision 1 — ML22098A264	32	
9.4. Appendix B-100U: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 8, Revision 1 — ML22098A265	66	
10. Proposed Renewed Certificate of Compliance No. 1014, Amendment No. 9, Revision 1 — ML22098A266	6	
10.1. Appendix A: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 9, Revision 1 — ML22098A267	52	
10.2. Appendix B: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 9, Revision 1 — ML22098A268	98	
10.3. Appendix A-100U: Technical Specifications for the HI-STORM 100 Cask System Amendment No. 9, Revision 1 — ML22098A269	32	
10.4. Appendix B-100U: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 9, Revision 1 — ML22098A270	65	
11. Proposed Renewed Certificate of Compliance No. 1014, Amendment No. 10 — ML22098A271	6	
11.1. Appendix A: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 10 — ML22098A272	49	
11.2. Appendix B: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 10 — ML22098A273	99	
11.3. Appendix A-100U: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 10 — ML22098A274	32	
11.4. Appendix B-100U: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 10 — ML22098A275	66	
12. Proposed Renewed Certificate of Compliance No. 1014, Amendment No. 11 — ML22098A276	6	

12.1. Appendix A: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 11 — ML22098A277	50	
12.2. Appendix B: Technical Specifications for the HI-STORM 100 Cask System Amendment No. 11 — ML22098A278	98	
12.3. Appendix A-100U: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 11 — ML22098A279	32	
12.4. Appendix B-100U: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 11 — ML22098A280,	66	
13. Proposed Renewed Certificate of Compliance No. 1014, Amendment No. 12 — ML22098A281,	6	
13.1. Appendix A: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 12 — ML22098A282,	52	
13.2. Appendix B: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 12 — ML22098A283,	100	
13.3. Appendix A-100U: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 12 — ML22098A284,	32	
13.4. Appendix B-100U: Technical Specifications for the HI-STORM 100 Cask System Amendment No. 12 — ML22098A285,	66	
14. Proposed Renewed Certificate of Compliance No. 1014, Amendment No. 13 — ML22098A286,	6	
14.1. Appendix A: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 13 — ML22098A287,	52	
14.2. Appendix B: Technical Specifications for the HI-STORM 100 Cask System Amendment No. 13 — ML22098A288,	100	
14.3. Appendix A-100U: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 13 — ML22098A289,	32	
14.4. Appendix B-100U: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 13 — ML22098A290,	66	
15. Proposed Renewed Certificate of Compliance No. 1014, Amendment No. 14 — ML22098A291,	6	
15.1. Appendix A: Technical Specifications for the HI-STORM 100 Cask System Amendment No. 14 — ML22098A292,	52	
15.2. Appendix B: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 14 — ML22098A293,	103	
15.3. Appendix A-100U: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 14 — ML22098A294,	32	
15.4. Appendix B-100U: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 14 — ML22098A295,	66	
16. Proposed Renewed Certificate of Compliance No. 1014, Amendment No. 15 — ML22098A296,	6	
16.1. Appendix A: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 15 — ML22098A297,	53	
16.2. Appendix B: Technical Specifications for the HI-STORM 100 Cask System Amendment No. 15 — ML22098A298,	104	
16.3. Appendix A-100U: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 15 — ML22098A299,	32	
16.4. Appendix B-100U: Technical Specifications for the HI-STORM 100 Cask System Amendment No. 15 — ML22098A300,	66	
16.5. Appendix C: Technical Specifications for the HI- STORM 100 Cask System Amendment No. 15 — ML22098A301,	51	
16.6. Appendix D: Technical Specifications for the HI-STORM 100 Cask System Amendment No. 15 — ML22098A302,	42	
17. NRC Preliminary Safety Evaluation Report	47	1
17.1. Preliminary Safety Evaluation Report for the HI-STORM 100 Cask System: Certificate of Compliance No. 1014 Renewal Docket No. 72-1014 — ML22098A303,	47	
18. NRC Environmental Documents	1481	7
18.1. Environmental Assessment for Proposed Rule Entitled, "Storage of Spent Nuclear Fuel in NRC-Approved Storage Casks at Nuclear Power Reactor Sites." (1989) — ML051230231,	8	
18.2. "Environmental Assessment for the Holtec International HI-STORM 100U Underground Cask System" (2009) — ML091060766,	21	
18.3. "Environmental Assessment and Finding of No Significant Impact for the Final Rule Amending 10 CFR Part 72 License and Certificate of Compliance Terms" (2010) — ML100710441,	7	
18.4. Generic Environmental Impact Statement for Continued Storage of Spent Nuclear Fuel: Final Report (NUREG-2157, Volumes 1 and 2) (2014) — ML14198A440 (2 Volume package),	1404	
18.5. "Storage of Spent Fuel In NRC-Approved Storage Casks at Power Reactor Sites" Final Rule (July 18, 1990) — 55 FR 29181,	15	
18.6. "List of Approved Spent Fuel Storage Casks: HI–STORM 100 Revision 7" (October 13, 2009) — 74 FR 52387,	5	
18.7. "License and Certificate of Compliance Terms" (February 16, 2011) — 76 FR 8876,	21	
19. Holtec International, HI-STORM 100 Renewal Application Documents	783	6
19.1. "Holtec International HI-STORM 100 Storage Certificate of Compliance Renewal Application." Holtec Letter 5014890. — ML20049A081 (3 doc package),	170	
19.2. "Holtec International, Submittal of RAI Responses on HI-STORM 100 License Renewal." Holtec Letter 5014911. — ML20290A819 (4 doc package),	216	
19.3. "Holtec International, Submittal of RAI Responses on HI-STORM 100 License Renewal [submittal of report HI-2002396, Revision 5]." Holtec Letter 5014912. — ML20303A254 (2 doc package),	7	
19.4. "Holtec International, Submittal of RAI Clarification Responses on HI-STORM 100 License Renewal." Holtec Letter 5014922. — ML21109A367 (3 doc package),	17	
19.5. "Holtec International, Submittal of RAI Clarification Responses on HI-STORM 100 License Renewal—Updated Attachment." Holtec Letter 5014923. — ML21113A201 (2 doc package),	187	
19.6. Certificate of Compliance Renewal Application for the HI-STORM 100 Dry Storage System: Certificate of Compliance No. 1014, Docket Number 72-1014 — ML21113A203,	186	
20. Holtec International, HI-STORM 100 Final Safety Analysis Reports	6343	3
20.1. "Final Safety Analysis Report for the HI-STORM 100 Cask System." HI-2002444, Revision 18 (non-proprietary) (May 2019) — ML19150A405,	2088	
20.2. "Final Safety Analysis Report for the HI-STORM 100 Cask System." HI-2002444, Revision 19 (non-proprietary) (April 2020) — ML20121A317,	2132	
20.3. "Final Safety Analysis Report for the HI-STORM 100 Cask System." HI-2002444, Revision 20 (non-proprietary) (June 2020) — ML20167A018,	2123	
21. NRC "Other" Documents	777	8

21.1. “Standard Review Plan for Renewal of Specific Licenses and Certificates of Compliance for Dry Storage of Spent Nuclear Fuel.” NUREG-1927, Revision 1, Washington, DC. June 2016. — ML16179A148,	125
21.2. “Managing Aging Processes in Storage (MAPS) Report.” Final Report, NUREG-2214. Washington, DC. July 2019. — ML19214A111,	507
21.3. “General License for Storage of Spent Fuel at Power Reactor Sites” (July 18, 1990) 55 FR 29181,	15
21.4. “List of Approved Spent Fuel Storage Casks: Holtec HI-STORM 100 Addition” (May 1, 2000) 65 FR 25241,	25
21.5. “License and Certificate of Compliance Terms” (February 16, 2011) — 76 FR 8872,	21
21.6. “Agreement State Program Policy Statement; Correction” (October 18, 2017) — 82 FR 48535,	5
21.7. Nuclear Energy Institute NEI 14-03, Revision 2, “Format, Content and Implementation Guidance for Dry Cask Storage Operations-Based Aging Management,” (2016) — ML16356A210,	68
21.8. Regulatory Guide 3.76, Revision 0, “Implementation of Aging Management Requirements for Spent Fuel Storage Renewals.” July 2021. — ML21098A022,	11