



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION IV  
1600 E. LAMAR BLVD  
ARLINGTON TX 76011-4511

June 29, 2023

Russell Paul  
Quality Manager  
Colaska dba SECON  
1836 Anka Street  
Juneau, AK 99801

SUBJECT: TERMINATION OF NRC RADIOACTIVE MATERIALS LICENSE NO. 50-29231-01

Dear Russell Paul:

By NRC Form 314 dated April 4, 2023, you informed the U.S. Nuclear Regulatory Commission (NRC) that you wished to terminate your NRC radioactive materials license. The NRC Form 314 dated April 4, 2023, stated that all radioactive material had been transferred to other licensed facilities.

The supporting documentation to the NRC Form 314 also provided a copy of the latest leak test results for several of the sources in your inventory. Copies of leak tests for the remaining sources were acquired from the manufacturer that the sources were transferred to. The leak test results document that there was no evidence of leakage of radioactive material from the sealed sources. The NRC staff has reviewed the supporting documentation to your NRC Form 314. Based on the documentation submitted and a review of your historical file, the staff concluded that all licensable radioactive material has been removed from the facility and the facility located at 1836 Anka Street, Juneau AK, 99801, 5771 Concrete Way, Juneau, AK 99801 and 4418 N. Tongass Highway, Ketchikan, AK 99901, are suitable for unrestricted use in accordance with 10 CFR 20.1402, "Radiological Criteria for Unrestricted Use." Based on these conclusions, no further remediation or actions with respect to NRC regulated material is required.

Please find enclosed Amendment No. 13 to License No. 50-29231-01 authorizing your license termination. An environmental assessment for this action is not required since this action is categorically excluded under 10 CFR 51.22(c)(20)(ii).

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

R. Paul

2

You can contact me at 817-200-1546 if you have questions or require clarification on any of the information stated above.

Sincerely,

Casey Alldredge, Health Physicist  
Materials Licensing Branch

Docket: 030-37206  
License: 50-29231-01  
Control: 635210

Enclosure: As stated