



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION IV  
1600 E. LAMAR BLVD  
ARLINGTON TX 76011-4511

July 28, 2023

Jeremy J. Hernandez  
Radiation Safety Officer  
Inberg Surveying Company, Inc.  
dba Inberg-Miller Engineers  
124 E Main St  
Riverton, WY 82501

SUBJECT: RENEWAL OF RADIOACTIVE MATERIALS LICENSE FOR  
INBERG SURVEYING COMPANY, INC., DBA INBERG-MILLER ENGINEERS  
NRC LICENSE NO. 49-19477-01

Dear Jeremy J. Hernandez,

Please find enclosed Amendment No. 19 to NRC License No. 49-19477-01 renewing your license in its entirety, as requested in your application dated January 12, 2023. An environmental assessment for this licensing action is not required since this action is categorically excluded under 10 CFR 51.22(c)(14)(viii). You should review this license carefully and be sure that you understand all conditions. You can contact me at 817-200-1124 and [Samantha.Everett@nrc.gov](mailto:Samantha.Everett@nrc.gov) if you have any questions about this license.

Additionally, the supporting documentation to the application submitted by the manufacturer provided copies of the latest leak test results documentation. The leak test results document that there was no evidence of leakage of radioactive material from the sealed sources. The NRC staff has reviewed the supporting documentation to your letter. Based on the documentation received, a review of the Nuclear Materials Event Database, and a review of your historical file, the staff concluded that all licensable radioactive material has been removed from the facility and the facility located at 830 East Richards Street, Suite 1, Douglas, Wyoming 82633, is suitable for unrestricted use in accordance with 10 CFR 20.1402, "Radiological Criteria for Unrestricted Use." Based on these conclusions, no further remediation or actions with respect to NRC regulated material is required. An environmental assessment for this action is not required since this action is categorically excluded under 10 CFR 51.22, as applicable.

NRC expects licensees to conduct their programs with meticulous attention to detail and a high standard of compliance. Because of the serious consequences to employees and the public that can result from failure to comply with NRC requirements, you must conduct your radiation safety program according to the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate by NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers: Inspection and Investigations," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Notify NRC in writing of any change in mailing address.
3. By 10 CFR 30.36(d) and/or license condition, notify NRC, promptly, in writing, and request termination of the license:
  - a. When you decide to terminate all activities involving materials authorized under the license whether at the entire site or any separate building or outdoor area;
  - b. If you decide not to acquire or possess and use authorized material; or
  - c. When no principal activities under the license have been conducted for a period of 24 months.
4. Request and obtain a license amendment before you:
  - a. Change Radiation Safety Officers;
  - b. Order byproduct material in excess of the amount, radionuclide or form authorized on the license;
  - c. Add or change the areas or address(es) of use identified in the license application or on the license; or
  - d. Change the name or ownership of your organization.
5. Submit a complete renewal application or termination request at least 30 days before the expiration date on your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of radioactive material after your license expires is a violation of NRC regulations.

In addition, please note that NRC Form 313 requires the applicant, by signature, to verify that the applicant understands that all statements contained in the application are true and correct to the best of the applicant's knowledge. The signatory for the application should be the licensee or certifying official rather than a consultant. Since the NRC also accepts a letter requesting amendment of an NRC license, the signatory for such a request should also be the licensee or certifying official rather than a consultant.

NRC will periodically inspect your radiation safety program. Failure to conduct your program according to NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC may result in enforcement action against you. This could include issuance of a notice of violation; imposition of a civil penalty; or an order suspending, modifying, or revoking your license as specified in the NRC Enforcement Policy. The NRC Enforcement Policy is available at <https://www.nrc.gov/about-nrc/regulatory/enforcement/enforce-pol.html>.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <https://www.nrc.gov/reading-rm/adams.html>.

Thank you for your cooperation.

Sincerely,

For Samantha Everett, Health Physicist  
Materials Licensing Branch

Docket: 030-17754  
License: 49-19477-01  
Control: 634514

Enclosure: As stated