

**MATERIALS LICENSE**

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p>Licensee</p> <p>1. Cardinal Health 414, LLC</p> <p>2. 7000 Cardinal Place Dublin, OH 43017</p>		<p>In accordance with letter dated August 23, 2023,</p>	<p>4. Expiration Date: May 31, 2026</p>
		<p>3. License No.: 34-32780-04MD is amended in its entirety to read as follows:</p>	<p>5. Docket No.: 030-38867 Reference No.:</p>
<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Radium-223</p> <p>B. Actinium-227</p> <p>C. Any byproduct material with Atomic Numbers 1 through 83</p> <p>D. Any byproduct material with Atomic Numbers 84 through 96</p> <p>E. Thorium-227</p> <p>F. Thorium-228</p>	<p>7. Chemical and/or physical form</p> <p>A. Any</p> <p>B. Any</p> <p>C. Any</p> <p>D. Any</p> <p>E. Any</p> <p>F. Any</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. 13 curies total</p> <p>B. 13 curies total</p> <p>C. 30 millicuries per source and 100 millicuries total</p> <p>D. 10 microcuries per source and 50 microcuries total</p> <p>E. 13 curies total</p> <p>F. 280 millicuries total</p>	<p>9. Authorized use</p> <p>A. For validation testing, manufacturing, preparation, packaging and distribution of radiopharmaceuticals to authorized recipients in accordance with 10 CFR 32.72.</p> <p>B. Same as Subitem No. 9.A.</p> <p>C. For use in calibration and checking of the licensee's instruments.</p> <p>D. Same as Subitem No. 9.C.</p> <p>E. Same as Subitem No. 9.A.</p> <p>F. For possession and use as specified maximum impurities in actinium-227.</p>

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License No.:  
34-32780-04MD

Amendment No. 14

Docket or Reference No.:  
030-38867

6. Byproduct, source, and/or special nuclear material

G. Radium-226

H. Actinium-225

7. Chemical and/or physical form

G. Any

H. Any

8. Maximum amount that licensee may possess at any one time under this license

G. 140 millicuries total

H. 50 millicuries total

9. Authorized use

G. Same as Subitem No. 9.F.

H. For research and development as defined in 10 CFR 30.4; and calibration and checking of the licensee's instruments. For use in preparation and distribution of radiochemicals to persons authorized to receive the licensed material.



**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License No.:  
34-32780-04MD

Amendment No. 14

Docket or Reference No.:  
030-38867

CONDITIONS

10. Licensed material shall be used or stored at the licensee's facilities located at 4343 West 62nd St., Indianapolis, Indiana, 46268.
11. A. The Radiation Safety Officer (RSO) for this license is Jessie Armitage.
- B. The Alternate RSO for this license is Benjamin Ellert.
12. Licensed material shall only be used by, or under the supervision of:
- |                    |                     |                     |
|--------------------|---------------------|---------------------|
| Jessie Armitage    | Alice R. Avila      | Kathryn Bilsky      |
| Randy Blume        | James Brading       | Alyssa Cook         |
| Geoffrey Davis     | Robert Droege       | Benjamin Ellert     |
| Austin Erwin       | Jesse Fisher        | Alexandra Graverson |
| Kevin Haffey       | Abigail Hamilton    | Aaron Henke         |
| Mehmet Husnu       | Charles Jones       | Norman Medina       |
| Henry Padgett, PhD | Troy Sambyal        | Aaron Stephens      |
| Michael Stoner     | Jace-Cameron Taylor | Marlaina Thompson   |
| Chad Warkentien    | Evan Western        | Stephanie Yoder     |
13. A. Sealed sources and detector cells shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State. In the absence of a registration certificate, sealed sources shall be tested for leakage and/or contamination at intervals not to exceed 6 months, or at such other intervals as specified.
- B. Notwithstanding Paragraph A of this Condition, sealed sources designed to primarily emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed 3 months.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License No.:  
34-32780-04MD

Amendment No. 14

Docket or Reference No.:  
030-38867

- C. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- D. Sealed sources need not be tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha-emitting material.
- E. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- F. The leak test shall be capable of detecting the presence of 185 becquerels (0.005 microcuries) of radioactive material on the test sample. If the test reveals the presence of 185 becquerels (0.005 microcuries) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- G. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- H. Records of leak test results shall be kept in units of becquerels (microcuries) and shall be maintained for 3 years.
14. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for three years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
15. Sealed sources containing licensed material shall not be opened or sources removed from source holders by the licensee, except as specifically authorized.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License No.:  
34-32780-04MD  
Amendment No. 14

Docket or Reference No.:  
030-38867


16. Except for maintaining labeling as required by 10 CFR Part 20 or 71, the licensee shall obtain authorization from NRC before making any changes in the sealed source, device, or source-device combination that would alter the description or specifications as indicated in the respective Registration Certificates issued either by the Commission pursuant to 10 CFR 32.210 or by an Agreement State.
17. The licensee is not required to establish an Emergency Plan pursuant to 10 CFR 30.32(i) based on the evaluation and dose assessment contained in letters dated April 15, 2016 (ML16118A340) and April 18, 2016 (ML16118A341).
18. This license does not authorize commercial distribution of licensed material to persons generally licensed pursuant to 10 CFR Part 31 or to persons exempt from licensing pursuant to 10 CFR 30.14 through 30.22, inclusive, or equivalent regulations of any Agreement State.
19. The licensee is authorized to hold radioactive material with a physical half-life of less than or equal to 120 days for decay-in-storage before disposal in ordinary trash provided:
- A. Before disposal as ordinary trash, the waste shall be surveyed at the container surface with the appropriate survey instrument set on its most sensitive scale and with no interposed shielding to determine that its radioactivity cannot be distinguished from background. All radiation labels shall be removed or obliterated, except for radiation labels on materials that are within containers and that will be managed as biomedical waste after they have been released from the licensee.
  - B. A record of each such disposal permitted under this license condition shall be retained for 3 years. The record must include the date of disposal, the date on which the byproduct material was placed in storage, the radionuclides disposed, the survey instrument used, the background dose rate, the dose rate measured at the surface of each waste container, and the name of the individual who performed the disposal.
20. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those statements, representations, and procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence impose on the licensee requirements that are more restrictive than or in addition to the regulations.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License No.:  
34-32780-04MD

Amendment No. 14

Docket or Reference No.:  
030-38867

- A. Application dated August 28, 2015 (ML15244A621)
- B. Letter dated January 11, 2016 (ML16015A063)
- C. Letter dated March 16, 2016 (ML16077A354)
- D. Letter dated April 12, 2016 (ML16118A496)
- E. Letter dated April 15, 2016 (ML16118A340)
- F. Letter dated April 18, 2016 (ML16118A341)
- G. Letter dated April 28, 2016 (ML16120A434)
- H. Letter dated May 10, 2016 (ML16141A334)
- I. Letter dated April 14, 2017 (ML17107A195)
- J. Letter dated July 12, 2017 (ML17193A295)
- K. Letter dated March 2, 2018 (ML18067A414)
- L. Letter dated May 3, 2018 (ML18072A349)
- M. Letter dated November 14, 2018 (ML18323A260)
- N. Letter dated March 10, 2021 (ML21070A005)
- O. Letter dated May 19, 2021 (ML21141A024)
- P. Letter dated July 26, 2021 (ML21208A190)
- Q. Letter dated January 4, 2022 (ML22006A188)



**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License No.:  
34-32780-04MD

Amendment No. 14

Docket or Reference No.:  
030-38867

- R. Letter dated March 28, 2022 (ML22091A075)
- S. Letter dated August 5, 2022 (ML22221A026)
- T. Letter dated November 2, 2023 (ML23307A111)



FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date: November 3, 2023

By: \_\_\_\_\_

Frank P. D. Tran  
Region 3