



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**
REGION I
475 ALLENDALE ROAD – SUITE 102
KING OF PRUSSIA, PA 19406-1415

January 11, 2024

Douglas M. Rexroad II
Radiation Safety Officer
Allnex
252 Heilman Avenue
Belmont, WV 26134

SUBJECT: ALLNEX, CORRECTED COPY OF LICENSE, MAIL CONTROL NO. 635316

Dear Douglas M. Rexroad II:

Enclosed is the Corrected Copy of Amendment No. 5 for License No. 47-35056-01. In accordance with our telephone conversation on November 30, 2023, Condition No. 9A and 9B were updated with correct model number of fixed gauge devices as requested in the renewal application dated April 11, 2023.

We apologize for any inconvenience this error may have caused.

Sincerely,

Monica Ford, Chief
Commercial, Industrial, R&D
and Academic Branch
Division of Radiological Safety and Security
Region I

License No. 47-35056-01
Docket No. 03038632
Mail Control No. 635316

Enclosure:
Corrected Copy of Amendment No. 5

ALLNEX, CORRECTED COPY OF LICENSE, MAIL CONTROL NO. 635316 DATED JANUARY 11, 2024.

DOCUMENT NAME: G:\WBL Documents\WBL License Cover Letter\L47-35056-01.635316.Corrected Copy.docx

SUNSI Review Complete: NPatel

After declaring this document "An Official Agency Record" it will be released to the Public.

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	RI:DRSS	N	RI:DRSS	N	RI:DRSS	N		
NAME	NPatel / NSP		SShaffer/sws		MFord/ mf			
DATE	12/18/2023		1/11/24		1/11/24			

OFFICIAL RECORD COPY