



Materials Inspection Report

ADAMS Accession # ML24162A222

<p>1. Licensee/Location Inspected:</p> <p>U. S. Environmental Protection Agency 4220 S Maryland Pkwy, Bldg D Las Vegas, NV 89119</p> <p>Report Number(s) 2024-001</p>	<p>2. NRC/Regional Office</p> <p>Region IV U. S. Nuclear Regulatory Commission 1600 E. Lamar Boulevard Arlington, TX 76011-4511</p>
---	--

3. Docket Number(s) 030-06981	4. License Number(s) 27-05861-02	5. Date(s) of Inspection 5/1/2024, 5/13/2024
---	--	--

LICENSEE:
The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector. The inspection findings are as follows:

- 1. Based on the inspection findings, no violations were identified.
- 2. Previous violation(s) closed. 2022-002
- 3. During this inspection, certain of your activities, as described below and/or attached, were in violation of NRC requirements, and were assessed at Severity Level IV, in accordance with the NRC Enforcement Policy.
 - A. The violation(s), specifically described to you by the inspector as non-cited violations, are not being cited because they were self-identified, non-repetitive, corrective action was or is being taken, and the remaining criteria in the NRC Enforcement Policy were satisfied.
(Non-cited violation(s) was/were discussed involving the following requirement(s))
 - B. The following violation(s) is/are being cited in accordance with NRC Enforcement Policy. This form is a NOTICE OF VIOLATION, which may be subject to posting in accordance with 10 CFR 19.11.
(Violations and Corrective Actions)

Statement of Corrective Actions

I hereby state that, within 30 days, the actions described by me to the Inspector will be taken to correct the violations identified. This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201 (corrective steps already taken, corrective steps which will be taken, date when full compliance will be achieved). I understand that no further written response to NRC will be required, unless specifically requested.

TITLE	PRINTED NAME	SIGNATURE AND DATE
LICENSEE'S REPRESENTATIVE	Zhi Zhang - RSO	
NRC INSPECTOR	Leonardo Wardrobe	Leonardo F. Wardrobe <small>Digitally signed by Leonardo F. Wardrobe Date: 2024.05.13 12:18:38 -05'00'</small>
BRANCH CHIEF	Lizette Roldán-Otero, PhD	LIZETTE ROLDAN-OTERO <small>Digitally signed by LIZETTE ROLDAN-OTERO Date: 2024.06.08 17:56:06 -05'00'</small>

From: [Leo Wardrobe](#)
To: [Zhang, Zhi](#)
Subject: NRC Inspection - US EPA
Date: Monday, May 13, 2024 12:41:00 PM
Attachments: [IR-03006981.2024001.USEPA.NRC 591M signed.pdf](#)

Mr. Zhang,

The NRC conducted an inspection of the U.S. EPA on May 1, 2024. As we discussed on May 13, 2024, the inspection did not identify any violations. The enclosed report presents the results of this inspection, please review the attached report and maintain a copy for your records.

Please reply to the email acknowledging your receipt. Thank you,

Leo Wardrobe

Health Physicist
Nuclear Regulatory Commission, Region IV
Division of Nuclear Materials Safety,
Material Inspection Branch
1600 East Lamar Blvd.
Arlington, TX 76011
Office: (817) 200-1429

leonardo.wardrobe@nrc.gov

<http://www.nrc.gov/>