



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**
REGION III
2443 WARRENVILLE RD. SUITE 210
LISLE, IL 60532-4352

June 30, 2024

Christopher J. Conlin, M.D.
Radiation Safety Officer
McLaren – Flint
401 S. Ballenger Hwy.
Flint, MI 48532

Dear Christopher J. Conlin, M.D.:

Enclosed is Amendment No. 94 to your NRC Material License No. 21-04171-04 in accordance with your request.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

If you have any questions concerning this amendment please contact me at by email at colleen.casey@nrc.gov. You may call me at (630) 829-9841 but emailing me is most reliable and efficient. My fax number is 630-515-1078.

If you have any questions concerning this letter please contact me at colleen.casey@nrc.gov or 630-829-9841. My fax number is 630-515-1078. As I telework about half of the time, reaching me via email is the most efficient and reliable way to reach me.

NRC's Regulatory Issue Summary (RIS) 2005-31 provides criteria to identify security-related sensitive information and guidance for handling and marking of such documents. This ensures that potentially sensitive information is not made publicly available through ADAMS, the NRC's electronic document system.

Pursuant to NRC's RIS 2005-31 and in accordance with 10 CFR 2.390, the enclosed license document is exempt from public disclosure because its disclosure to unauthorized individuals could present a security vulnerability.

The RIS may be located on the NRC Web site at: <http://www.nrc.gov/reading-rm/doc-collections/gen-comm/reg-issues/2005/ri200531.pdf> and the link for frequently asked questions regarding protection of security related sensitive information may be located at: <http://www.nrc.gov/reading-rm/sensitive-info/faq.html>.

The enclosed document contains sensitive security-related information.
When separated from this cover letter this letter is uncontrolled.

A copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS).

The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room). representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you.

You will be periodically inspected by NRC. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions.

Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

The NRC's Safety Culture Policy Statement became effective in June 2011.

While a policy statement and not a regulation, it sets forth the agency's *expectations* for individuals and organizations to establish and maintain a positive safety culture.

You can access the policy statement and supporting material that may benefit your organization on NRC's safety culture Web site at:

<http://www.nrc.gov/about-nrc/regulatory/enforcement/safety-culture.html>.

We strongly encourage you to review this material and adapt it to your particular needs in order to develop and maintain a positive safety culture as you engage in NRC-regulated activities.

Sincerely,

COLLEEN
CASEY

Digitally signed by COLLEEN
CASEY
Date: 2024.06.30 18:19:39
-05'00'

Colleen Carol Casey
Health Physicist
Materials Licensing Branch

License No. 21-04171-04
Docket No. 030-02048

Enclosure:
Amendment No. 94