



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
475 ALLENDALE ROAD, SUITE 102
KING OF PRUSSIA, PA 19406-2713

September 3, 2024

IA-24-006

Brian Luketich
[HOME ADDRESS DELETED
UNDER 10 CFR 2.390]

SUBJECT: NOTICE OF VIOLATION – NRC OFFICE OF INVESTIGATIONS REPORT NO. 1-2023-007

Dear Brian Luketich:

This letter refers to the U.S. Nuclear Regulatory Commission's (NRC's) investigation conducted between December 19, 2022, and November 2, 2023, to determine in part, whether you, a radiographer, deliberately failed to properly conduct radiography operations and whether you engaged in deliberate misconduct.

In a letter dated May 16, 2024, the NRC provided you with a factual summary of the investigation and described an apparent violation that we informed you was being considered for escalated enforcement action. In the letter, we offered you the opportunity to address the apparent violation by either attending a pre-decisional enforcement conference (PEC) or providing a written response before we made our final enforcement decision. On May 23, 2024, Marjorie McLaughlin of my staff attempted to contact you by telephone. Since you have not responded to the NRC communications by requesting a PEC or replying in writing, the NRC is proceeding with its enforcement action based on the results of the NRC investigation.

Based on the information developed during the investigation, the NRC has determined that a deliberate violation of NRC requirements occurred. This violation is cited in the enclosed Notice of Violation (Notice) (Enclosure 1). On November 16, 2022, you violated NRC requirements when, as a radiographer, you willfully conducted radiography operations without being accompanied by at least one other qualified radiographer or an individual who has at a minimum met the requirements of 10 CFR 34.43(c). The NRC considers the willful failure to properly conduct radiographic operations a significant safety and regulatory concern because it poses an undue risk to the public. Conducting radiographic operations without a second qualified individual could lead to potential exposures to members of the public. In this case, no known exposures have been identified. Your deliberate actions placed Titan Inspection, Inc. (Titan) in violation of Title 10 of the *Code of Federal Regulations* (10 CFR) 34.41, "Conducting industrial radiographic operations," and you in violation of 10 CFR 30.10, "Deliberate misconduct." Given the significance of the underlying issue and the deliberate nature of your actions, this violation has been categorized in accordance with the NRC Enforcement Policy at Severity Level III. The current Enforcement Policy is included on the NRC's Web site at <https://www.nrc.gov/about-nrc/regulatory/enforcement/enforce-pol.html>. Enclosure 2 includes a copy of the letter and Notice of Violation issued to Titan for your information.

You are not required to respond to this letter unless the description therein does not accurately reflect your position. In that case, or if you choose to provide additional information, you should follow the instructions specified in the enclosed Notice.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter, its enclosures, and your response, if you choose to provide one, will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>. To the extent possible, your response, if you choose to provide one, should not include any personal privacy, proprietary, or safeguards information so that it can be made available to the Public without redaction.

In addition, this letter will be maintained by the Office of Enforcement in an NRC Privacy Act system of records, NRC-3, "Enforcement Actions Against Individuals." This system, which is not publicly accessible, includes all records pertaining to individuals who are being considered for, or have been considered for enforcement action, whether such action was taken or not. Detailed information about this system of records, including the NRC-3 system notice, can be accessed from the NRC Web site at <http://www.nrc.gov/reading-rm/foia/foia-privacy-systems.html>.

The NRC also includes significant enforcement actions on its Web site at (<http://www.nrc.gov/reading-rm/doc-collections/enforcement/actions/>).

Please note that final NRC investigation documents, such as the OI report described above, may be made available to the public under the Freedom of Information Act (FOIA), subject to redaction of information appropriate under the FOIA. Requests under the FOIA should be made in accordance with 10 CFR 9.23, "Requests for records." Additional information is available on the NRC website at <http://www.nrc.gov/reading-rm/foia/foia-privacy.html>.

If you have any questions concerning this matter, please contact Monica Ford of my staff at 610-337-5214.

Sincerely,

Raymond Digitally signed by
Raymond K. Lorson
K. Lorson Date: 2024.09.03
Raymond K. Lorson 13:03:44 -04'00'
Regional Administrator

Enclosure:

1. Notice of Violation
2. Letter and Notice of Violation issued to Titan

SUBJECT: NOTICE OF VIOLATION OF NRC REQUIREMENTS – NRC OFFICE OF INVESTIGATIONS REPORT NO. 1-2023-007 DATED SEPTEMBER 3, 2024

DISTRIBUTION w/encl:

SECY	RIDSSECYMAILCENTER
OEMAIL	
OEWEB	
M Gavrilas, EDO	RIDSEDOMAILCENTER
M Simmons, OEDO	
A Billoch Colon, OEDO	
D Pelton, OE	RIDSOEMAILCENTER
J Cai, OE	
J Peralta, OE	
C Rivera, OE	
J Lubinski, NMSS	RIDSNMSSOD RESOURCE
R Lewis, NMSS	
K Williams, NMSS	
C Eisenberg, NMSS	
M Burgess, NMSS	
Enforcement Coordinators	
RII, RIII, RIV (M Kowal; D Betancourt-Roldan, B Alferink)	
R Carpenter, OGC	RIDSOGCMAILCENTER
H Pittman, OPA	RIDSOPAMAILCENTER
R Feitel, OIG	RIDSOIGMAILCENTER
D D'Abate, OCFO	RIDSOCFOMAILCENTER
P Krohn, DRSS, RI	R1DRSSMAILRESOURCE
J Zimmerman, DRSS, RI	
M Ford, DRSS, RI	
E Spangler, DRSS, RI	
D Screnci, PAO-RI / N Sheehan, PAO-RI	
S Seeley, SAO-RI / F Gaskins, SAO-RI	
B Klukan, ORA, RI	
J Nick, ORA, RI	
PA Department of Environmental Protection	

ADAMS DOCUMENT ACCESSION NO.: ML24247A093

DOCUMENT NAME: S:\Enf-all\Enforcement\Proposed-Actions\Region1\Titan RAD NOV EA-24-006.docx

<input checked="" type="checkbox"/> SUNSI Review/ TMH		<input checked="" type="checkbox"/> Non-Sensitive <input type="checkbox"/> Sensitive			<input checked="" type="checkbox"/> Publicly Available <input type="checkbox"/> Non-Publicly Available	
OFFICE	RI/ORA	RI/DRSS	RI/ORA	RI/ORA	OE	NMSS
	T Hennessey	M Ford	B Klukan/via email	J Nick	C Rivera	M Burgess
DATE	7/31/2024	7/31/2024	7/31/2024	7/31/2024	8/21/2024	8/21/2024
OFFICE					RI/DRSS	RA
NAME					P Krohn	R Lorson
DATE					8/23/2024	9/3/2024

OFFICIAL RECORD COPY

**ENCLOSURE 1
NOTICE OF VIOLATION**

Brian Luketich
[HOME ADDRESS DELETED
UNDER 10 CFR 2.390]

IA-24-006

During an NRC investigation conducted between December 19, 2022, and November 2, 2023, a violation of NRC requirements was identified. In accordance with the NRC Enforcement Policy, the violation is listed below:

Title 10 of the Code of Federal Regulations (10 CFR) 30.10(a)(1) states, in part, that any employee of a licensee may not engage in deliberate misconduct that causes a licensee to be in violation of any rule or regulation.

10 CFR 34.41 states, in part, whenever radiography is performed at a location other than a permanent radiographic installation, the radiographer must be accompanied by at least one other qualified radiographer or an individual who has at a minimum met the requirements of § 34.43(c).

Contrary to the above, on November 16, 2022, while employed as a radiographer for Titan Inspection, Inc. you engaged in deliberate misconduct that caused the licensee to be in violation of an NRC regulation. Specifically, you willfully performed radiography at a temporary job site under the direction of a Titan manager and you were the only qualified individual present.

This is a Severity Level III violation (Enforcement Policy Section 6.3.c.4.(a)).

You are not required to respond to this Notice of Violation (Notice). However, you are required to submit a written statement or explanation pursuant to 10 CFR 2.201 if the description herein does not accurately reflect your position. In that case, or if you choose to respond, clearly mark your response as a "Reply to a Notice of Violation; (IA-24-006)" and send it to the U.S. Nuclear Regulatory Commission, ATTN: Document Control Desk, Washington, DC 20555-0001 with a copy to the Regional Administrator, NRC Region I, 475 Allendale Road, Suite 102, King of Prussia, PA 19406 within 30 days of the date of the letter transmitting this Notice. If you contest this enforcement action, you should also provide a copy of your response, with the basis for your denial, to the Director, Office of Enforcement, United States Nuclear Regulatory Commission, Washington, DC 20555-0001.

If you choose to respond, your response will be made available electronically for public inspection in the NRC Public Document Room and in the NRC's Agencywide Document Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>. To the extent possible, your response should not include any personal privacy, proprietary, or safeguards information so that it can be made available to the public without redaction. If personal privacy or proprietary information is necessary to provide an acceptable response, then please provide a bracketed copy of your response that identifies the information that should be protected and a redacted copy of your response that deletes such information. If you request withholding of such material, you must specifically identify the portions of your response that you seek to have withheld and provide in detail the bases for your claim of withholding (e.g., explain why the disclosure of information will create an unwarranted invasion of personal privacy or provide the information required by 10 CFR 2.390(b) to support a request for withholding confidential commercial or financial

information). If safeguards information is necessary to provide an acceptable response, please provide the level of protection described in 10 CFR 73.21.

This letter will be maintained by the Office of Enforcement in an NRC Privacy Act system of records, NRC-3, Enforcement Actions Against Individuals. This system, which is not publicly accessible, includes all records pertaining to individuals who are being or have been considered for enforcement action, whether such action was taken or not. The NRC-3 system notice, which provides detailed information about this system of records, can be accessed from the NRC Web site at <http://www.nrc.gov/reading-rm/foia/privacy-systems.html>.

Dated this 3rd day of September 2024

ENCLOSURE 2



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
475 ALLENDALE ROAD, SUITE 102
KING OF PRUSSIA, PA 19406-2713

September 3, 2024

EA-24-005

Daniel Schroeder
Titan Inspections, Inc.
200 Tombs Lane
Montoursville, PA 17754

SUBJECT: TITAN INSPECTIONS – NOTICE OF VIOLATION OF NRC REQUIREMENTS, NRC OFFICE OF INVESTIGATIONS REPORT NO. 1-2023-007

Dear Daniel Schroeder:

This letter refers to the investigation conducted by the U.S. Nuclear Regulatory Commission's (NRC's) Office of Investigations between December 19, 2022, and November 2, 2023, at Titan Inspection, Inc (Titan). The purpose of the investigation was to determine whether employees of Titan deliberately failed to properly conduct radiography operations while working under reciprocity at a temporary jobsite in NRC jurisdiction. In a letter dated May 16, 2024, Agencywide Documents Access and Management System (ADAMS) Accession No. (ML24136A048)¹, we provided you with a factual summary of the investigation and described an apparent violation that we informed you was being considered for escalated enforcement action.

Namely, the NRC identified an apparent violation of Title 10 of the *Code of Federal Regulations* (10 CFR) 34.41, "Conducting industrial radiographic operations." The apparent violation was related to Titan's failure to ensure that when radiography was performed at a location other than a permanent radiographic installation, the radiographer was accompanied by at least one other qualified radiographer or by an individual who at a minimum met the requirements of 10 CFR 34.43(c). Specifically, on November 16, 2022, at the direction of a Titan manager, a Titan radiographer performed radiography at a temporary job site near Wheeling, West Virginia (within NRC jurisdiction) and was the only qualified individual present.

In the letter, we provided you the opportunity to address the apparent violation by attending a pre-decisional enforcement conference (PEC), by engaging the NRC in Alternative Dispute Resolution (ADR) mediation, or by providing a written response before we made our final enforcement decision. On June 27, 2024, you attended a PEC in the NRC Region I office to discuss the apparent violation, its significance, its root causes, and your corrective actions. Subsequently, in an email dated July 1, 2024, you submitted a letter documenting the corrective actions you described during the PEC (ML24198A156). A summary of the PEC and the corrective actions you described at the conference and in your July 1, 2024, letter is included as Enclosure 1 to this letter.

¹Designation in parentheses refers to an Agency-wide Documents Access and Management System (ADAMS) accession number. Documents referenced in this letter are publicly available using the accession number in ADAMS.

Based on the information developed during the investigation and the information that you provided during the PEC, the NRC has determined that a violation of NRC requirements occurred. As noted above, the violation involves the willful failure to properly conduct radiography operations in accordance with 10 CFR 34.41. The violation is cited in the enclosed Notice of Violation (Notice), provided as Enclosure 2, and the circumstances surrounding it are described in detail in the subject investigation report.

The NRC considers the willful failure to properly conduct radiographic operations a significant safety and regulatory concern because conducting radiographic operations without a second qualified individual could lead to potential exposures to members of the public. The NRC notes that in this case, no known exposures have been identified. The NRC reviewed the specific circumstances involved with this case including the fact that there were no actual radiological consequences and reviewed your actions subsequent to the identification of this violation and, after consultation with the Director, Office of Enforcement, categorized this violation in accordance with the NRC Enforcement Policy at Severity Level III. The current Enforcement Policy is included on the NRC's Web site at <https://www.nrc.gov/about-nrc/regulatory/enforcement/enforce-pol.html>.

In accordance with Section 8 of the NRC Enforcement Policy, a base civil penalty in the amount of \$18,000 is considered for a Severity Level III violation involving an industrial radiography licensee. Because the violation was willful, the NRC considered whether credit was warranted for *Identification and Corrective Action* in accordance with the civil penalty assessment process in Section 2.3.4 of the Enforcement Policy. The NRC determined that credit was warranted for identification because you identified the violation and reported the issue to the NRC. The NRC also determined that corrective action credit was warranted for Titan's actions taken to address the violation, as described in Enclosure 1. Therefore, to encourage prompt identification and comprehensive correction of violations, I have been authorized, after consultation with the Director, Office of Enforcement, not to propose a civil penalty in this case. However, significant violations in the future could result in a civil penalty. In addition, issuance of this Severity Level III violation constitutes escalated enforcement action that may subject you to increased inspection effort.

The NRC has concluded that information regarding (1) the reason for the violation, (2) the corrective actions that have been taken and the results achieved and (3) the date when full compliance was achieved is already adequately addressed on the docket in the NRC's letter dated May 16, 2024, and in Enclosure 1 to this letter. Therefore, you are not required to respond to this letter unless the description therein does not accurately reflect your corrective actions or your position. In that case, or if you choose to provide additional information, you should follow the instructions specified in the enclosed Notice.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter, its enclosures, and your response, should you choose to provide one, will be made available electronically for public inspection in the NRC Public Document Room and in the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>. To the extent possible, your response should not include any personal privacy, proprietary, or safeguards information so that it can be made available to the Public without redaction. If personal privacy or proprietary information is necessary to provide an acceptable response, please provide a bracketed copy of your response that identifies the information that should be protected and a redacted copy of your

response that deletes such information. If you request withholding of such information, you must specifically identify the portions of your response that you seek to have withheld and provide in detail the bases for your claim of withholding (e.g., explain why the disclosure of information will create an unwarranted invasion of personal privacy or provide the information required by 10 CFR 2.390(b) to support a request for withholding confidential commercial or financial information). The NRC also includes significant enforcement actions on its Web site at (<http://www.nrc.gov/reading-rm/doc-collections/enforcement/actions/>).

If you have any questions concerning this matter, please contact Monica Ford of my staff at 610-337-5214.

Sincerely,

Digitally signed
by Raymond K.
Lorson
Date: 2024.09.03
Raymond Lorson 3:02:36 -04'00'
Regional Administrator

License No. 37-35708-01
Docket No. 030-39345
PA License No. PA-1559

Enclosures:

1. Summary of June 27, 2024, Pre-decisional Enforcement Conference and Description of Corrective Actions
2. Notice of Violation

ENCLOSURE 1

SUMMARY OF JUNE 27 PRE-DECISIONAL ENFORCEMENT CONFERENCE AND DESCRIPTION OF CORRECTIVE ACTIONS

On May 16, 2024, the NRC issued Titan Inspection, Inc. (Titan) a choice letter with an inspection report that described one apparent violation of Title 10 of the *Code of Federal Regulations* (10 CFR) 34.41, "Conducting industrial radiographic operations." The apparent violation was related to Titan's failure to ensure that when radiography was performed at a location other than a permanent radiographic installation, the radiographer was accompanied by at least one other qualified radiographer or by an individual who at a minimum met the requirements of 10 CFR 34.43(c). Specifically, on November 16, 2022, at the direction of a Titan manager, a Titan radiographer performed radiography at a temporary job site near Wheeling, West Virginia (within NRC jurisdiction) and was the only qualified individual present.

In the May 16, 2024, letter the NRC staff informed Titan that the apparent violation was being considered for escalated enforcement action and provided the licensee the opportunity to address the apparent violation by attending a pre-decisional enforcement conference (PEC), by engaging the NRC in Alternative Dispute Resolution (ADR) mediation, or by providing a written response. Titan elected to participate in a PEC and the conference was conducted on June 27, 2024, at the NRC's Region I office.

The licensee's representative (Titan's Chief Executive Officer (CEO) and Radiation Safety Officer (RSO)) did not contest the apparent violation. The CEO suggested the failure occurred, in part, due to an emphasis by new management on customer satisfaction over safety, a failure to oversee new management during onboarding and training of new staff, and a lack of emphasis on the need to immediately report any request or instruction that would result in a violation of safety regulations. The CEO described having taken more direct control over operations at both Titan's office locations—at least in the short term—to implement corrective actions and prevent recurrence.

The licensee's representative described the following immediate corrective actions that have been implemented:

- suspended the two involved Titan employees from engaging in radiography activities (NOTE: one of the employees resigned shortly after the event),
- implemented a standard to train all new Pittsburgh (PA) branch staff at the Williamsport (PA) office (where the CEO is based),
- addressed the topic of "solo shooting" at an all-staff meeting and reminding employees that it is strictly prohibited in all situations, regardless of who instructs them to do so, and reinforced that employees are to immediately contact the CEO if any safety regulations are violated and/or if they are asked to violate any regulations,
- met with each Pittsburgh branch employee to ensure they were adequately trained, that they understand the regulations, and that they understand they are to contact the CEO/RSO with any safety concerns.

The Titan representative described the following longer-term corrective actions:

- add verbiage to the employee handbook, in the Radiation Safety Disciplinary Policy section, addressing what needs to occur if someone instructs an employee to violate a safety regulation,
- add questions to both Radiographer and Assistant Radiographer Radiation Safety Tests, as well as a verbal question and answer component to the practical examination,

- post the Radiation Disciplinary Policy in the shop,
- reiterate in safety meetings a variety of safety violations, including solo shooting, that will result in immediate disciplinary action, including potential termination,
- Retraining the manager through attendance at a 40-hour radiation safety course (if the manager remains on staff).

The PEC attendance list and the NRC's PEC presentation are attached to this summary.

Attachments:

1. Attendee list
2. NRC presentation

Attachment 1 - Attendee list

NRC

Region I:

Paul Krohn, Director, Division of Radiological Safety & Security (DRSS)

Brett Klukan, Regional Counsel, Office of the Regional Administrator (ORA)

Monica Ford, Chief, Commercial, Industrial, Research & Development, and Academic Branch (CIRDA), DRSS

Randy Ragland, Senior Health Physicist, CIRDA, DRSS

Marjorie McLaughlin, Senior Enforcement Specialist, ORA

Sherlyn Haney, Acting Senior Enforcement Specialist, ORA

Timothy Hennessey, Enforcement Specialist, ORA

Office of General Counsel:

Robert Carpenter, Senior Attorney

Titan Inspection, Inc.

Daniel Schroeder, CEO

Attachment 2 – NRC PEC Presentation

PRE-DECISIONAL ENFORCEMENT CONFERENCE

June 27, 2024

1:00-4:00



LOGISTICS

- **Closed Meeting that will be transcribed**
 - Transcript will be non-public, but available through FOIA
- **Please turn on camera when speaking**
 - State name and affiliation prior to speaking
 - When not speaking, turn off camera and mute microphone



AGENDA

**Opening Remarks &
Attendee Introductions**

P. Krohn

Licensee Opening Remarks

D. Schroeder

Overview of Enforcement Process

T. Hennessey

Summary of the Apparent Violation

T. Hennessey

Licensee Presentation

D. Schroeder

NRC Caucus

NRC Staff

Closing PEC Remarks

P. Krohn



NRC OPENING REMARKS

- **Today's Pre-Decisional Enforcement Conference (PEC) with Titan Inspections, Inc. (Titan) is being conducted to discuss an apparent violation (AV) of NRC requirements.**
 - **The AV is related to a failure to properly conduct radiography operations while working under reciprocity at a temporary jobsite in NRC jurisdiction.**
- **Please Note:**
 - **The NRC has not made a final enforcement decision on this matter.**
 - **This PEC is your opportunity to provide information you want the NRC to consider in making a final decision.**
- **Introductions**



**TITAN INSPECTIONS, INC.
OPENING REMARKS**




ESCALATED ENFORCEMENT PROCESS

- NRC Enforcement Policy available at <https://www.nrc.gov/about-nrc/regulatory/enforcement/enforce-pol.html>
- The significance of violations is assessed using Severity Levels.
 - SL I is the most significant and SL IV is the least.
 - SL I, SL II, and SL III violations are considered for escalated enforcement action.
- Factors used in determining Severity Level:
 - Actual Consequences
 - Potential Consequences
 - Impact to the Regulatory Process
 - Willfulness



ESCALATED ENFORCEMENT PROCESS

Severity Level I, II & III Violations, and Violations related to Red, Yellow and White SDP Findings with Actual Consequences



ENFORCEMENT PROCESS – ROLE OF PEC

- Following this PEC, the NRC will issue the final enforcement outcome.
- A PEC is not a forum for negotiating the enforcement action. It is an opportunity for you to present additional information you want the NRC to consider.
- The NRC staff's final position will not be communicated today. Rather, the NRC staff at this conference will consider the information you present, in conjunction with the information from the investigation, to reach a final decision.



SUMMARY OF APPARENT VIOLATION

- An NRC investigation was conducted to evaluate whether employees of Titan deliberately failed to properly conduct radiography operations while working under reciprocity at a temporary jobsite in NRC jurisdiction.
- One Apparent Violation was identified:

10 CFR 34.41(a) requires, in part, that whenever radiography is performed at a location other than a permanent radiographic installation, the radiographer must be accompanied by at least one other qualified radiographer or an individual who has at a minimum met the requirements of 10 CFR 34.43(c). The additional qualified individual shall observe the operations and be capable of providing immediate assistance to prevent unauthorized entry. Radiography may not be performed if only one qualified individual is present.

Contrary to the above, on November 16, 2022, Titan Inspection, Inc. performed radiography at a location other than a permanent radiographic installation and the individual performing the radiography was not accompanied by at least one other qualified radiographer or other individual meeting, at a minimum, the requirements of 10 CFR 34.43(c). Specifically, a Titan Inspection, Inc. radiographer performed radiography at a temporary job site and was the only qualified individual present.



**TITAN INSPECTIONS, INC.
PRESENTATION**



QUESTIONS & ANSWERS



BREAK / NRC CAUCUS



QUESTIONS & ANSWERS



CLOSING REMARKS



ENCLOSURE 2

NOTICE OF VIOLATION

Titan Inspection, Inc.
Montoursville, PA

License No. 37-35708-01
Docket No. 030-39345
EA-24-005

During an NRC investigation conducted between December 19, 2022, and November 2, 2023, a violation of NRC requirements was identified. In accordance with the NRC Enforcement Policy, the violation is listed below:

10 CFR 34.41(a) requires, in part, that whenever radiography is performed at a location other than a permanent radiographic installation, the radiographer must be accompanied by at least one other qualified radiographer or an individual who has at a minimum met the requirements of 10 CFR 34.43(c). The additional qualified individual shall observe the operations and be capable of providing immediate assistance to prevent unauthorized entry. Radiography may not be performed if only one qualified individual is present.

Contrary to the above, on November 16, 2022, Titan Inspection, Inc. performed radiography at a location other than a permanent radiographic installation and the individual performing the radiography was not accompanied by at least one other qualified radiographer or individual who has at a minimum met the requirements of 10 CFR 34.43(c). Specifically, a Titan Inspection, Inc. radiographer willfully performed radiography at a temporary job site and was the only qualified individual present.

This is a Severity Level III violation as defined in Section 6.3.c.4.(a) of the Enforcement Policy.

The NRC has concluded that information regarding the reason for the violation, the corrective actions taken and planned to correct the violation and prevent recurrence, and the date when full compliance was achieved, is already adequately addressed on the docket in the NRC's letter dated May 16, 2024, and in Enclosure 1 to the letter transmitting this Notice of Violation. However, you are required to submit a written statement or explanation pursuant to 10 CFR 2.201 if the description therein does not accurately reflect your corrective actions or your position. In that case, or if you choose to respond, clearly mark your response as a "Reply to a Notice of Violation, (EA-24-005), and send it to the U.S. Nuclear Regulatory Commission, ATTN: Document Control Desk, Washington, DC 20555-0001 with a copy to the Regional Administrator, NRC Region I, 475 Allendale Road, Suite 102, King of Prussia, PA 19406 within 30 days of the date of the letter transmitting this Notice of Violation.

If you choose to respond, your response will be made available electronically for public inspection in the NRC Public Document Room or in the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>. Therefore, to the extent possible, the response should not include any personal privacy, proprietary, or safeguards information so that it can be made available to the Public without redaction.

In accordance with 10 CFR 19.11, you may be required to post this Notice within two working days of receipt.

Dated this 3rd day of September 2024