



Materials Inspection Report

ADAMS Accession # ML24313A169

1. Licensee/Location Inspected:

Thomas Dean & Hoskins
210 Main Street
Lewiston, Idaho

Report Number(s) 2024-001

2. NRC/Regional Office

Region IV
U. S. Nuclear Regulatory Commission
1600 E. Lamar Boulevard
Arlington, TX 76011-4511

3. Docket Number(s)

030-12994

4. License Number(s)

25-17579-01

5. Date(s) of Inspection

July 30, 2024

LICENSEE:

The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector. The inspection findings are as follows:



1. Based on the inspection findings, no violations were identified.



2. Previous violation(s) closed.



3. During this inspection, certain of your activities, as described below and/or attached, were in violation of NRC requirements, and were assessed at Severity Level IV, in accordance with the NRC Enforcement Policy.

A. The violation(s), specifically described to you by the inspector as non-cited violations, are not being cited because they were self-identified, non-repetitive, corrective action was or is being taken, and the remaining criteria in the NRC Enforcement Policy were satisfied.

(Non-cited violation(s) was/were discussed involving the following requirement(s))

B. The following violation(s) is/are being cited in accordance with NRC Enforcement Policy. This form is a NOTICE OF VIOLATION, which may be subject to posting in accordance with 10 CFR 19.11.

(Violations and Corrective Actions)

Statement of Corrective Actions

I hereby state that, within 30 days, the actions described by me to the Inspector will be taken to correct the violations identified. This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201 (corrective steps already taken, corrective steps which will be taken, date when full compliance will be achieved). I understand that no further written response to NRC will be required, unless specifically requested.

TITLE	PRINTED NAME	SIGNATURE AND DATE
LICENSEE'S REPRESENTATIVE		
NRC INSPECTOR	Jason Dykert	JASON DYKERT <small>Digitally signed by JASON DYKERT Date: 2024.08.07 14:07:40 -07'00'</small>
BRANCH CHIEF	Lizette Roldán-Otero, PhD	LIZETTE ROLDAN-OTERO <small>Digitally signed by LIZETTE ROLDAN-OTERO Date: 2024.11.06 11:17:49 -06'00'</small>

From: [Jason Dykert](#)
To: craig.nadeau@tdhengineering.com
Subject: NRC inspection report 2024-001 - Lewiston
Date: Wednesday, August 7, 2024 2:13:00 PM
Attachments: [2024-001, TDH, 591M.pdf](#)

Good afternoon Craig,

As we discussed, attached is the inspection report for Lewiston, no violations were identified. If you could let me know you've received the report I would appreciate it. My branch chief will review and sign it, and then it becomes a publicly available safety record available for review in the NRC's Agencywide Documents Access and Management System ([ADAMS](#)) online database.

v/r

Jason Dykert
Health Physicist
Materials Inspection
U.S. NRC - Region IV
Phone: 817-200-1427