






## EXAM ASSIGNMENT TICKLER






| Chief:                                    | Kirkland  | Facility:         | CP  | Date of Written Exam:  | 10/31/2024 |
|---|---|-------------------|---|--|------------|
| U/I:                                      |   | Start of Op Test: | 10/21/2024                                  | End of Op Test:  | 10/26/2024 |
| Written Exam Developed By: NRC / Facility |   |                   | Operating Test Developed By: NRC / Facility |  |            |
| Due Date                                  | Description   | Date Complete     | Initials                                    | Notes  |            |
| 2/19/2024                                 | Examination administration date confirmed   | 1/18/2024         | <i>JFK</i>                                  | For NRC prepared exams, arrangements made for the facility to submit reference materials |            |
| 3/25/2024                                 | NRC examiners and facility contact assigned   | 1/18/2024         | <i>JFK</i>                                  |  |            |
| 3/25/2024                                 | Facility contact briefed on security and other requirements   | 1/18/2024         | <i>JFK</i>                                  |  |            |
| 3/25/2024                                 | Reference material due for NRC prepared exams   | 8/22/2024         | <i>JFK</i>                                  | ES-2.1.F   |            |
| 3/25/2024                                 | Corporate Notification Letter sent  | 2/28/2024         | <i>JFK</i>                                  | Letter 2.1-1 produced by CE  |            |
| 4/8/2024                                  | NRC developed written examination outline sent to facility contact                                  | 3/5/2024          | <i>JFK</i>                                  | Forms 4.1-BWR/PWR and COMMON   |            |
| 5/20/2024                                 | Operating test outline(s) and other checklists due  | 5/20/2024         | <i>JFK</i>                                  | Forms 1.3-1, 2.3-1, 3.2-1, 3.2-2, 3.4-1, 3.3-1   |            |
| 6/3/2024                                  | Operating test outline(s) reviewed by NRC and feedback provided to facility licensee                | 5/24/2024         | <i>JFK</i>                                  | Form 2.3-1 signed by CE & BC   |            |
| 7/15/2024                                 | NRC-prepared examinations approved by the NRC supervisor and forwarded for facility licensee review | N/A               | N/A   |  |            |
| 8/5/2024                                  | Proposed exams, outlines, supporting documentation, and reference materials due.                    | 8/12/2024         | <i>JFK</i>                                  |  |            |
| 8/19/2024                                 | Peer review of written exam complete  | N/A               | N/A   | Form 2.3-5   |            |
| 9/2/2024                                  | Written exam and operating test reviews completed   | 8/16/2024         | <i>JFK</i>                                  | Document review on Forms 2.3-1 and 2.3-5   |            |
| 9/16/2024                                 | Feedback approved by Branch Chief   | 9/4/2024          | <i>JFK</i>                                  |  |            |
| 9/16/2024                                 | Examination review results discussed between NRC and facility licensee                              | 9/9/2024          | <i>JFK</i>                                  |  |            |
| 9/16/2024                                 | On-site validation & 10% audit of qual cards  | 9/16/2024         | <i>JFK</i>                                  |  |            |
| 9/23/2024                                 | Preliminary license applications & waiver/excusal requests due                                      | 9/18/2024         | <i>JFK</i>                                  | NRC Forms 398/396  |            |
| 9/30/2024                                 | Preliminary license applications and waivers reviewed   | 9/30/2024         | <i>JFK</i>                                  |  |            |
| 10/7/2024                                 | Final license applications & waiver/excusal requests due  | 10/7/2024         | <i>JFK</i>                                  | Form 2.2-1   |            |
| 10/14/2024                                | Written exams and operating tests approved by Branch Chief  | 10/15/2024        | <i>JFK</i>                                  |  |            |
| 10/14/2024                                | Facility licensee management feedback on the examination requested by the NRC supervisor            | N/A               | N/A   |  |            |
| 10/14/2024                                | Final applications reviewed and audited; exam approval and waiver/excusal letters sent              | 10/15/2024        | <i>JFK</i>                                  | BC signs Exam Approval Letter (Form 2.3-1)   |            |
| 10/14/2024                                | Proctoring/written exam administration guidelines reviewed with facility licensee                   | 9/16/2024         | <i>JFK</i>                                  |  |            |
| 10/14/2024                                | Approved scenarios and JPMs distributed to examiners  | 10/16/2024        | <i>JFK</i>                                  |  |            |
| 10/21/2024                                | Administer Operating Test   | 10/21/2025        | <i>JFK</i>                                  |  |            |
| 11/9/2024                                 | Examiner's document on test results on ES 303's   | 11/8/2025         | <i>JFK</i>                                  |  |            |
| 11/20/2024                                | Post exam comments and graded exams received  | 11/8/2025         | <i>JFK</i>                                  |  |            |
| 11/28/2024                                | Post exam written comments reviewed and incorporated and NRC grading completed                      | 11/15/2025        | <i>JFK</i>                                  |  |            |
| 11/28/2024                                | Post exam operating test comments reviewed and ES-303-1 updated                                     | 12/2/2025         | <i>JFK</i>                                  |  |            |
| 12/5/2024                                 | Chief examiner review of operating test and/or written exam grading completed                       | 12/2/2025         | <i>JFK</i>                                  | Signed ES 303's to BC  |            |
| 12/12/2024                                | Branch Chief review of exam results completed   | 12/2/2025         | <i>JFK</i>                                  |  |            |
| 12/19/2024                                | Waivers/deferrals reviewed for impact on licensing decision   | N/A               | N/A   |  |            |
| 12/19/2024                                | License/Proposed Denial letters mailed; Facility notified of results                                | 12/5/2025         | <i>JFK</i>                                  |  |            |
| 12/19/2024                                | RPS/IP number of examinees updated  | 12/5/2025         | <i>JFK</i>                                  | print Report-21  |            |
| 1/9/2025                                  | Final Denial Letters mailed (if no request for informal review)                                     | N/A               | N/A   | 21 days after proposed denial letters mailed.  |            |
| 1/16/2025                                 | Examination Report Issued   | 1/15/2025         | <i>JFK</i>                                  | produced by CE   |            |
| 1/23/2025                                 | Ref Mat'l Returned after Final Resolution of Appeals  | N/A               | N/A   |  |            |

Replaces NUREG-1021, Revision 12, Forms 2.1-1 and 5.1-1

| Facility: CPNPP Units 1 and 2   |   | Date of Examination: October 2024 |    |          |
|---|---|-----------------------------------|----|----------|
| Item  | Task Description  | (Y)es / (N)o                      |    |          |
|   |   | a                                 | b* | c#       |
| WRITTEN   | a. The outline was systematically and randomly prepared in accordance with the instructions in Section B of ES-4.1, and all knowledge and ability (K/A) categories are appropriately sampled.   | Y                                 |    | Y        |
|   | b. The outline does not overemphasize any systems, evolutions, or generic topics.   | Y                                 | Y  | Y        |
|   | c. Justifications for deselected or rejected K/A statements are acceptable.   | Y                                 | Y  | Y        |
| SIMULATOR   | a. Using Form 3.4-1, Events and Evolutions Checklist, verify that the proposed scenario set contains the required number of normal evolutions, reactivity evolutions, instrument and component failures, manual control evolutions, technical specifications, and major transients. | Y                                 | Y  | Y        |
|   | b. There are enough scenarios (and spares) for the projected number and mix of applicants in accordance with the expected crew composition and rotation schedule without compromising exam integrity. Ensure that scenarios will not be repeated on subsequent days.                | Y                                 | Y  | Y        |
|   | c. Ensure that all scenarios are new or significantly modified in accordance with ES-3.4 and that no scenarios are duplicated from the applicants' audit test(s).   | Y                                 | Y  | Y        |
|   | d. To the extent possible, assess whether the outline(s) conforms with the qualitative and quantitative simulator set criteria specified on Form 2.3-2.   | Y                                 | Y  | Y        |
| JPMS  | a. Verify that the administrative outline meets the criteria specified in the instructions on Form 3.2-1 and that no tasks are duplicated from the applicants' audit test(s).   | Y                                 | Y  | Y        |
|   | b. Verify that the control room and in-plant systems outline meets the criteria specified in the instructions on Form 3.2-2 and that no tasks are duplicated from the applicants' audit test(s).  | Y                                 | Y  | Y        |
|   | c. Determine whether the number of job performance measures (JPMs) and JPM types is sufficient for the projected number and mix of applicants and ensure that no items are duplicated on subsequent days.   | Y                                 | Y  | Y        |
| GENERAL   | a. Assess whether the appropriate exam sections cover plant-specific priorities (including probabilistic risk assessment and individual plant examination insights).  | Y                                 | Y  | Y        |
|   | b. Assess whether the 10 CFR 55.41, 10 CFR 55.43, and 10 CFR 55.45 sampling is appropriate.   | Y                                 | Y  | Y        |
|   | c. Check whether K/A importance ratings (except for plant-specific priorities) are greater than or equal to 2.5.  | Y                                 | Y  | Y        |
|   | d. Check for duplication and overlap across the exam and with the last two NRC exams.   | Y                                 | Y  | Y        |
|   | e. Check the entire exam for balance of coverage.   | Y                                 | Y  | Y        |
|   | f. Assess whether the exam fits the appropriate job level (reactor operator or senior reactor operator).  | Y                                 | Y  | Y        |
|   |   | Printed Name/Signature            |    | Date     |
| a. Author   | Jason Smith /   |                                   |    | 10/2/24  |
| b. Facility Reviewer (*)  | Anton Malsam /    |                                   |    | 10-2-24  |
| c. NRC Reviewer (#)   | John Kirkland /    |                                   |    | 10/15/24 |
| NRC Chief Examiner  | John Kirkland /   |                                   |    | 10/15/24 |
| NRC Supervisor  | Heather Gefford /   |                                   |    | 10/15/24 |
| <p>* The facility licensee signature is not applicable for NRC-developed tests.<br/>                 # An independent NRC reviewer performs the steps in column "c." This may be the NRC Chief Examiner if he/she did not develop the outline under review.</p> |   |                                   |    |          |

## Form 2.3-2 Operating Test Quality Checklist

| Facility: CPNPP Units 1 and 2      Date of Examination: October 2024      Operating Test Number: CP-2024-10  |              |    |    |
|--|--------------|----|----|
| General Criteria   | (Y)es / (N)o |    |    |
|  | a            | b* | c# |
| a. The operating test meets the criteria on the associated test outline.   | Y            | Y  | Y  |
| b. There are enough test items so that test items will not be repeated on more than 1 day of the operating test.   | Y            | Y  | Y  |
| c. The operating test does not duplicate items from the applicants' audit test(s).   | Y            | Y  | Y  |
| d. Overlap with the written examination and between different parts of the operating test is minimized.  | Y            | Y  | Y  |
| e. It appears that the operating test will differentiate between competent and less-than-competent applicants at the designated license level.   | Y            | Y  | Y  |
| Walkthrough Criteria   |              |    |    |
| a. Each job performance measure (JPM) includes the following, as applicable: <ul style="list-style-type: none"> <li>• task standard</li> <li>• initial conditions</li> <li>• initiating cues</li> <li>• references and tools, including associated procedures</li> <li>• reasonable and validated time limits (average time allowed for completion) and specific designation if the facility licensee deems it to be time critical</li> <li>• alternate path JPMs are labeled as "alternate path"</li> <li>• operationally important specific performance criteria that include the following: <ul style="list-style-type: none"> <li>– detailed expected actions with exact criteria and nomenclature</li> <li>– system response and other examiner cues</li> <li>– statements describing important observations to be made by the applicant</li> <li>– criteria for successful completion of the JPM task standard</li> <li>– identification of critical steps and their associated performance standards</li> <li>– restrictions on the sequence of steps, if applicable</li> </ul> </li> </ul> | Y            | Y  | Y  |
| b. Ensure that any changes from the previously approved JPM outlines (Forms 3.2-1 and 3.2-2) have not caused the test to deviate from any of the acceptance criteria (e.g., item distribution, bank use, repetition from the last two NRC examinations) specified on those forms.  | Y            | Y  | Y  |
| Simulator Scenario Set Criteria for Scenario Numbers: 1 / 2 / 3 / 4  |              |    |    |
| QUALITATIVE ATTRIBUTES   |              |    |    |
| 1. The initial conditions are realistic in that some equipment and/or instrumentation may be out of service, but it does not cue the operators into expected events.   | Y            | Y  | Y  |
| 2. The scenarios consist mostly of related events.   | Y            | Y  | Y  |
| 3. Each event description consists of the following: <ul style="list-style-type: none"> <li>• the point in the scenario when it is to be initiated</li> <li>• the malfunction(s) or conditions that are entered to initiate the event</li> <li>• the symptoms/cues that will be visible to the crew</li> <li>• the expected operator actions (by shift position)</li> <li>• the event termination point (if applicable)</li> </ul>   | Y            | Y  | Y  |

| QUALITATIVE ATTRIBUTES (continued)  |   | (Y)es / (N)o                      |  |              |    |    |
|---|---|-----------------------------------|--|--------------|----|----|
|   |   | a                                 | b*   | c#           |    |    |
| 4.  | The events are valid with regard to physics and thermodynamics.   | Y                                 | Y  | Y            |    |    |
| 5.  | The sequencing and timing of events is reasonable and allows the examination team to observe and evaluate applicant performance.  | Y                                 | Y  | Y            |    |    |
| 6.  | If time compression techniques are used, the scenario summary clearly so indicates. Operators have sufficient time to carry out expected activities without undue time constraints. Cues are given.   | Y                                 | Y  | Y            |    |    |
| 7.  | The simulator modeling is not altered.  | Y                                 | Y  | Y            |    |    |
| 8.  | The scenarios have been validated. Pursuant to 10 CFR 55.46(d), any open simulator performance deficiencies or deviations from the referenced plant have been evaluated to ensure that functional fidelity is maintained while running the planned scenarios. | Y                                 | Y  | Y            |    |    |
| 9.  | Scenarios are new or significantly modified in accordance with ES-3.4.  | Y                                 | Y  | Y            |    |    |
| 10.   | Scenarios (as grouped) allow each applicant to be significantly involved in the minimum number of transients, events, and evolutions specified on the version of Form 3.4-1 submitted with the scenario set.  | Y                                 | Y  | Y            |    |    |
| 11.   | Applicants are evaluated on a similar number of preidentified critical tasks across scenarios, when possible.   | Y                                 | Y  | Y            |    |    |
| 12.   | The level of difficulty is appropriate to support licensing decisions for each crew position.   | Y                                 | Y  | Y            |    |    |
| TARGET QUANTITATIVE ATTRIBUTES per Scenario (See ES-3.4)  |   | Actual Attributes by Scenario No. |  | (Y)es / (N)o |    |    |
|   |   | 1 / 2 / 3 / 4                     |  | a            | b* | c# |
| 1.  | Malfunctions after emergency operating procedure (EOP) entry (1-2)  | 3 / 3 / 2 / 3                     |  | Y            | Y  | Y  |
| 2.  | Abnormal events (2-4)   | 4 / 3 / 4 / 4                     |  | Y            | Y  | Y  |
| 3.  | Major transients (1-2)  | 1 / 1 / 1 / 1                     |  | Y            | Y  | Y  |
| 4.  | EOPs entered/requiring substantive actions (1-2)  | 2 / 2 / 2 / 2                     |  | Y            | Y  | Y  |
| 5.  | Entry into a contingency EOP with substantive actions ( $\geq 1$ per scenario set; set is the entire set of scenarios prepared for the scheduled exam)  | 0 / 1 / 1 / 0                     |  | Y            | Y  | Y  |
| 6.  | Preidentified critical tasks ( $\geq 2$ )   | 2 / 2 / 2 / 3                     |  | Y            | Y  | Y  |
|   |   | Printed Name/Sig                  |  | Date         |    |    |
| a.  | Author  | Jason Smith/                      |   | 10/2/24      |    |    |
| b.  | Facility Reviewer (*)   | Anton Malsam/                     |  | 10-2-24      |    |    |
| c.  | NRC Reviewer (#)  | John Kirkland                     |   | 10/15/24     |    |    |
|   | NRC Chief Examiner  | John Kirkland                     |  | 10/15/24     |    |    |
|   | NRC Supervisor  | Heather Gepford                   |  | 10/15/24     |    |    |
| * The facility licensee signature is not applicable for NRC-developed tests.  |   |                                   |  |              |    |    |
| # An independent NRC reviewer performs the steps in column c. This may be the NRC Chief Examiner if he/she did not develop the operating test under review. |   |                                   |  |              |    |    |

### Form 2.3-4 Written Examination Quality Checklist

| Facility: Comanche Peak   |                 | Date of Exam: 10-21-2024 |  | Exam Level: RO <input checked="" type="checkbox"/> |          | SRO <input checked="" type="checkbox"/> |   |   |   |
|---|-----------------|--------------------------|--|--|----------|---|---|---|---|
| Item Description  |                 |                          |  | (Y)es / (N)o                                       |          |   |   |   |   |
|   |                 |                          |  | a  | b*       | c#                                      |   |   |   |
| 1. Questions and answers are technically accurate and applicable to the facility. Each question includes a technical reference.   |                 |                          |  | Y  | Y        | Y                                       |   |   |   |
| 2. a. All questions reference NRC knowledge and abilities (K/As) requirements.<br>b. Facility learning objectives are referenced as available.<br>c. All questions include an explanation of the correct answer explanation and a distractor analysis.  |                 |                          |  | Y  | Y        | Y                                       |   |   |   |
| 3. Senior reactor operator (SRO) questions test at the SRO license level.   |                 |                          |  | Y  | Y        | Y                                       |   |   |   |
| 4. The sampling process was random and systematic. (If more than four reactor operator (RO) or two SRO questions were repeated from the last two NRC licensing exams, including full (100-question) retake examinations, consult the NRC Office of Nuclear Reactor Regulation operator licensing program office.)   |                 |                          |  | Y  | Y        | Y                                       |   |   |   |
| 5. Question duplication from the licensee screening/audit exam was controlled as indicated below (check the item that applies) and appears appropriate:<br><input type="checkbox"/> The audit exam was systematically and randomly developed.<br><input checked="" type="checkbox"/> The audit exam was completed before the license exam was started.<br><input type="checkbox"/> The examinations were developed independently.<br><input type="checkbox"/> The licensee certifies that there is no duplication.<br><input type="checkbox"/> Other (explain): |                 |                          |  | Y  | Y        | Y                                       |   |   |   |
| 6. Bank use meets limits (no more than 75% from the bank, at least 10% new (at the comprehension/analysis level), and the rest new or modified); enter the actual RO/SRO-only question distribution >   |                 |                          |  | Bank   | Modified | New                                     | Y | Y | Y |
|   |                 |                          |  | 21/34 #  | 20/3     | 34/19 #                                 | Y | Y | Y |
| 7. Between 38 and 45 questions of the questions on the RO exam and at least 13 of the questions on the SRO-only portion of the exam are written at the comprehension/analysis level; enter the actual RO/SRO-only question distribution >   |                 |                          |  | Memory   |          | C/A                                     | Y | Y | Y |
|   |                 |                          |  | 37/5 #   |          | 38/20 #                                 | Y | Y | Y |
| 8. References/handouts provided do not give away answers or aid in the elimination of distractors.  |                 |                          |  | Y  | Y        | Y                                       |   |   |   |
| 9. Question content conforms to specific K/A statements in the previously approved examination outline and is appropriate for the K/A statements' assigned tier; deviations are justified.  |                 |                          |  | Y  | Y        | Y                                       |   |   |   |
| 10. Question psychometric quality and format meet the instructions and guidelines in ES-4.2.  |                 |                          |  | Y  | Y        | Y                                       |   |   |   |
| 11. The exam contains the required number of one-point, multiple-choice items; the total is correct and agrees with the value on the cover sheet.   |                 |                          |  | Y  | Y        | Y                                       |   |   |   |
|   |                 |                          |  | Printed Name/Signature                             |          | Date                                    |   |   |   |
| a. Author   | Scott Dimeler   |                          |  |  |          | 10-2-24                                 |   |   |   |
| b. Facility Reviewer (*)  | Anton Malsam    |                          |  |  |          | 10-2-24                                 |   |   |   |
| c. NRC Reviewer (#)   | John Kirkland   |                          |  |  |          | 10/15/24                                |   |   |   |
| NRC Chief Examiner  | John Kirkland   |                          |  |  |          | 10/15/24                                |   |   |   |
| NRC Regional Supervisor   | Heather Gepford |                          |  |  |          | 10/15/24                                |   |   |   |
| * The facility licensee signature is not applicable for NRC-developed tests.  |                 |                          |  |  |          |   |   |   |   |
| # An independent NRC reviewer performs steps in column c. This may be the NRC Chief Examiner if he/she did not develop the written examination under review.  |                 |                          |  |  |          |   |   |   |   |

### Form 3.4-1 Events and Evolutions Checklist

Facility: CPNPP 1 and 2 Date of Exam: 8/21/24-8/31/24 Operating Test No.: CP-2024-10

| A<br>P<br>P<br>L<br>I<br>C<br>A<br>N<br>T | E<br>V<br>E<br>N<br>T<br><br>T<br>Y<br>P<br>E | Scenarios                            |             |             |                                      |             |             |                                      |             |             |                                      |             |             |        | T<br>O<br>T<br>A<br>L | M<br>I<br>N<br>I<br>M<br>U<br>M |   |  |
|---|---|--------------------------------------|-------------|-------------|--------------------------------------|-------------|-------------|--------------------------------------|-------------|-------------|--------------------------------------|-------------|-------------|--------|-----------------------|---------------------------------|---|--|
|   |   | 1                                    |             |             | 2                                    |             |             | 3                                    |             |             | 4 (SPARE)                            |             |             |        |                       |                                 |   |  |
|   |   | P<br>O<br>S<br>I<br>T<br>I<br>O<br>N |             |             | P<br>O<br>S<br>I<br>T<br>I<br>O<br>N |             |             | P<br>O<br>S<br>I<br>T<br>I<br>O<br>N |             |             | P<br>O<br>S<br>I<br>T<br>I<br>O<br>N |             |             |        |                       |                                 |   |  |
|   |   | S<br>R<br>O                          | A<br>T<br>C | B<br>O<br>P | S<br>R<br>O                          | A<br>T<br>C | B<br>O<br>P | S<br>R<br>O                          | A<br>T<br>C | B<br>O<br>P | S<br>R<br>O                          | A<br>T<br>C | B<br>O<br>P | R<br>O |                       | I                               | U |  |
| SRO-I1                                    | RX  | 0                                    |             |             |                                      | 1           |             |                                      |             |             |                                      |             |             | 0/1    | 1                     | 0/1                             | 0 |  |
|   | NOR   | 0                                    |             |             |                                      | 0           |             |                                      |             |             |                                      |             |             | 0      | 1                     | 1                               | 1 |  |
|   | I/C   | 3                                    |             |             |                                      | 2           |             |                                      |             |             |                                      |             |             | 3/2    | 4                     | 2/2                             | 2 |  |
|   | MAJ   | 1                                    |             |             |                                      | 1           |             |                                      |             |             |                                      |             |             | 1/1    | 2                     | 1/1                             | 1 |  |
|   | Man. Ctrl                                     | 0                                    |             |             |                                      | 1           |             |                                      |             |             |                                      |             |             | 0/1    | 1                     | 0/1                             | 0 |  |
|   | TS  | 2                                    |             |             |                                      |             |             |                                      |             |             |                                      |             |             | 2      | 0                     | 2                               | 2 |  |
| SRO-I3                                    | RX  | 0                                    |             |             |                                      | 1           |             |                                      |             |             |                                      |             |             | 0/1    | 1                     | 0/1                             | 0 |  |
|   | NOR   | 0                                    |             |             |                                      | 0           |             |                                      |             |             |                                      |             |             | 0      | 1                     | 1                               | 1 |  |
|   | I/C   | 3                                    |             |             |                                      | 2           |             |                                      |             |             |                                      |             |             | 3/2    | 4                     | 2/2                             | 2 |  |
|   | MAJ   | 1                                    |             |             |                                      | 1           |             |                                      |             |             |                                      |             |             | 1/1    | 2                     | 1/1                             | 1 |  |
|   | Man. Ctrl                                     | 0                                    |             |             |                                      | 1           |             |                                      |             |             |                                      |             |             | 0/1    | 1                     | 0/1                             | 0 |  |
|   | TS  | 2                                    |             |             |                                      |             |             |                                      |             |             |                                      |             |             | 2      | 0                     | 2                               | 2 |  |
| SRO-I5                                    | RX  | 0                                    |             |             |                                      |             |             |                                      | 0           |             |                                      | 1           |             | 0/0    | 1                     | 0/1                             | 0 |  |
|   | NOR   | 0                                    |             |             |                                      |             |             |                                      | 0           |             |                                      | 0           |             | 0      | 1                     | 1                               | 1 |  |
|   | I/C   | 3                                    |             |             |                                      |             |             |                                      | 3           |             |                                      | 3           |             | 3/3    | 4                     | 2/2                             | 2 |  |
|   | MAJ   | 1                                    |             |             |                                      |             |             |                                      | 1           |             |                                      | 1           |             | 1/1    | 2                     | 1/1                             | 1 |  |
|   | Man. Ctrl                                     | 0                                    |             |             |                                      |             |             |                                      | 2           |             |                                      | 2           |             | 0/2    | 1                     | 0/1                             | 0 |  |
|   | TS  | 2                                    |             |             |                                      |             |             |                                      |             |             |                                      |             |             | 2      | 0                     | 2                               | 2 |  |
| SRO-I7                                    | RX  | 0                                    |             |             |                                      |             |             |                                      | 0           |             |                                      | 1           |             | 0/0    | 1                     | 0/1                             | 0 |  |
|   | NOR   | 0                                    |             |             |                                      |             |             |                                      | 0           |             |                                      | 0           |             | 0      | 1                     | 1                               | 1 |  |
|   | I/C   | 3                                    |             |             |                                      |             |             |                                      | 3           |             |                                      | 3           |             | 3/3    | 4                     | 2/2                             | 2 |  |
|   | MAJ   | 1                                    |             |             |                                      |             |             |                                      | 1           |             |                                      | 1           |             | 1/1    | 2                     | 1/1                             | 1 |  |
|   | Man. Ctrl                                     | 0                                    |             |             |                                      |             |             |                                      | 2           |             |                                      | 2           |             | 0/2    | 1                     | 0/1                             | 0 |  |
|   | TS  | 2                                    |             |             |                                      |             |             |                                      |             |             |                                      |             |             | 2      | 0                     | 2                               | 2 |  |
| SRO-I9                                    | RX  |                                      |             |             |                                      | 1           |             |                                      | 1           |             |                                      | 1           |             | 1/1    | 1                     | 1/0                             | 0 |  |
|   | NOR   |                                      |             |             |                                      | 0           |             |                                      | 1           |             |                                      | 0           |             | 1      | 1                     | 1                               | 1 |  |
|   | I/C   |                                      |             |             |                                      | 2           |             |                                      | 4           |             |                                      | 3           |             | 2/4    | 4                     | 2/2                             | 2 |  |
|   | MAJ   |                                      |             |             |                                      | 1           |             |                                      | 1           |             |                                      | 1           |             | 1/1    | 2                     | 1/1                             | 1 |  |
|   | Man. Ctrl                                     |                                      |             |             |                                      | 1           |             |                                      | 0           |             |                                      | 0           |             | 1/0    | 1                     | 1/0                             | 0 |  |
|   | TS  |                                      |             |             |                                      |             |             |                                      | 2           |             |                                      | 2           |             | 2      | 0                     | 2                               | 2 |  |
| SRO-I11                                   | RX  |                                      |             |             |                                      | 1           |             |                                      | 1           |             |                                      | 1           |             | 1/1    | 1                     | 1/0                             | 0 |  |
|   | NOR   |                                      |             |             |                                      | 0           |             |                                      | 1           |             |                                      | 0           |             | 1      | 1                     | 1                               | 1 |  |
|   | I/C   |                                      |             |             |                                      | 2           |             |                                      | 4           |             |                                      | 3           |             | 2/4    | 4                     | 2/2                             | 2 |  |
|   | MAJ   |                                      |             |             |                                      | 1           |             |                                      | 1           |             |                                      | 1           |             | 1/1    | 2                     | 1/1                             | 1 |  |
|   | Man. Ctrl                                     |                                      |             |             |                                      | 1           |             |                                      | 0           |             |                                      | 0           |             | 1/0    | 1                     | 1/0                             | 0 |  |
|   | TS  |                                      |             |             |                                      |             |             |                                      | 2           |             |                                      | 2           |             | 2      | 0                     | 2                               | 2 |  |

### Form 3.4-1 Events and Evolutions Checklist

Facility: CPNPP 1 and 2    Date of Exam: 8/21/24-8/31/24    Operating Test No.: CP-2024-10

| A<br>P<br>P<br>L<br>I<br>C<br>A<br>N<br>T | E<br>V<br>E<br>N<br>T<br><br>T<br>Y<br>P<br>E | Scenarios                            |             |             |                                      |             |             |                                      |             |             |                                      |             |             |        | T<br>O<br>T<br>A<br>L | M<br>I<br>N<br>I<br>M<br>U<br>M |   |  |
|---|---|--------------------------------------|-------------|-------------|--------------------------------------|-------------|-------------|--------------------------------------|-------------|-------------|--------------------------------------|-------------|-------------|--------|-----------------------|---------------------------------|---|--|
|   |   | 1                                    |             |             | 2                                    |             |             | 3                                    |             |             | 4 (SPARE)                            |             |             |        |                       |                                 |   |  |
|   |   | P<br>O<br>S<br>I<br>T<br>I<br>O<br>N |             |             | P<br>O<br>S<br>I<br>T<br>I<br>O<br>N |             |             | P<br>O<br>S<br>I<br>T<br>I<br>O<br>N |             |             | P<br>O<br>S<br>I<br>T<br>I<br>O<br>N |             |             |        |                       |                                 |   |  |
|   |   | S<br>R<br>O                          | A<br>T<br>C | B<br>O<br>P | S<br>R<br>O                          | A<br>T<br>C | B<br>O<br>P | S<br>R<br>O                          | A<br>T<br>C | B<br>O<br>P | S<br>R<br>O                          | A<br>T<br>C | B<br>O<br>P | R<br>O |                       | I                               | U |  |
| SRO-I2                                    | RX  |                                      |             | 1           | 1                                    |             |             |                                      |             |             |                                      |             | 1/1         | 1      | 1/0                   | 0                               |   |  |
|   | NOR   |                                      |             | 0           | 0                                    |             |             |                                      |             |             |                                      |             | 0           | 1      | 1                     | 1                               |   |  |
|   | I/C   |                                      |             | 4           | 4                                    |             |             |                                      |             |             |                                      |             | 4/4         | 4      | 2/2                   | 2                               |   |  |
|   | MAJ   |                                      |             | 1           | 1                                    |             |             |                                      |             |             |                                      |             | 1/1         | 2      | 1/1                   | 1                               |   |  |
|   | Man. Ctrl                                     |                                      |             | 2           | 0                                    |             |             |                                      |             |             |                                      |             | 2/0         | 1      | 1/0                   | 0                               |   |  |
|   | TS  |                                      |             |             | 3                                    |             |             |                                      |             |             |                                      |             | 3           | 0      | 2                     | 2                               |   |  |
| SRO-I4                                    | RX  |                                      |             | 1           | 1                                    |             |             |                                      |             |             |                                      |             | 1/1         | 1      | 1/0                   | 0                               |   |  |
|   | NOR   |                                      |             | 0           | 0                                    |             |             |                                      |             |             |                                      |             | 0           | 1      | 1                     | 1                               |   |  |
|   | I/C   |                                      |             | 4           | 4                                    |             |             |                                      |             |             |                                      |             | 4/4         | 4      | 2/2                   | 2                               |   |  |
|   | MAJ   |                                      |             | 1           | 1                                    |             |             |                                      |             |             |                                      |             | 1/1         | 2      | 1/1                   | 1                               |   |  |
|   | Man. Ctrl                                     |                                      |             | 2           | 0                                    |             |             |                                      |             |             |                                      |             | 2/0         | 1      | 1/0                   | 0                               |   |  |
|   | TS  |                                      |             |             | 3                                    |             |             |                                      |             |             |                                      |             | 3           | 0      | 2                     | 2                               |   |  |
| SRO-I6                                    | RX  |                                      |             | 1           |                                      |             |             | 1                                    |             |             |                                      | 1           | 1/1         | 1      | 1/0                   | 0                               |   |  |
|   | NOR   |                                      |             | 0           |                                      |             |             | 1                                    |             |             |                                      | 0           | 1           | 1      | 1                     | 1                               |   |  |
|   | I/C   |                                      |             | 4           |                                      |             |             | 4                                    |             |             |                                      | 3           | 4/4         | 4      | 2/2                   | 2                               |   |  |
|   | MAJ   |                                      |             | 1           |                                      |             |             | 1                                    |             |             |                                      | 1           | 1/1         | 2      | 1/1                   | 1                               |   |  |
|   | Man. Ctrl                                     |                                      |             | 2           |                                      |             |             | 0                                    |             |             |                                      | 0           | 2           | 1      | 1/0                   | 0                               |   |  |
|   | TS  |                                      |             |             |                                      |             |             | 2                                    |             |             |                                      | 2           | 2           | 0      | 2                     | 2                               |   |  |
| SRO-I8                                    | RX  |                                      |             | 1           |                                      |             |             | 1                                    |             |             |                                      | 1           | 1/1         | 1      | 1/0                   | 0                               |   |  |
|   | NOR   |                                      |             | 0           |                                      |             |             | 1                                    |             |             |                                      | 0           | 1           | 1      | 1                     | 1                               |   |  |
|   | I/C   |                                      |             | 4           |                                      |             |             | 4                                    |             |             |                                      | 3           | 4/4         | 4      | 2/2                   | 2                               |   |  |
|   | MAJ   |                                      |             | 1           |                                      |             |             | 1                                    |             |             |                                      | 1           | 1/1         | 2      | 1/1                   | 1                               |   |  |
|   | Man. Ctrl                                     |                                      |             | 2           |                                      |             |             | 0                                    |             |             |                                      | 0           | 2           | 1      | 1/0                   | 0                               |   |  |
|   | TS  |                                      |             |             |                                      |             |             | 2                                    |             |             |                                      | 2           | 2           | 0      | 2                     | 2                               |   |  |
| SRO-I10                                   | RX  |                                      |             |             | 1                                    |             |             |                                      |             | 1           |                                      |             | 1/1         | 1      | 0/1                   | 0                               |   |  |
|   | NOR   |                                      |             |             | 0                                    |             |             |                                      |             | 1           |                                      |             | 1           | 1      | 1                     | 1                               |   |  |
|   | I/C   |                                      |             |             | 4                                    |             |             |                                      |             | 3           |                                      |             | 4/3         | 4      | 2/2                   | 2                               |   |  |
|   | MAJ   |                                      |             |             | 1                                    |             |             |                                      |             | 1           |                                      |             | 1/1         | 2      | 1/1                   | 1                               |   |  |
|   | Man. Ctrl                                     |                                      |             |             | 0                                    |             |             |                                      |             | 1           |                                      |             | 0/1         | 1      | 0/1                   | 0                               |   |  |
|   | TS  |                                      |             |             | 3                                    |             |             |                                      |             |             |                                      |             | 3           | 0      | 2                     | 2                               |   |  |
| SRO-I12                                   | RX  |                                      |             |             | 1                                    |             |             |                                      |             | 1           |                                      |             | 1/1         | 1      | 0/1                   | 0                               |   |  |
|   | NOR   |                                      |             |             | 0                                    |             |             |                                      |             | 1           |                                      |             | 1           | 1      | 1                     | 1                               |   |  |
|   | I/C   |                                      |             |             | 4                                    |             |             |                                      |             | 3           |                                      |             | 4/3         | 4      | 2/2                   | 2                               |   |  |
|   | MAJ   |                                      |             |             | 1                                    |             |             |                                      |             | 1           |                                      |             | 1/1         | 2      | 1/1                   | 1                               |   |  |
|   | Man. Ctrl                                     |                                      |             |             | 0                                    |             |             |                                      |             | 1           |                                      |             | 0/1         | 1      | 0/1                   | 0                               |   |  |
|   | TS  |                                      |             |             | 3                                    |             |             |                                      |             |             |                                      |             | 3           | 0      | 2                     | 2                               |   |  |

### Form 3.4-1 Events and Evolutions Checklist

Facility: CPNPP 1 and 2 Date of Exam: 8/21/24-8/31/24 Operating Test No.: CP-2024-10

| A<br>P<br>P<br>L<br>I<br>C<br>A<br>N<br>T | E<br>V<br>E<br>N<br>T<br><br>T<br>Y<br>P<br>E | Scenarios                            |             |             |                                      |             |             |                                      |             |             |                                      |             |             |   | T<br>O<br>T<br>A<br>L | M<br>I<br>N<br>I<br>M<br>U<br>M |   |  |
|---|---|--------------------------------------|-------------|-------------|--------------------------------------|-------------|-------------|--------------------------------------|-------------|-------------|--------------------------------------|-------------|-------------|---|-----------------------|---------------------------------|---|--|
|   |   | 1                                    |             |             | 2                                    |             |             | 3                                    |             |             | 4 (SPARE)                            |             |             |   |                       |                                 |   |  |
|   |   | P<br>O<br>S<br>I<br>T<br>I<br>O<br>N |             |             | P<br>O<br>S<br>I<br>T<br>I<br>O<br>N |             |             | P<br>O<br>S<br>I<br>T<br>I<br>O<br>N |             |             | P<br>O<br>S<br>I<br>T<br>I<br>O<br>N |             |             |   |                       |                                 |   |  |
|   |   | S<br>R<br>O                          | A<br>T<br>C | B<br>O<br>P | S<br>R<br>O                          | A<br>T<br>C | B<br>O<br>P | S<br>R<br>O                          | A<br>T<br>C | B<br>O<br>P | S<br>R<br>O                          | A<br>T<br>C | B<br>O<br>P |   |                       |                                 |   |  |
|   |   |                                      |             |             |                                      |             |             |                                      |             |             |                                      | RO          | I           | U |                       |                                 |   |  |
| RO-1                                      | RX  |                                      | 1           |             |                                      | 0           |             |                                      |             |             |                                      |             |             | 1 | 1                     | 1                               | 0 |  |
|   | NOR   |                                      | 0           |             |                                      | 0           |             |                                      |             |             |                                      |             |             | 0 | 1                     | 1                               | 1 |  |
|   | I/C   |                                      | 3           |             |                                      | 4           |             |                                      |             |             |                                      |             |             | 7 | 4                     | 4                               | 2 |  |
|   | MAJ   |                                      | 1           |             |                                      | 1           |             |                                      |             |             |                                      |             |             | 2 | 2                     | 2                               | 1 |  |
|   | Man. Ctrl                                     |                                      | 2           |             |                                      | 3           |             |                                      |             |             |                                      |             |             | 5 | 1                     | 1                               | 0 |  |
|   | TS  |                                      |             |             |                                      |             |             |                                      |             |             |                                      |             |             | 0 | 2                     | 2                               | 2 |  |
| RO-2                                      | RX  |                                      | 1           |             |                                      | 0           |             |                                      |             |             |                                      |             |             | 1 | 1                     | 1                               | 0 |  |
|   | NOR   |                                      | 0           |             |                                      | 0           |             |                                      |             |             |                                      |             |             | 0 | 1                     | 1                               | 1 |  |
|   | I/C   |                                      | 3           |             |                                      | 4           |             |                                      |             |             |                                      |             |             | 7 | 4                     | 4                               | 2 |  |
|   | MAJ   |                                      | 1           |             |                                      | 1           |             |                                      |             |             |                                      |             |             | 2 | 2                     | 2                               | 1 |  |
|   | Man. Ctrl                                     |                                      | 2           |             |                                      | 3           |             |                                      |             |             |                                      |             |             | 5 | 1                     | 1                               | 0 |  |
|   | TS  |                                      |             |             |                                      |             |             |                                      |             |             |                                      |             |             | 0 | 2                     | 2                               | 2 |  |
| RO-3                                      | RX  |                                      | 1           |             |                                      |             |             | 1                                    |             |             |                                      |             | 1           | 2 | 1                     | 1                               | 0 |  |
|   | NOR   |                                      | 0           |             |                                      |             |             | 1                                    |             |             |                                      |             | 0           | 1 | 1                     | 1                               | 1 |  |
|   | I/C   |                                      | 3           |             |                                      |             |             | 3                                    |             |             |                                      |             | 4           | 6 | 4                     | 4                               | 2 |  |
|   | MAJ   |                                      | 1           |             |                                      |             |             | 1                                    |             |             |                                      |             | 1           | 2 | 2                     | 2                               | 1 |  |
|   | Man. Ctrl                                     |                                      | 2           |             |                                      |             |             | 1                                    |             |             |                                      |             | 1           | 3 | 1                     | 1                               | 0 |  |
|   | TS  |                                      |             |             |                                      |             |             |                                      |             |             |                                      |             |             | 0 | 2                     | 2                               | 2 |  |
| RO-4                                      | RX  |                                      | 1           |             |                                      |             |             | 1                                    |             |             |                                      |             | 1           | 2 | 1                     | 1                               | 0 |  |
|   | NOR   |                                      | 0           |             |                                      |             |             | 1                                    |             |             |                                      |             | 0           | 1 | 1                     | 1                               | 1 |  |
|   | I/C   |                                      | 3           |             |                                      |             |             | 3                                    |             |             |                                      |             | 4           | 6 | 4                     | 4                               | 2 |  |
|   | MAJ   |                                      | 1           |             |                                      |             |             | 1                                    |             |             |                                      |             | 1           | 2 | 2                     | 2                               | 1 |  |
|   | Man. Ctrl                                     |                                      | 2           |             |                                      |             |             | 1                                    |             |             |                                      |             | 1           | 3 | 1                     | 1                               | 0 |  |
|   | TS  |                                      |             |             |                                      |             |             |                                      |             |             |                                      |             |             | 0 | 2                     | 2                               | 2 |  |
| RO-5                                      | RX  |                                      |             |             |                                      | 0           |             | 0                                    |             |             |                                      |             | 1           | 0 | 1                     | 1                               | 0 |  |
|   | NOR   |                                      |             |             |                                      | 0           |             | 0                                    |             |             |                                      |             | 0           | 0 | 1                     | 1                               | 1 |  |
|   | I/C   |                                      |             |             |                                      | 4           |             | 3                                    |             |             |                                      |             | 3           | 7 | 4                     | 4                               | 2 |  |
|   | MAJ   |                                      |             |             |                                      | 1           |             | 1                                    |             |             |                                      |             | 1           | 2 | 2                     | 2                               | 1 |  |
|   | Man. Ctrl                                     |                                      |             |             |                                      | 3           |             | 2                                    |             |             |                                      |             | 2           | 5 | 1                     | 1                               | 0 |  |
|   | TS  |                                      |             |             |                                      | 0           |             |                                      |             |             |                                      |             |             | 0 | 2                     | 2                               | 2 |  |
| RO-6                                      | RX  |                                      |             |             |                                      | 0           |             | 0                                    |             |             |                                      |             | 1           | 0 | 1                     | 1                               | 0 |  |
|   | NOR   |                                      |             |             |                                      | 0           |             | 0                                    |             |             |                                      |             | 0           | 0 | 1                     | 1                               | 1 |  |
|   | I/C   |                                      |             |             |                                      | 4           |             | 3                                    |             |             |                                      |             | 3           | 7 | 4                     | 4                               | 2 |  |
|   | MAJ   |                                      |             |             |                                      | 1           |             | 1                                    |             |             |                                      |             | 1           | 2 | 2                     | 2                               | 1 |  |
|   | Man. Ctrl                                     |                                      |             |             |                                      | 3           |             | 2                                    |             |             |                                      |             | 2           | 5 | 1                     | 1                               | 0 |  |
|   | TS  |                                      |             |             |                                      | 0           |             |                                      |             |             |                                      |             |             | 0 | 2                     | 2                               | 2 |  |



# IP 21 Operator Licensing Exam Schedule

From 07/01/2024 to 12/31/2024

Phase Code: 2 - Construction, 5 - Operational

Region: 4

| <b>By Date</b> |            |               |                           |            |        | <b># Candidates</b> |      |      |      |  |             |                |  |
|----------------|------------|---------------|---------------------------|------------|--------|---------------------|------|------|------|--|-------------|----------------|--|
| Exam Start     | Exam End   | Site          | Docket #                  | Insp Rpt # | Cac #  | RO                  | LSRO | SROI | SROU | Type   | Exam Author | Chief Examiner | Examiner   |
| 10/20/2024     | 10/26/2024 | Comanche Peak | 05000445-1,<br>05000446-2 | 2024301    | 000500 | 6                   | 0    | 10   | 0    | FB-OR-INITIAL LICENSE EXAM ADMINISTRATI<br>ON (EXAD) | NFF         | Kirkland, John | Kirkland, John;<br>Hernandez, Nick;<br>Harrington, Chris; You, David; Clayton, Kelly |

Sites: CP

Orgs: ALL

Exam Author: ALL

Activity Codes: EXAD, NEXAD

Prepared on 1/30/2025 10:39:23 AM

# IP 21 Operator Licensing Exam Schedule

| <b>Region/Site Summary</b> | <b>RO</b> | <b>SROI</b> | <b>SROU</b> | <b>LSRO</b> | <b>Total</b> |
|----------------------------|-----------|-------------|-------------|-------------|--------------|
| 4                          | 12        | 20          | 0           | 0           | <b>32</b>    |

| <b>Exam Date/Site Summary</b> | <b>RO</b> | <b>SROI</b> | <b>SROU</b> | <b>LSRO</b> | <b>Total</b> |
|-------------------------------|-----------|-------------|-------------|-------------|--------------|
| 10/20/2024                    | 12        | 20          | 0           | 0           | <b>32</b>    |

| <b>Region/Docket Summary</b> | <b>RO</b> | <b>SROI</b> | <b>SROU</b> | <b>LSRO</b> | <b>Total</b> |
|------------------------------|-----------|-------------|-------------|-------------|--------------|
| 4                            | 12        | 20          | 0           | 0           | <b>32</b>    |

| <b>Exam Date/Docket Summary</b> | <b>RO</b> | <b>SROI</b> | <b>SROU</b> | <b>LSRO</b> | <b>Total</b> |
|---------------------------------|-----------|-------------|-------------|-------------|--------------|
| 10/20/2024                      | 12        | 20          | 0           | 0           | <b>32</b>    |

Sites: CP

Orgs: ALL

Exam Author: ALL

Activity Codes: EXAD, NEXAD

Prepared on 1/30/2025 10:39:23 AM

Form 1.3-1 Examination Security Agreement - NRC LC30 (2024)

(1) Preexamination

I acknowledge that I have acquired specialized knowledge about the U.S. Nuclear Regulatory Commission (NRC) licensing examinations scheduled for the week(s) of 21-31 OCT 24 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until the completion of examination administration, except as specifically noted below or authorized by the NRC. Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations, an enforcement action by the NRC against me or the facility licensee, or both. I will immediately report to facility licensee management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

(2) Postexamination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of 21-31 OCT 24 From the date that I entered into this examination security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below or authorized by the NRC.

ES-1.3, Page 8 of 8

|     | Print Name       | Job Title    | Signature (1)           | Date      | Signature (2)           | Date     | Note                 |
|-----|------------------|--------------|-------------------------|-----------|-------------------------|----------|----------------------|
| 1.  | Scott Dimeler    | Exam Author  | <i>Scott Dimeler</i>    | 5 MAR 24  | <i>Scott Dimeler</i>    | 10-31-24 |                      |
| 2.  | ANTON MALSAM     | FACILITY REP | <i>Anton Malsam</i>     | 11 MAR 24 | <i>Anton Malsam</i>     | 10-31-24 |                      |
| 3.  | Eric Steinberg   | Exam Author  | <i>Eric Steinberg</i>   | 13 MAR 24 | <i>Eric Steinberg</i>   | 11/4/24  |                      |
| 4.  | Jasmi L. Smith   | Exam Lead    | <i>Jasmi L. Smith</i>   | 18 MAR 24 | <i>Jasmi L. Smith</i>   | 10/31/24 |                      |
| 5.  | Carrie Hamilton  | Admin        | <i>Carrie Hamilton</i>  | 21/3/24   | <i>Carrie Hamilton</i>  | 10/31/24 |                      |
| 6.  | Ely Taylor       | Sim Eng      | <i>Ely Taylor</i>       | 3/23/24   | <i>Ely Taylor</i>       | 10/5/24  |                      |
| 7.  | Jordan Ruby      | SRO          | <i>Jordan Ruby</i>      | 5/6/24    | <i>Jordan Ruby</i>      | 6/14/24  | Signed off per email |
| 8.  | Scott Holz       | SRO / Sim    | <i>Scott Holz</i>       | 5/9/24    | <i>Scott Holz</i>       | 11/4/24  |                      |
| 9.  | Christian Miller | RO           | <i>Christian Miller</i> | 5-9-24    | <i>Christian Miller</i> | 11/5/24  | Signed off per email |
| 10. | Brett Nieves     | RO           | <i>Brett Nieves</i>     | 5/11/24   | <i>Brett Nieves</i>     | 11-4-24  | Signed off per email |
| 11. | Jonathan Bowen   | OTM          | <i>Jonathan Bowen</i>   | 5/15/24   | <i>Jonathan Bowen</i>   | 11-4-24  | Signed off per email |
| 12. | Arnon Kettering  | SRO          | <i>Arnon Kettering</i>  | 5/20/24   | <i>Arnon Kettering</i>  | 11/5/24  |                      |
| 13. | Justin Elrod     | RO           | <i>Justin Elrod</i>     | 5/20/24   | <i>Justin Elrod</i>     | 11/13/24 | Signed off per email |

NOTES: Comanche Peak LC 30 Exam is scheduled for 21 - 31 OCT 2024

Form 1.3-1 Examination Security Agreement

NRC LC30 (2024)

(1) Preexamination

I acknowledge that I have acquired specialized knowledge about the U.S. Nuclear Regulatory Commission (NRC) licensing examinations scheduled for the week(s) of 21-31 Oct 24 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until the completion of examination administration, except as specifically noted below or authorized by the NRC. Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations, an enforcement action by the NRC against me or the facility licensee, or both. I will immediately report to facility licensee management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

(2) Postexamination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of 21-31 Oct 24. From the date that I entered into this examination security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below or authorized by the NRC.

ES-1.3, Page 8 of 8

|     | Print Name      | Job Title     | Signature (1)      | Date    | Signature (2)      | Date     | Note                 |
|-----|-----------------|---------------|--------------------|---------|--------------------|----------|----------------------|
| 1.  | Michael Whazie  | US            | <i>[Signature]</i> | 5/20/24 | <i>[Signature]</i> | 11/5/24  | Signed off per email |
| 2.  | Mike Lacy       | RO            | <i>[Signature]</i> | 5-20-24 | <i>[Signature]</i> | 11/7/24  | Signed off per email |
| 3.  | JOEL DANNER     | RO            | <i>[Signature]</i> | 5-20-24 | <i>[Signature]</i> | 11/13/24 | Signed off per email |
| 4.  | Ryan Burke      | US            | <i>[Signature]</i> | 7-8-24  | <i>[Signature]</i> | 11/7/24  | Signed off per email |
| 5.  | Trey Lankam     | us            | <i>[Signature]</i> | 7/9/24  | <i>[Signature]</i> | 11/13/24 | Signed off per email |
| 6.  | RYAN LIPSKY     | SIM ENGR      | <i>[Signature]</i> | 7/10/24 | <i>[Signature]</i> | 10/31/24 |                      |
| 7.  | JOE MORRIS      | TECH SERVICES | <i>[Signature]</i> | 7/10/24 | <i>[Signature]</i> | 11/4/24  |                      |
| 8.  | Ryan Lynn       | us            | <i>[Signature]</i> | 7-15-24 | <i>[Signature]</i> | 11/18/24 | Signed off per email |
| 9.  | JOEL PLAMONDON  | RO            | <i>[Signature]</i> | 7-16-24 | <i>[Signature]</i> | 11/18/24 | Signed off per email |
| 10. | Zach Stabby     | RO            | <i>[Signature]</i> | 7-23-24 | <i>[Signature]</i> | 11/13/24 | Signed off per email |
| 11. | Jessica Lemmons | RP Instructor | <i>[Signature]</i> | 7-29-24 | <i>[Signature]</i> | 11/5/24  |                      |
| 12. | TIMOTHY WYBANT  | US            | <i>[Signature]</i> | 7-30-24 | <i>[Signature]</i> | 11/4/24  | Signed off per email |
| 13. | John W. Park    | Exam Author   | <i>[Signature]</i> | 8-26-24 | <i>[Signature]</i> | 10/31/24 |                      |

NOTES:

Form 1.3-1 Examination Security Agreement *NRC LC30 (2024)*

(1) Preexamination

I acknowledge that I have acquired specialized knowledge about the U.S. Nuclear Regulatory Commission (NRC) licensing examinations scheduled for the week(s) of 21-31 Oct 2024 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until the completion of examination administration, except as specifically noted below or authorized by the NRC. Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations, an enforcement action by the NRC against me or the facility licensee, or both. I will immediately report to facility licensee management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

(2) Postexamination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of 21-31 Oct 2024 from the date that I entered into this examination security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below or authorized by the NRC.

ES-1.3, Page 8 of 8

|     | Print Name                   | Job Title              | Signature (1)      | Date            | Signature (2)      | Date             | Note                        |
|-----|------------------------------|------------------------|--------------------|-----------------|--------------------|------------------|-----------------------------|
| 1.  | <i>Karin Hegarty</i>         | <i>ILOT Supervisor</i> | <i>[Signature]</i> | <i>8/26/24</i>  | <i>[Signature]</i> | <i>10/31/24</i>  |                             |
| 2.  | <i>Aaron Coffey</i>          | <i>LOFT INSTRUCTOR</i> | <i>[Signature]</i> | <i>9-5-24</i>   | <i>[Signature]</i> | <i>11/15/24</i>  |                             |
| 3.  | <i>Trent FARRIS</i>          | <i>LOFT INSTRUCTOR</i> | <i>[Signature]</i> | <i>9-5-24</i>   | <i>[Signature]</i> | <i>11/15/24</i>  |                             |
| 4.  | <i>CHRISTOPHER DE GURMAN</i> | <i>RO</i>              | <i>[Signature]</i> | <i>9/16/24</i>  | <i>[Signature]</i> | <i>11/7/24</i>   | <i>Signed off per email</i> |
| 5.  | <i>JASON PERRY</i>           | <i>RO</i>              | <i>[Signature]</i> | <i>9/17/24</i>  | <i>[Signature]</i> | <i>11/6/24</i>   |                             |
| 6.  | <i>Garant Brown</i>          | <i>RO</i>              | <i>[Signature]</i> | <i>9/17/24</i>  | <i>[Signature]</i> | <i>11/6/24</i>   |                             |
| 7.  | <i>Cheryl Pichler</i>        | <i>instructor</i>      | <i>[Signature]</i> | <i>10/15/24</i> | <i>[Signature]</i> | <i>11/4/24</i>   |                             |
| 8.  | <i>DAVID ROSE</i>            | <i>LOFT INSTRUCTOR</i> | <i>[Signature]</i> | <i>10/16/24</i> | <i>[Signature]</i> | <i>11/4/24</i>   |                             |
| 9.  | <i>Thomas White</i>          | <i>LOFT INST</i>       | <i>[Signature]</i> | <i>10/17/24</i> | <i>[Signature]</i> | <i>10/31/24</i>  |                             |
| 10. | <i>ANDREW DUNLAP</i>         | <i>ILOT INST</i>       | <i>[Signature]</i> | <i>10/17/24</i> | <i>[Signature]</i> | <i>10/31/24</i>  |                             |
| 11. | <i>Jimmy L. Barnard</i>      | <i>ILOT INST</i>       | <i>[Signature]</i> | <i>10/17/24</i> | <i>[Signature]</i> | <i>10/31/24</i>  |                             |
| 12. | <i>Loren Stark</i>           | <i>ADM-Training</i>    | <i>[Signature]</i> | <i>10/21/24</i> | <i>[Signature]</i> | <i>11-5-2024</i> |                             |
| 13. | <i>W R Kelly</i>             | <i>ILOT T&amp;W</i>    | <i>[Signature]</i> | <i>10/21/24</i> | <i>[Signature]</i> | <i>10/31/24</i>  |                             |

NOTES:

Form 1.3-1 Examination Security Agreement

NRC LC30 (2024)

(1) Preexamination

I acknowledge that I have acquired specialized knowledge about the U.S. Nuclear Regulatory Commission (NRC) licensing examinations scheduled for the week(s) of 21-31 Oct 2024 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until the completion of examination administration, except as specifically noted below or authorized by the NRC. Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations, an enforcement action by the NRC against me or the facility licensee, or both. I will immediately report to facility licensee management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

(2) Postexamination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of 21-31 Oct 2024. From the date that I entered into this examination security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below or authorized by the NRC.

ES-1.3, Page 8 of 8

|     | Print Name | Job Title      | Signature (1)      | Date     | Signature (2)      | Date     | Note                 |
|-----|------------|----------------|--------------------|----------|--------------------|----------|----------------------|
| 1.  | DAVID COX  | LOT INSTRUCTOR | <i>[Signature]</i> | 10/21/24 | <i>[Signature]</i> | 11/13/24 | Signed off per email |
| 2.  |            |                |                    |          |                    |          |                      |
| 3.  |            |                |                    |          |                    |          |                      |
| 4.  |            |                |                    |          |                    |          |                      |
| 5.  |            |                |                    |          |                    |          |                      |
| 6.  |            |                |                    |          |                    |          |                      |
| 7.  |            |                |                    |          |                    |          |                      |
| 8.  |            |                |                    |          |                    |          |                      |
| 9.  |            |                |                    |          |                    |          |                      |
| 10. |            |                |                    |          |                    |          |                      |
| 11. |            |                |                    |          |                    |          |                      |
| 12. |            |                |                    |          |                    |          |                      |
| 13. |            |                |                    |          |                    |          |                      |

NOTES:

page 4 of 4

CP-2024-10