U.S. NUCLEAR REGULATORY COMMISSION

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

1.	Licensee 1. National Aeronautics and Space Administration George C. Marshall Space Flight Center			In accordance with letter dated April 23, 2025,		4. Expiration Date: July 7, 2026		
2.	NASA, MSFC, AS10 Huntsville, AL 35812		ES AND	3. License I amended follows:		01-06571-10 is its entirety to read as		rence No.:
6.	Byproduct, source, and/or special nuclear material	7.	Chemical and/or physical fo	m	8.	Maximum amount that license may possess at any one time under this license		Authorized use
A.	Any byproduct material with Atomic Numbers 3 through 83	A.	Any		A.	0.6 millicuries per radionuclide and 2 millicuries total	A.	For research and development as defined in 10 CFR 30.4
В.	Any byproduct material with Atomic Numbers 84 through 96	B.	Any	4	В.	0.6 microcuries per radionuclide and 2 microcuries total	B.	For research and development as defined in 10 CFR 30.4
C.	Hydrogen-3	C.	Sealed Sources (Mb-Mic USA, Inc., Model 400/1, 400/3, 400/4, 400/5, and SRB Technologies (CAN, Inc., Model Types D, MH CD)	400/ <mark>2,</mark> 400/6; ADA),	C.	5000 millicuries per source and 161 curies total; and no single source to exceed the maximum activity specified in the source's certificate of registration issued by the U.S. Nuclear Regulatory Commission or an Agreement State		For research and development as defined in 10 CFR 30.4.

NRC	FORM 374A		U.S. NUCLEA	U.S. NUCLEAR REGULATORY COMMISSION PAGE 2 OF 8			PAGE 2 OF 8 PAGES	
	MATERIALS LI	License No.: 01-06	License No.: 01-06571-10 Amendment No. 70		Docket or Reference No.: 030-03575		e No.:	
	SUPPLEMENTARY SHEET				Amendment No. 70			
6.	Byproduct, source, and/or special nuclear material	7. Chemica	and/or physical form	8.		ount that licensee at any one time nse	9.	Authorized use
D.	Iron-55	(Eckert Product Laborate formerly formerly Incorpor Amersh AN 55; I	Plated, or Foil Sources & Ziegler Isotope s dba Isotope Products ories (IPL): (Note IPL QSA Global, Inc., AEA Technology QSA ated, formerly am Corporation), Model EC.A1; IEC.DX Series; (Series)	D.	1 curie total a source to exc maximum ac specified in the of registration the U.S. Nuc regulatory Co an Agreemer	eed the tivity ne certificate n issued by lear ommission or	D.	For research and development as defined in 10 CFR 30.4
E.	Cobalt-60	(Isotope	Plated, or Foil So <mark>urces</mark> Products Laboratories, 93; GF-60-D; GF-60-R)	E.	10 millicuries and 100 milli		E.	For research and development as defined in 10 CFR 30.4
F.	Selenium-75		Sources (Isotope s Laboratories, Model	F.	10 millicuries and 20 millic		F.	For research and development as defined in 10 CFR 30.4
G.	Strontium-90	(AEA Te Model S	Plated, or Foil Sources chnology/QSA Inc., IF.D1; Isotope Products pries, Model BF090)	(G.)	100 millicurie and 500 milli		G.	For research and development as defined in 10 CFR 30.4
Н.	Cadmium-109	(Isotope	or plated sources Products Laboratories, HI-109; XFB-3)	H.	10 millicuries and 100 milli		H.	For research and development as defined in 10 CFR 30.4
l.	Barium-133	Product	ources (Isotope s Laboratories, Model D; GF-133-R)	I.	2 millicuries pand 20 millic		l.	For research and development as defined in 10 CFR 30.4
J.	Cesium-137	Product	Sources (Isotope s Laboratories, Model -137-D; GF-137-R)	J.	10 millicuries and 100 milli		J.	For research and development as defined in 10 CFR 30.4
K.	Gadolinium-153	K. Sealed	Sources (Amersham, DC.CY1)	K.	10 millicuries and 100 milli		K.	For research and development as defined in 10 CFR 30.4

6. Bypro and/o mate	MATERIALS LIC SUPPLEMENTARY roduct, source, /or special nuclear	/ SH	_	License No.: 01-06 Amendment No. 70		Docket or Ref 030-03575	erenc	e No.:
6. Bypro and/o mate	roduct, source, /or special nuclear	/ SH	_	Amendment No. 70)	030-03373		
and/d mate	or special nuclear	7		•				
Radi	erial	7.	Chemical and	l/or physical form	8. 3 R	Maximum amount that licensee may possess at any one time under this license	9.	Authorized use
	dium-226	L.	Sealed Sour Products Lal GF-226)	ces (Isotope boratories, Model	L.	10 microcuries per source and 10 microcuries total	L.	For research and development as defined in 10 CFR 30.4
M. Ame	ericium-241	M.	AMC.2084; A Products La AF Series; N	QSA, Inc., Model AMN.PE1; Isotope boratories, Model	M.	30 millicuries per source and 130 millicuries total	M.	For research and development as defined in 10 CFR 30.4
N. Ame	ericium-241	N.	Foils (AEA, I	Model AMM.1001H)	N.	10 millicuries per source and 20 millicuries total	N.	For research and development as defined in 10 CFR 30.4
	rium-244	Ο.	Products La	ed sources (Isotope boratories, Model	0.	2 millicuries per source and 20 millicuries total	Ο.	For research and development as defined in 10 CFR 30.4
ın U-	nium- Enriched J-235 less than ⁄⁄ _e by weight	P.	AF-210-C; A Any	(F-244-C)	40P.	350 grams total	P.	For research and development as defined in 10 CFR 70.4
	nium (Natural d Depleted)	Q.	Any	7	Q.	70 kilograms total	Q.	For research and development as defined in 10 CFR 30.4

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMM	ISSION	PAGE 4 OF 8 PAGES
	License No.: 01-06571-10 Docket or Reference No.:		
MATERIALS LICENSE		030-03575	
SUPPLEMENTARY SHEET	Amendment No. 70		

CONDITIONS

- 10. Licensed material may be used or stored only at the licensee's facilities located at:
 - A. Lunar Regolith Terrain Field, Marshall Space Flight Center, Huntsville, Alabama, 35812
 - B. George C. Marshall Space Fight Center, Huntsville, Alabama, 35812
- 11. A. The Radiation Safety Officer (RSO) for this license is Anthony S. Williams, Ph.D., CHP, RRPT.
 - B. Licensed material shall only be used by, or under the supervision of Jhonathan Rosales, Nicholas Thomas, Anthony S. Williams, and Joshua Wood.
- 12. The licensee shall not use the licensed material in or on human beings.
- 13. The licensee shall not use licensed material in field applications where activity is released except as provided otherwise by specific condition of this license.
- 14. A. Sealed sources and detector cells shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State. In the absence of a registration certificate, sealed sources shall be tested for leakage and/or contamination at intervals not to exceed 6 months, or at such other intervals as specified.
 - B. Notwithstanding Paragraph A of this Condition, sealed sources designed to primarily emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed 3 months.
 - C. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMM	IISSION	PAGE 5 OF 8 PAGES
	License No.: 01-06571-10	Docket or Reference No.:	
MATERIALS LICENSE		030-03575	
SUPPLEMENTARY SHEET	Amendment No. 70		

- D. Sealed sources need not be tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha-emitting material.
- E. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- F. The leak test shall be capable of detecting the presence of 185 becquerels (0.005 microcuries) of radioactive material on the test sample. If the test reveals the presence of 185 becquerels (0.005 microcuries) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- G. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- H. Records of leak test results shall be kept in units of becquerels (microcuries) and shall be maintained for 3 years.
- 15. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.
- 16. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 3 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMM	IISSION	PAGE 6 OF 8 PAGES
MATERIALS LICENSE	License No.: 01-06571-10	Docket or Reference No.: 030-03575	
SUPPLEMENTARY SHEET	Amendment No. 70		

17. Maintenance, repair, cleaning, replacement, and disposal of foils contained in detector cells shall be performed only by the device manufacturer or other persons specifically authorized by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.



RC FORM 374A	U.S. NUCLEAR REGULATORY	PAGE 7 OF 8 PAGES	
MATERIALS LICENSE SUPPLEMENTARY SHEET	License No.: 01-06571-10 Amendment No. 70	Docket or Reference No.: 030-03575	
3. Except as specifically provided otherw			

- representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
 - A. Letter dated July 11, 2006 (ML062010457)
 - B. Letter dated January 14, 2011 (ML110250591)
 - C. Letter dated May 8, 2013 (ML13141A251)
 - D. Application dated January 27, 2016 (ML16055A402)
 - E. Letter received May 26, 2016 (ML16158A454)
 - F. Letter dated June 28, 2016 (ML16250A457)
 - G. Letter dated June 29, 2017 (ML17188A176)
 - H. Letter dated June 6, 2018 (ML18169A315)
 - I. Letter dated December 21, 2018 (ML19044A385)
 - J. Letter dated February 20, 2019 (ML19060A263)
 - K. Letter dated May 18, 2021 (ML21181A399)
 - L. Letter dated March 30, 2022 (ML22123A096)
 - M. Letter dated August 17, 2023 (ML23269A178)

NRC FORM 374A	U.S. NUCLEAR REGULATORY	COMMISSION PAGE 8 OF 8 PAGES				
MATERIALS LICENSE	License No.: 01-06571-10	Docket or Reference No.: 030-03575				
SUPPLEMENTARY SHEET	Amendment No. 70					
N. Letter dated September 6, 2023 (ML23296A174) O. Letters dated February 17, 2024 (ML24206A214) and June 13, 2024 (ML24199A120) P. Letters dated August 15, 2024 (ML24232A035) and November 20, 2024 (ML24330A034) Q. Letters dated March 25, 2024 (ML248A0460) and September 20, 2023 (ML24110A028), and July 18, 2024 (ML24214A056). R. Letter dated September 27, 2024 (ML24274A045) S. Letter dated January 16, 2025 (ML25021A097)						
		FOR THE U.S. NUCLEAR REGULATORY COMMISSION				
Date: <u>June 12, 2025</u>		By: Michael Reichard				
		Region 1				