



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**
REGION I
475 ALLENDALE ROAD – SUITE 102
KING OF PRUSSIA, PA 19406-1415

June 16, 2025

Charles Roy
Director of Radiology
Montgomery General Hospital
401 6th Avenue
Montgomery, WV 25136

SUBJECT: MONTGOMERY GENERAL HOSPITAL, LICENSE AMENDMENT, MAIL
CONTROL NO. 646351

Dear Charles Roy:

This refers to your license amendment request dated April 21, 2025. Please find enclosed Amendment No. 10 authorizing the addition of five authorized users.

An environmental assessment for this action was not required, since this action is categorically excluded under 10 CFR 51.22(c)(14).

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. If there are any errors or questions, please contact me at (610)-337-5370 or via electronic mail at Kelli.Trotter@nrc.gov so that appropriate corrections or answers can be provided.

You will be periodically inspected by the NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action(s) against you. This could include issuance of a Notice of Violation, or Imposition of a Civil Penalty, or an Order Suspending, Modifying or Revoking Your License as specified in the NRC Enforcement Policy. The NRC Enforcement Policy is available at:
<http://www.nrc.gov/reading-rm/doc-collections/enforcement/>.

An electronic version of the NRC's regulations is available on the NRC Web Site at: www.nrc.gov. Additional information regarding medical uses of radioactive materials may be obtained on the NRC Web Site at: <http://www.nrc.gov/materials/miau/med-use-toolkit.html>. This site also provides the updated Training and Experience NRC Form 313A series of forms and guidance, as well as information on the revised regulations for naturally-occurring and accelerator-produced radioactive materials (NARM).

The NRC's Safety Culture Policy Statement became effective in June 2011. While a policy statement and not a regulation, it sets forth the agency's *expectations* for individuals and organizations to establish and maintain a positive safety culture. You can access the policy statement and supporting material that may benefit your organization on NRC's safety culture Web Site at: <http://www.nrc.gov/about-nrc/safety-culture.html>. We strongly encourage you to review this material and adapt it to your particular needs in order to develop and maintain a positive safety culture as you engage in NRC-regulated activities.

In accordance with 10 CFR 2.390 of the NRC's "Agency Rules of Practice and Procedure," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS). ADAMS is accessible from the NRC Web Site at: <http://www.nrc.gov/reading-rm/adams.html>.

Thank you for your cooperation.

Sincerely,

Kelli Trotter, Health Physicist
Medical and Licensing Assistance Branch
Division of Radiological Safety and Security
Region I

License No. 47-25559-01
Docket No. 030-35708
Mail Control No. 646351

Enclosure:
Amendment No. 10

cc: James T. Norweck, MS, DABR, RSO

SUBJECT: MONTGOMERY GENERAL HOSPITAL, LICENSE AMENDMENT, MAIL CONTROL NO. 646351 DATED JUNE 16, 2025

SUNSI Review Complete: KRT

After declaring this document "An Official Agency Record" it **will** be released to the Public.

OFFICE	RI:DRSS			
NAME	KTrotter			
DATE	06/16/2025			

OFFICIAL RECORD COPY