PROPOSED RENEWED AMENDMENT NUMBER 19 TO COC 1004

APPENDIX B

TECHNICAL SPECIFICATIONS FOR THE STANDARDIZED NUHOMS® HORIZONTAL MODULAR STORAGE SYSTEM

DOCKET 72-1004

TABLE OF CONTENTS

Page

1.0 Use and Application 1-1
1.1 Definitions 1-1
1.2 Logical Connectors 1-4
1.3 Completion Times 1-6
1.4 Frequency 1-9
2.0 Functional and Operating Limits 2-1
2.1 Fuel to be Stored in the Standardized NUHOMS® System 2-1
2.2 Functional and Operating Limits Violations Immediate Actions 2-2
3.0 Limiting Condition for Operation (LCO) and Surveillance Requirement (SR) Applicability 3-1
3.1 Fuel Integrity 3-3
3.1.1 DSC Bulkwater Removal Medium and Vacuum Drying Pressure 3-3
3.1.2 DSC Helium Backfill Pressure 3-5
3.1.3 Time Limit for Completion of DSC Transfer (24PTH, 61BTH, 32PTH1, 69BTH, or 37PTH DSC Only) 3-7
3.2 Cask Criticality Control 3-10
3.3 Radiation Safety 3-12
3.3.1 Dry Shielded Canister Surface Contamination Levels 3-12
4.0 Administrative Controls 4-1
4.1 Functional and Operating Limits Violations Reportability Actions 4-1
4.2 Procedures 4-2
4.2.1 Procedures 4-2
4.2.2 Aging Management Program Procedures and Reporting 4-2
4.3 Programs 4-3
4.3.1 Radiological Environmental Monitoring Program 4-3
4.3.2 Radiation Protection Program 4-3
4.3.3 Hydrogen Gas Monitoring for NUHOMS® 4-4
4.3.4 Heavy Loads Requirements 4-5
4.3.5 Pre-Operational Testing and Training Exercise 4-5
4.3.6 HSM or HSM-H Thermal Monitoring Program 4-6
4.4 Cask Transfer Controls 4-8
4.4.1 TC/DSC Lifting/Handling Height Limits 4-8
4.4.2 Trailer Shielding Drop onto OS197L TC 4-9
4.5 HSM-H Configuration Changes 4-10

LIST OF TABLES

Page

Table 1-1a PWR Fuel Specifications for Fuel to be Stored in the Standardized NUHOMS®-24P DSC T-1
Table 1-1b BWR Fuel Specifications for Fuel to be Stored in the Standardized NUHOMS®-52B DSC T-2
Table 1-1c BWR Fuel Specifications for Fuel to be Stored in the Standardized NUHOMS®-61BT DSC T-3
Table 1-1d (Not Used) T-4
Table 1-1e PWR Fuel Specifications for Fuel to be Stored in the NUHOMS®-32PT DSC T-5
Table 1-1f (Not Used) T-7
Table 1-1g Maximum Planar Average Initial Enrichment and Required Number of PRAs and Minimum Soluble Boron Loading (NUHOMS®-32PT DSC) – Intact Fuel T-8
Table 1-1g1 Maximum Planar Average Initial Enrichment for Type A1 and A2 Basket and Minimum Soluble Boron Loading (NUHOMS®-32PT DSC) – Intact Fuel T-9
Table 1-1g2 Maximum Planar Average Initial Enrichment for Type A1 and A2 Basket and Minimum Soluble Boron Loading (NUHOMS®-32PT DSC) – Damaged Fuel T-11
Table 1-1g3 Maximum Planar Average Initial Enrichment for Type A1 and A2 Basket and Minimum Soluble Boron Loading (NUHOMS®-32PT DSC) –Failed Fuel T-12
Table 1-1h Specification for the NUHOMS®-32PT Poison Plates and PRAs T-13
Table 1-1i PWR Fuel Specifications for Fuel to be Stored in the Standardized NUHOMS®-24PHB DSC T-14
Table 1-1j BWR Fuel Specification of Damaged Fuel to be Stored in the Standardized NUHOMS®-61BT DSC T-16
Table 1-1k B10 Specification for the NUHOMS®-61BT Poison Plates T-18
Table 1-1l PWR Fuel Specification for the Fuel to be Stored in the NUHOMS®-24PTH DSC T-19
Table 1-1m (Not Used) T-22
Table 1-1n Radiological Characteristics for Control Components Stored in the NUHOMS® -24PTH DSC and 24PHB DSC T-23
Table 1-1o (Not Used) T-24
Table 1-1p Maximum Planar Average Initial Enrichment v/s Neutron Poison Requirements for the NUHOMS® -24PTH DSC (Intact Fuel) T-25
Table 1-1q Maximum Planar Average Initial Enrichment v/s Neutron Poison Requirements for the NUHOMS®-24PTH DSC (Damaged Fuel) T-27
Table 1-1q1 Maximum Planar Average Initial Enrichment v/s Neutron Poison Requirements for the NUHOMS®-24PTH DSC (up to 8 Damaged/Failed Fuel) T-28
Table 1-1r B10 Specification for the NUHOMS®-24PTH Poison Plates T-30
Table 1-1s (Deleted) T-31
Table 1-1t BWR Fuel Specification for the Fuel to be Stored in the NUHOMS®-61BTH DSC T-32
Table 1-1u (Not Used) T-34

Table 1-1v	Maximum Fuel Assembly Lattice Average Initial Enrichment v/s Minimum B-10 Requirements for the NUHOMS®-61BTH DSC Poison Plates (Intact Fuel)	T-35
Table 1-1w	Maximum Fuel Assembly Lattice Average Initial Enrichment v/s Minimum B-10 Requirements for the NUHOMS®-61BTH DSC Poison Plates (Damaged Fuel)	T-36
Table 1-1w1	BWR Fuel Assembly Initial Lattice Average Initial Enrichment v/s Minimum B-10 Requirements for the NUHOMS®-61BTH DSC Poison Plates (Failed and Damaged Fuel)	T-37
Table 1-1x	BWR Fuel Assembly Initial Lattice Average Enrichments v/s Minimum B-10 Requirements for the NUHOMS® -61BTH DSC Poison Plates for > 16 Damaged Fuel Assemblies	T-38
Table 1-1y	(Not Used)	T-39
Table 1-1z	(Not Used)	T-40
Table 1-1aa	PWR Fuel Specification for the Fuel to be Stored in the NUHOMS®-32PTH1 DSC	T-41
Table 1-1bb	(Not Used)	T-43
Table 1-1cc	Maximum Planar Average Initial Enrichment v/s Neutron Poison Requirements for 32PTH1 DSC (Intact Fuel)	T-44
Table 1-1dd	Maximum Planar Average Initial Enrichment v/s Neutron Poison Requirements for 32PTH1 DSC (Damaged and Failed (3) Fuel)	T-46
Table 1-1dd1	Maximum Planar Average Initial Enrichment for 32PTH1 DSC (Up to 16 FFCs – 16 empty slots)	T-49
Table 1-1ee	Radiological Characteristics for Control Components Stored in the NUHOMS®-32PT and NUHOMS®-32PTH1 DSCs	T-50
Table 1-1ff	B10 Specification for the NUHOMS®-32PTH1 Poison Plates	T-51
Table 1-1gg	BWR Fuel Specification for the Fuel to be Stored in the NUHOMS®-69BTH DSC	T-52
Table 1-1hh	Not Used	T-54
Table 1-1ii	(Not Used)	T-55
Table 1-1jj	BWR Fuel Assembly Lattice Average Initial Enrichment vs Minimum B10 Requirements for the NUHOMS®-69BTH DSC Poison Plates (Intact Fuel)	T-56
Table 1-1kk	BWR Fuel Assembly Lattice Average Initial Enrichment vs Minimum B10 Requirements for the NUHOMS®-69BTH DSC Poison Plates (Damaged Fuel)	T-57
Table 1-1ll	PWR Fuel Specification for the Fuel to be Stored in the NUHOMS®-37PTH DSC	T-58
Table 1-1mm	Not Used	T-60
Table 1-1nn	(Not Used)	T-61
Table 1-1oo	Maximum Planar Average Initial Enrichment vs. Minimum Soluble Boron Concentration for 37PTH DSC (Intact and Damaged Fuel)	T-62
Table 1-1pp	Maximum Planar Average Initial Enrichment versus Minimum Soluble Boron Concentration for 37PTH DSC and Poison Rod Assemblies (Intact and Damaged Fuel)	T-63
Table 1-1qq	Radiological Characteristics for Control Components Stored in the NUHOMS®-37PTH DSC	T-64
Table 1-1rr	B10 Specification for the NUHOMS®-37PTH Poison Plates	T-65
Table 1-1ss	B-10 Specification for the NUHOMS® - 37PTH PRAs	T-65
Table 1-2a	PWR Fuel Qualification Table for the Standardized NUHOMS®-24P DSC (Fuel Without BPRAs)	T-66
Table 1-2b	BWR Fuel Qualification Table for the Standardized NUHOMS®-52B DSC	T-67

Table 1-2c PWR Fuel Qualification Table for the Standardized NUHOMS®-24P DSC (Fuel with BPRAs) T-68
Table 1-2p PWR Fuel Qualification Table for Zone 3 with 1.3 kW per Assembly, Fuel with or without CCs, for the NUHOMS®-24PHB DSC T-70
Table 1-2q BWR Fuel Qualification Table for NUHOMS®-61BT DSC T-71
Table 1-3i PWR Fuel Qualification Table for 1.2 kW per Fuel Assembly for the NUHOMS® 37PTH DSC T-73
Table 1-3k PWR Fuel Qualification Table for 1.5 kW per Fuel Assembly for the NUHOMS® 24PTH-S-LC and 32PTH1 DSCs T-77
Table 1-3m PWR Fuel Qualification Table for 2.0 kW per Fuel Assembly for the NUHOMS® 24PTH-S/-L DSC T-81
Table 1-3n PWR Fuel Qualification Table for 2.2 kW per Fuel Assembly for the NUHOMS® 32PT DSC T-84
Table 1-3o PWR Fuel Qualification Table for 2.5 kW per Fuel Assembly for the NUHOMS® 24PTH-S/-L DSC T-86
Table 1-3p PWR Fuel Qualification Table for 0.2 to 0.6 wt. % U-235 for the NUHOMS® 24PTH, 32PT, 32PTH1, and 37PTH DSCs T-89
Table 1-4e BWR Fuel Qualification Table for the NUHOMS®-61BTH Type 1 DSC in the Standardized HSM T-93
Table 1-4f BWR Fuel Qualification Table for the NUHOMS®-61BTH DSC in the HSM-H T-97
Table 1-4i Deleted T-100
Table 1-6a Fuel Qualification Table for 0.3 kW BWR FAs in Zone 1 of a NUHOMS®-61BT DSC Contained in an OS197L TC T-102
Table 1-6b Fuel Qualification Table for 0.17 kW BWR FAs in Zone 2 of a NUHOMS®-61BT DSC Contained in an OS197L TC T-103
Table 1-6c Fuel Qualification Table for 0.6 kW PWR FAs in Zone 1 of a NUHOMS®-32PT DSC Contained in an OS197L TC (Fuel with or without CCs) T-104
Table 1-6d Fuel Qualification Table for 0.4 kW PWR FAs in Zone 2 of a NUHOMS®-32PT DSC Contained in an OS197L TC (Fuel with or without CCs) T-105
Table 1-7k BWR Fuel Qualification Table for Fuel with 0.60 kW per FA for the NUHOMS®-69BTH DSC T-108
Table 1-7m BWR Fuel Qualification Table for Fuel with 0.90 kW per FA for the NUHOMS®-69BTH DSC T-111

LIST OF FIGURES

		Page
Figure 1-1	PWR Fuel Criticality Acceptance Curve for the 24P DSC	F-1
Figure 1-2	Heat Load Zoning Configuration Number 1 for the NUHOMS®-32PT DSC	F-2
Figure 1-3	Heat Load Zoning Configuration Number 2 for the NUHOMS®-32PT DSC	F-3
Figure 1-4	Heat Load Zoning Configuration Number 3 for the NUHOMS®-32PT DSC	F-4
Figure 1-4a	Heat Load Zoning Configuration Number 4 for the NUHOMS®-32PT DSC	F-5
Figure 1-4b	Location of Damaged and Failed Fuel Assemblies inside 32PT DSC	F-6
Figure 1-5	Required PRA Locations for the NUHOMS®-32PT DSC Configuration with Four PRAs	F-7
Figure 1-6	Required PRA Locations for the NUHOMS®-32PT DSC Configuration with Eight PRAs	F-8
Figure 1-7	Required PRA Locations for the NUHOMS®-32PT DSC Configuration with Sixteen PRAs	F-9
Figure 1-8	Heat Load Zoning Configuration for Fuel Assemblies (with or without Control Components) Stored in NUHOMS®-24PHB DSC–Configuration 1	F-10
Figure 1-9	Heat Load Zoning Configuration for Fuel Assemblies (with or without Control Components) Stored in NUHOMS®-24PHB DSC–Configuration 2	F-11
Figure 1-10	Soluble Boron Concentration vs. Fuel Initial U-235 Enrichment (Intact Fuel) for the NUHOMS® 24PHB System	F-12
Figure 1-10a	Soluble Boron Concentration vs. Fuel Initial U-235 Enrichment (Damaged Fuel) for the NUHOMS®-24PHB System	F-13
Figure 1-11	Heat Load Zoning Configuration Number 1 for 24PTH-S and 24PTH-L DSCs	F-14
Figure 1-12	Heat Load Zoning Configuration Number 2 for 24PTH-S and 24PTH-L DSCs	F-15
Figure 1-13	Heat Load Zoning Configuration Number 3 for 24PTH-S and 24PTH-L DSCs	F-16
Figure 1-14	Heat Load Zoning Configuration Number 4 for 24PTH-S and 24PTH-L DSCs	F-17
Figure 1-15	Heat Load Zoning Configuration Number 5 for 24PTH-S-LC	F-18
Figure 1-15a	Heat Load Zoning Configuration Number 6 for 24PTH-S and 24PTH-L DSCs with Type 1 or Type 3 Basket	F-19
Figure 1-16	Location of Failed or Damaged Fuel Inside 24PTH DSC	F-20
Figure 1-16a	Location of Peripheral and Inner Fuel Locations for the 24PTH DSC	F-21
Figure 1-17	Heat Load Zoning Configuration Number 1 for Type 1,Type 2, or Type 3 61BTH DSCs	F-22
Figure 1-18	Heat Load Zoning Configuration Number 2 for Type 1,Type 2, or Type 3 61BTH DSCs	F-23
Figure 1-19	Heat Load Zoning Configuration Number 3 for Type 1,Type 2, or Type 3 61BTH DSCs	F-24
Figure 1-20	Heat Load Zoning Configuration Number 4 for Type 1,Type 2, or Type 3 61BTH DSCs	F-25
Figure 1-21	Heat Load Zoning Configuration Number 5 for Type 2 or Type 3 61BTH DSCs	F-26
Figure 1-22	Heat Load Zoning Configuration Number 6 for Type 2 or Type 3 61BTH DSCs	F-27
Figure 1-23	Heat Load Zoning Configuration Number 7 for Type 2 or Type 3 61BTH DSCs	F-28

Figure 1-24 Heat Load Zoning Configuration Number 8 for Type 2 or Type 3 61BTH DSCs F-29
Figure 1-25 Location of Damaged and Failed Fuel Assemblies inside 61BTH DSC with Basket Type 1 and 2 ..... F-30
Figure 1-25a Heat Load Zoning Configuration Number 9 for Type 1,Type 2, or Type 3 61BTH DSC F-31
Figure 1-25b Heat Load Zoning Configuration Number 10 for Type 2 or Type 3 61BTH DSC F-32
Figure 1-25c Location of Peripheral and Inner Fuel Locations for the 61BTH DSC F-33
Figure 1-25d Heat Load Zoning Configuration Number 11 for Type 2 or Type 3 61BTH DSC F-34
Figure 1-25e Heat Load Zoning Configuration Number 12 for Type 2 or Type 3 61BTH DSC F-35
Figure 1-25f Heat Load Zoning Configuration Number 13 for Type 2 or Type 3 61BTH DSC F-36
Figure 1-25g Heat Load Zoning Configuration Number 14 for 61BTH DSC Basket Type 3 ..... F-37
Figure 1-25h Location of Failed and Damaged Fuel Assemblies for 61BTH DSC Basket Type 3 ..... F-38
Figure 1-26 Heat Load Zoning Configuration Number 1 for 32PTH1-S, 32PTH1-M and 32PTH1-L DSCs (Type 1 Baskets) F-39
Figure 1-27 Heat Load Zoning Configuration Number 2 for 32PTH1-S, 32PTH1-M and 32PTH1-L DSCs (Type 1 or Type 2 Baskets) F-40
Figure 1-28 Heat Load Zoning Configuration Number 3 for 32PTH1-S, 32PTH1-M and 32PTH1-L DSCs (Type 1 or Type 2 Baskets) F-41
Figure 1-28a Heat Load Zoning Configuration Number 4 for 32PTH1-S, 32PTH1-M and 32PTH1-L DSCs (Type 1 or Type 2 Baskets) F-42
Figure 1-28b Heat Load Zoning Configuration Number 5 for 32PTH1-S, 32PTH1-M and 32PTH1-L DSCs (Type 1 Basket) F-43
Figure 1-28c Heat Load Zoning Configuration Number 6 for 32PTH1-S, 32PTH1-M and 32PTH1-L DSCs (Type 1 Basket) F-44
Figure 1-29 Heat Load Zone Configuration for the 61BT DSC Contained in an OS197L TC F-45
Figure 1-30 Heat Load Zone Configuration for the 32PT DSC Contained in an OS197L TC F-46
Figure 1-31 Heat Load Zoning Configuration Number 1 for 69BTH DSCs F-47
Figure 1-32 Heat Load Zoning Configuration Number 2 for 69BTH DSCs F-48
Figure 1-33 Heat Load Zoning Configuration Number 3 for 69BTH DSCs F-49
Figure 1-34 Heat Load Zoning Configuration Number 4 for 69BTH DSCs F-50
Figure 1-35 Heat Load Zoning Configuration Number 5 for 69BTH DSC F-51
Figure 1-36 Heat Load Zoning Configuration Number 6 for 69BTH DSC F-52
Figure 1-37 Location of Damaged Fuel Assemblies Inside 69BTH DSC F-53
Figure 1-38 Heat Load Zoning Configuration Number 7 for 69BTH DSCs F-54
Figure 1-39 Heat Load Zoning Configuration Number 2 for 37PTH-S and 37PTH-M DSCs F-55
Figure 1-40 Heat Load Zoning Configuration Number 3 for 37PTH-S and 37PTH-M DSCs F-56
Figure 1-41 Required PRA Locations for the NUHOMS®-37PTH DSC Configuration with Five PRAs F-57

Figure 1-42 Required PRA Locations for the NUHOMS®-37PTH DSC Configuration with Nine PRAs F-58