

From: Manny Sayoc
Sent: Friday, May 8, 2026 3:02 PM
To: BelewsCreekPUBLICem Resource
Cc: Kodaran Anand; Michael Orenak
Subject: FW: Docket Request for Belews Creek ESP Application Audit Item A-15-3

Importance: High

From: Manny Sayoc
Sent: Friday, May 8, 2026 2:55 PM
To: ext_Arthur_Zaremba <arthur.zaremba@duke-energy.com>; ext_Sherry_Andrews <sherry.andrews@duke-energy.com>; Langley, Shannon <Shannon.Langley@duke-energy.com> <shannon.langley@duke-energy.com>; Paul.Finch@duke-energy.com
Cc: Michael Orenak <Michael.Orenak@nrc.gov>; Kodaran Anand <Kodaran.Anand@nrc.gov>
Subject: Docket Request for Belews Creek ESP Application Audit Item A-15-3
Importance: High

Duke Team,

As outlined in the Belews Creek ESP Application audit plan (ML26042A256), information required for the staff to establish their safety finding on the ESP application is required to be submitted on the docket. The staff has determined that the response/proposed SSAR changes provided in the electronic reading room, in relation to audit item A-15-3, needs to be submitted on the docket.

Please notify your PM staff once the information is submitted and provide the ADAMS accession number(s).

Thank You,
Very Respectfully,
Emmanuel "Manny" Sayoc
New Reactor Project Manager
NRR/DNRL/NLIB
301-415-4084
emmanuel.sayoc@nrc.gov

Hearing Identifier: BelewsCreek_LADocs_Public
Email Number: 8

Mail Envelope Properties (PH8PR09MB90396BADB0AE80598997882D8A3D2)

Subject: FW Docket Request for Belews Creek ESP Application Audit Item A-15-3
Sent Date: 5/8/2026 3:02:04 PM
Received Date: 5/8/2026 3:02:06 PM
From: Manny Sayoc

Created By: Emmanuel.Sayoc@nrc.gov

Recipients:

"Kodaran Anand" <Kodaran.Anand@nrc.gov>

Tracking Status: None

"Michael Orenak" <Michael.Orenak@nrc.gov>

Tracking Status: None

"BelewsCreekPUBLICem Resource" <BelewsCreekPUBLICem.Resource@nrc.gov>

Tracking Status: None

Post Office: PH8PR09MB9039.namprd09.prod.outlook.com

Files	Size	Date & Time
MESSAGE	1204	5/8/2026 3:02:06 PM

Options

Priority: High

Return Notification: No

Reply Requested: No

Sensitivity: Normal

Expiration Date: