



Materials Inspection Report

ADAMS Accession # ML26166A262

<p>1. Licensee/Location Inspected:</p> <p>Atlas Technical Consultants LLC 149 McKinley Avenue Pocatello, Idaho TJS: Interstate 15 near Inkom, Idaho</p> <p>Report Number(s) 2026-001</p>	<p>2. NRC/Regional Office</p> <p>Region IV U. S. Nuclear Regulatory Commission 1600 E. Lamar Boulevard Arlington, TX 76011-4511</p>
---	--

3. Docket Number(s) 030-38901	4. License Number(s) 05-35290-01	5. Date(s) of Inspection May 12, 2026
---	--	---

LICENSEE:
The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector. The inspection findings are as follows:

- 1. Based on the inspection findings, no violations were identified.
- 2. Previous violation(s) closed.
- 3. During this inspection, certain of your activities, as described below and/or attached, were in violation of NRC requirements, and were assessed at Severity Level IV, in accordance with the NRC Enforcement Policy.
 - A. The violation(s), specifically described to you by the inspector as non-cited violations, are not being cited because they were self-identified, non-repetitive, corrective action was or is being taken, and the remaining criteria in the NRC Enforcement Policy were satisfied.
(Non-cited violation(s) was/were discussed involving the following requirement(s))
 - B. The following violation(s) is/are being cited in accordance with NRC Enforcement Policy. This form is a NOTICE OF VIOLATION, which may be subject to posting in accordance with 10 CFR 19.11.
(Violations and Corrective Actions)

Statement of Corrective Actions

I hereby state that, within 30 days, the actions described by me to the Inspector will be taken to correct the violations identified. This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201 (corrective steps already taken, corrective steps which will be taken, date when full compliance will be achieved). I understand that no further written response to NRC will be required, unless specifically requested.

TITLE	PRINTED NAME	SIGNATURE AND DATE
LICENSEE'S REPRESENTATIVE		
NRC INSPECTOR	Kyle Bischoff	KYLE BISCHOFF <small>Digitally signed by KYLE BISCHOFF Date: 2026.05.27 06:43:20 -05'00'</small>
BRANCH CHIEF	Lizette Roldán-Otero, PhD	LIZETTE ROLDAN-OTERO <small>Digitally signed by LIZETTE ROLDAN-OTERO Date: 2026.06.08 15:59:35 -05'00'</small>

From: [Gregory Fiedorowicz](#)
To: [Kyle Bischoff](#)
Subject: [External_Sender] RE: NRC Inspection / Atlas Technical / Pocatello FO
Date: Wednesday, May 27, 2026 11:24:50 AM
Attachments: image001.png
image002.png

Received! Thank you Kyle!

Gregory Fiedorowicz, CSP | Area Safety Manager | Atlas Technical Consultants
| Mobile 1-401-302-2822 |



gregory.fiedorowicz@oneatlas.com | www.oneatlas.com

This email and its attachments may contain confidential and/or privileged information for the sole use of the intended recipient(s). If you are not the intended recipient, any use, distribution or copying of the information contained in this email and its attachments is strictly prohibited. If you have received this email in error, please notify the sender by replying to this message and immediately delete and destroy any copies of this email and any attachments. The views or opinions expressed are the author's own and may not reflect the views or opinions of ATC.

From: Kyle Bischoff <Kyle.Bischoff@nrc.gov>
Sent: Wednesday, May 27, 2026 7:53 AM
To: Gregory Fiedorowicz <gregory.fiedorowicz@oneatlas.com>
Subject: [EXTERNAL] NRC Inspection / Atlas Technical / Pocatello FO

[External Email] This email originated from outside of the Atlas mail system. Please use caution when opening attachments.

Gregory,

As we discussed yesterday, the NRC inspection performed on May 12, 2026 did not identify any violations. The enclosed report presents the results of this inspection please review the attached report and maintain a copy for your records.

Please reply to the email acknowledging your receipt.

Thank you,

Kyle Bischoff

Health Physicist
U.S. Nuclear Regulatory Commission
Region IV
Division of Radiological Safety and Security
Materials Inspection Branch
Office: 817-200-1259